

Athens County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate ^a	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
Gender							
Male	62.5	19	68%	8	57%	11	79%
Female	28.3	9	32%	6	43%	3	21%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	2	7%	2	14%	-	-
25-29	*	-	-	-	-	-	-
30-39	129.1	9	32%	7	50%	2	14%
40-49	150.4	11	39%	4	29%	7	50%
50-64	79.1	6	21%	1	7%	5	36%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	35.9	21	75%	11	79%	10	71%
Black, not Hispanic	302.5	5	18%	2	14%	3	21%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	2	7%	1	7%	1	7%
Race/Gender							
White, not Hispanic Male	52.7	15	54%	8	57%	7	50%
White, not Hispanic Female	20.0	6	21%	3	21%	3	21%
Black, not Hispanic Male	*	3	11%	-	-	3	21%
Black, not Hispanic Female	*	2	7%	2	14%	-	-
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	2	7%	1	7%	1	7%
Total	45.0	28		14		14	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Athens County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	10	53%	2	25%	8	73%
Injection drug use (IDU)	-	-	-	-	-	-
Male-to-male sexual contact and IDU	1	5%	1	13%	-	-
Heterosexual contact	-	-	-	-	-	-
Blood product	-	-	-	-	-	-
Other/unknown	8	42%	5	63%	3	27%
Subtotal	19	100%	8	100%	11	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-
Blood product	1	11%	-	-	1	33%
Other/unknown	8	89%	6	100%	2	67%
Subtotal	9	100%	6	100%	3	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	28		14		14	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Athens County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

Cumulative AIDS Diagnoses					
	No.	%		No.	%
Gender			Transmission category		
Male	26	81%	Male adult or adolescent		
Female	6	19%	Male-to-male sexual contact	22	85%
Unknown	-	-	Injection drug use (IDU)	1	4%
			Male-to-male sexual contact and IDU	1	4%
Age			Heterosexual contact	-	-
<13	-	-	Blood product	-	-
13-19	-	-	Other/unknown	2	8%
20-24	-	-	Subtotal	26	100%
25-29	6	19%	Female adult or adolescent		
30-39	13	41%	Injection drug use	-	-
40-49	12	38%	Heterosexual contact	4	67%
50-64	1	3%	Blood product	1	17%
65+	-	-	Other/unknown	1	17%
			Subtotal	6	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	25	78%	Perinatal	-	-
Black, not Hispanic	5	16%	Other	-	-
Hispanic	1	3%	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	1	3%			
Race/Gender					
White, not Hispanic Male	21	66%			
White, not Hispanic Female	4	13%			
Black, not Hispanic Male	3	9%			
Black, not Hispanic Female	2	6%			
Other Male	1	3%			
Other Female	-	-			
Unknown	1	3%			
Total	32				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.