

Clark County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	117.9	82	75%	44	75%	38	75%
Female	37.2	28	25%	15	25%	13	25%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	1	1%	-	-	1	2%
13-19	*	-	-	-	-	-	-
20-24	*	4	4%	4	7%	-	-
25-29	59.5	5	5%	5	8%	-	-
30-39	168.7	33	30%	14	24%	19	37%
40-49	191.5	41	37%	25	42%	16	31%
50-64	101.6	25	23%	11	19%	14	27%
65+	*	1	1%	-	-	1	2%
Race/Ethnicity							
White, not Hispanic	64.0	82	75%	41	69%	41	80%
Black, not Hispanic	190.7	26	24%	16	27%	10	20%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	2	2%	2	3%	-	-
Race/Gender							
White, not Hispanic Male	105.7	65	59%	33	56%	32	63%
White, not Hispanic Female	25.6	17	15%	8	14%	9	18%
Black, not Hispanic Male	245.7	16	15%	10	17%	6	12%
Black, not Hispanic Female	140.4	10	9%	6	10%	4	8%
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	2	2%	2	3%	-	-
Total	76.0	110		59		51	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Clark County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	40	49%	17	40%	23	61%
Injection drug use (IDU)	8	10%	3	7%	5	13%
Male-to-male sexual contact and IDU	4	5%	3	7%	1	3%
Heterosexual contact	5	6%	2	5%	3	8%
Blood product	1	1%	1	2%	-	-
Other/unknown	23	28%	17	40%	6	16%
Subtotal	81	100%	43	100%	38	100%
Female adult or adolescent						
Injection drug use	1	4%	-	-	1	8%
Heterosexual contact	15	56%	9	60%	6	50%
Blood product	-	-	-	-	-	-
Other/unknown	11	41%	6	40%	5	42%
Subtotal	27	100%	15	100%	12	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	50%	-	-	1	100%
Other	1	50%	1	100%	-	-
Subtotal	2	100%	1	100%	1	100%
Total	110		59		51	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Clark County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	26	84%	17	77%
Female	5	16%	5	23%
Unknown	-	-	-	-
Age				
<13	-	-	-	-
13-19	1	3%	1	5%
20-24	2	6%	2	9%
25-29	3	10%	2	9%
30-39	8	26%	5	23%
40-49	14	45%	8	36%
50-64	2	6%	3	14%
65+	1	3%	1	5%
Race/Ethnicity				
White, not Hispanic	18	58%	15	68%
Black, not Hispanic	12	39%	7	32%
Hispanic	1	3%	-	-
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	-	-	-	-
Unknown	-	-	-	-
Race/Gender				
White, not Hispanic Male	17	55%	13	59%
White, not Hispanic Female	1	3%	2	9%
Black, not Hispanic Male	8	26%	4	18%
Black, not Hispanic Female	4	13%	3	14%
Other Male	1	3%	-	-
Other Female	-	-	-	-
Unknown	-	-	-	-
Total	31		22	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Clark County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	16	62%	6	35%
Injection drug use (IDU)	1	4%	-	-
Male-to-male sexual contact and IDU	-	-	1	6%
Heterosexual contact	1	4%	-	-
Blood product	-	-	1	6%
Other/unknown	8	31%	9	53%
Subtotal	26	100%	17	100%
Female adult or adolescent				
Injection drug use	1	20%	1	20%
Heterosexual contact	1	20%	1	20%
Blood product	-	-	-	-
Other/unknown	3	60%	3	60%
Subtotal	5	100%	5	100%
Child (<13 yrs at diagnosis)				
Perinatal	-	-	-	-
Other	-	-	-	-
Subtotal	-	-	-	-
Total	31		22	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Clark County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	15	94%	8	62%	113	86%
Female	1	6%	5	38%	19	14%
Unknown	-	-	-	-	-	-
Age						
<13	-	-	-	-	2	2%
13-19	-	-	-	-	-	-
20-24	-	-	-	-	10	8%
25-29	1	6%	-	-	19	14%
30-39	2	13%	6	46%	48	36%
40-49	10	63%	2	15%	37	28%
50-64	2	13%	4	31%	12	9%
65+	1	6%	1	8%	4	3%
Race/Ethnicity						
White, not Hispanic	10	63%	11	85%	103	78%
Black, not Hispanic	5	31%	2	15%	27	20%
Hispanic	1	6%	-	-	1	1%
Asian/Pacific Islander	-	-	-	-	1	1%
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	10	63%	7	54%	88	67%
White, not Hispanic Female	-	-	4	31%	15	11%
Black, not Hispanic Male	4	25%	1	8%	23	17%
Black, not Hispanic Female	1	6%	1	8%	4	3%
Other Male	1	6%	-	-	2	2%
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Total	16		13		132	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Clark County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	10	67%	4	50%	77	68%
Injection drug use (IDU)	1	7%	-	-	7	6%
Male-to-male sexual contact and IDU	-	-	-	-	4	4%
Heterosexual contact	1	7%	-	-	6	5%
Blood product	-	-	-	-	1	1%
Other/unknown	3	20%	4	50%	18	16%
Subtotal	15	100%	8	100%	113	100%
Female adult or adolescent						
Injection drug use	-	-	2	40%	3	18%
Heterosexual contact	-	-	1	20%	9	53%
Blood product	-	-	-	-	-	-
Other/unknown	1	100%	2	40%	5	29%
Subtotal	1	100%	5	100%	17	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	2	100%
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	2	100%
Total	16		13		132	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.