

## Columbiana County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	55.7	31	70%	16	62%	15	83%
Female	23.1	13	30%	10	38%	3	17%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	3	7%	2	8%	1	6%
30-39	88.2	14	32%	9	35%	5	28%
40-49	82.4	15	34%	8	31%	7	39%
50-64	60.3	11	25%	7	27%	4	22%
65+	*	1	2%	-	-	1	6%
<b>Race/Ethnicity</b>							
White, not Hispanic	31.6	34	77%	17	65%	17	94%
Black, not Hispanic	264.2	7	16%	6	23%	1	6%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	3	7%	3	12%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	49.5	26	59%	12	46%	14	78%
White, not Hispanic Female	14.5	8	18%	5	19%	3	17%
Black, not Hispanic Male	*	4	9%	3	12%	1	6%
Black, not Hispanic Female	*	3	7%	3	12%	-	-
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	3	7%	3	12%	-	-
<b>Total</b>	<b>39.3</b>	<b>44</b>		<b>26</b>		<b>18</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Columbiana County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	14	45%	6	38%	8	53%
Injection drug use (IDU)	1	3%	-	-	1	7%
Male-to-male sexual contact and IDU	2	6%	1	6%	1	7%
Heterosexual contact	2	6%	-	-	2	13%
Blood product	1	3%	-	-	1	7%
Other/unknown	11	35%	9	56%	2	13%
Subtotal	31	100%	16	100%	15	100%
<b>Female adult or adolescent</b>						
Injection drug use	2	15%	2	20%	-	-
Heterosexual contact	4	31%	1	10%	3	100%
Blood product	-	-	-	-	-	-
Other/unknown	7	54%	7	70%	-	-
Subtotal	13	100%	10	100%	3	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
<b>Total</b>	<b>44</b>		<b>26</b>		<b>18</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Columbiana County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

		Cumulative AIDS Diagnoses			
		No.	%		
		No.	%	No.	%
<b>Gender</b>				<b>Transmission category</b>	
Male	37	93%	<b>Male adult or adolescent</b>		
Female	3	8%	Male-to-male sexual contact	20	56%
Unknown	-	-	Injection drug use (IDU)	1	3%
			Male-to-male sexual contact and IDU	3	8%
<b>Age</b>			Heterosexual contact	5	14%
<13	-	-	Blood product	3	8%
13-19	1	3%	Other/unknown	4	11%
20-24	3	8%	Subtotal	36	100%
25-29	9	23%	<b>Female adult or adolescent</b>		
30-39	12	30%	Injection drug use	1	33%
40-49	13	33%	Heterosexual contact	2	67%
50-64	2	5%	Blood product	-	-
65+	-	-	Other/unknown	-	-
			Subtotal	3	100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>		
White, not Hispanic	36	90%	Perinatal	-	-
Black, not Hispanic	3	8%	Other	1	100%
Hispanic	1	3%	Subtotal	1	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
<b>Race/Gender</b>					
White, not Hispanic Male	33	83%			
White, not Hispanic Female	3	8%			
Black, not Hispanic Male	3	8%			
Black, not Hispanic Female	-	-			
Other Male	1	3%			
Other Female	-	-			
Unknown	-	-			
<b>Total</b>	<b>40</b>				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.