

Crawford County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	61.7	14	67%	6	55%	8	80%
Female	28.8	7	33%	5	45%	2	20%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	1	5%	1	9%	-	-
13-19	*	-	-	-	-	-	-
20-24	*	1	5%	1	9%	-	-
25-29	*	2	10%	2	18%	-	-
30-39	*	3	14%	3	27%	-	-
40-49	98.3	7	33%	2	18%	5	50%
50-64	88.0	7	33%	2	18%	5	50%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	36.9	17	81%	8	73%	9	90%
Black, not Hispanic	*	2	10%	1	9%	1	10%
Hispanic	*	1	5%	1	9%	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	1	5%	1	9%	-	-
Race/Gender							
White, not Hispanic Male	54.0	12	57%	5	45%	7	70%
White, not Hispanic Female	21.0	5	24%	3	27%	2	20%
Black, not Hispanic Male	*	1	5%	-	-	1	10%
Black, not Hispanic Female	*	1	5%	1	9%	-	-
Other Male	*	-	-	-	-	-	-
Other Female	*	1	5%	1	9%	-	-
Unknown	*	1	5%	1	9%	-	-
Total	44.7	21		11		10	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Crawford County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	7	54%	3	60%	4	50%
Injection drug use (IDU)	1	8%	-	-	1	13%
Male-to-male sexual contact and IDU	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-
Blood product	1	8%	1	20%	-	-
Other/unknown	4	31%	1	20%	3	38%
Subtotal	13	100%	5	100%	8	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	2	29%	2	40%	-	-
Blood product	-	-	-	-	-	-
Other/unknown	5	71%	3	60%	2	100%
Subtotal	7	100%	5	100%	2	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	1	100%	-	-
Other	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-
Total	21		11		10	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Crawford County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
Gender			Transmission category		
Male	20	95%	Male adult or adolescent		
Female	1	5%	Male-to-male sexual contact	15	75%
Unknown	-	-	Injection drug use (IDU)	1	5%
			Male-to-male sexual contact and IDU	1	5%
Age			Heterosexual contact	-	-
<13	-	-	Blood product	-	-
13-19	-	-	Other/unknown	3	15%
20-24	-	-	Subtotal	20	100%
25-29	2	10%	Female adult or adolescent		
30-39	9	43%	Injection drug use	-	-
40-49	8	38%	Heterosexual contact	-	-
50-64	2	10%	Blood product	-	-
65+	-	-	Other/unknown	1	100%
			Subtotal	1	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	20	95%	Perinatal	-	-
Black, not Hispanic	1	5%	Other	-	-
Hispanic	-	-	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	19	90%			
White, not Hispanic Female	1	5%			
Black, not Hispanic Male	1	5%			
Black, not Hispanic Female	-	-			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
Total	21				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.