

## Darke County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	65.1	17	81%	7	70%	10	91%
Female	*	4	19%	3	30%	1	9%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	4	19%	2	20%	2	18%
30-39	93.7	7	33%	5	50%	2	18%
40-49	*	3	14%	-	-	3	27%
50-64	81.5	7	33%	3	30%	4	36%
65+	*	-	-	-	-	-	-
<b>Race/Ethnicity</b>							
White, not Hispanic	38.2	20	95%	9	90%	11	100%
Black, not Hispanic	*	-	-	-	-	-	-
Hispanic	*	1	5%	1	10%	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	62.5	16	76%	6	60%	10	91%
White, not Hispanic Female	*	4	19%	3	30%	1	9%
Black, not Hispanic Male	*	-	-	-	-	-	-
Black, not Hispanic Female	*	-	-	-	-	-	-
Other Male	*	1	5%	1	10%	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
<b>Total</b>	<b>39.4</b>	<b>21</b>		<b>10</b>		<b>11</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Darke County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	9	53%	4	57%	5	50%
Injection drug use (IDU)	1	6%	-	-	1	10%
Male-to-male sexual contact and IDU	1	6%	-	-	1	10%
Heterosexual contact	-	-	-	-	-	-
Blood product	-	-	-	-	-	-
Other/unknown	6	35%	3	43%	3	30%
Subtotal	17	100%	7	100%	10	100%
<b>Female adult or adolescent</b>						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	3	75%	2	67%	1	100%
Blood product	-	-	-	-	-	-
Other/unknown	1	25%	1	33%	-	-
Subtotal	4	100%	3	100%	1	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
<b>Total</b>	<b>21</b>		<b>10</b>		<b>11</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Darke County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses			
	No.	%	No.	%
<b>Gender</b>			<b>Transmission category</b>	
Male	27	93%	<b>Male adult or adolescent</b>	
Female	2	7%	Male-to-male sexual contact	18 67%
Unknown	-	-	Injection drug use (IDU)	1 4%
			Male-to-male sexual contact and IDU	1 4%
<b>Age</b>			Heterosexual contact	1 4%
<13	-	-	Blood product	2 7%
13-19	-	-	Other/unknown	4 15%
20-24	1	3%	Subtotal	27 100%
25-29	6	21%	<b>Female adult or adolescent</b>	
30-39	10	34%	Injection drug use	- -
40-49	11	38%	Heterosexual contact	1 50%
50-64	1	3%	Blood product	- -
65+	-	-	Other/unknown	1 50%
			Subtotal	2 100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>	
White, not Hispanic	29	100%	Perinatal	- -
Black, not Hispanic	-	-	Other	- -
Hispanic	-	-	Subtotal	- -
Asian/Pacific Islander	-	-		
American Indian/Alaska Native	-	-		
Unknown	-	-		
<b>Race/Gender</b>				
White, not Hispanic Male	27	93%		
White, not Hispanic Female	2	7%		
Black, not Hispanic Male	-	-		
Black, not Hispanic Female	-	-		
Other Male	-	-		
Other Female	-	-		
Unknown	-	-		
<b>Total</b>	<b>29</b>			

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.