

Franklin County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	407.9	2,118	83%	1,251	82%	867	85%
Female	79.1	435	17%	282	18%	153	15%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	5.5	11	<1%	7	<1%	4	<1%
13-19	9.8	10	<1%	7	<1%	3	<1%
20-24	68.7	63	2%	54	4%	9	1%
25-29	160.1	151	6%	118	8%	33	3%
30-39	498.8	883	35%	562	37%	321	31%
40-49	621.2	984	39%	553	36%	431	42%
50-64	288.0	407	16%	209	14%	198	19%
65+	42.2	44	2%	23	2%	21	2%
Race/Ethnicity							
White, not Hispanic	182.6	1,473	58%	824	54%	649	64%
Black, not Hispanic	435.9	868	34%	539	35%	329	32%
Hispanic	300.7	73	3%	44	3%	29	3%
Asian/Pacific Islander	39.4	14	1%	5	<1%	9	1%
American Indian/Alaska Native	224.9	8	<1%	6	<1%	2	<1%
Unknown	*	117	5%	115	8%	2	<1%
Race/Gender							
White, not Hispanic Male	342.7	1,346	53%	743	48%	603	59%
White, not Hispanic Female	30.7	127	5%	81	5%	46	5%
Black, not Hispanic Male	643.7	600	24%	367	24%	233	23%
Black, not Hispanic Female	253.0	268	10%	172	11%	96	9%
Other Male	219.3	73	3%	44	3%	29	3%
Other Female	73.2	22	1%	11	1%	11	1%
Unknown	*	117	5%	115	8%	2	<1%
Total	238.8	2,553		1,533		1,020	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Franklin County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	947	45%	459	37%	488	57%
Injection drug use (IDU)	86	4%	32	3%	54	6%
Male-to-male sexual contact and IDU	58	3%	26	2%	32	4%
Heterosexual contact	49	2%	21	2%	28	3%
Blood product	12	1%	7	1%	5	1%
Other/unknown	955	45%	699	56%	256	30%
Subtotal	2,107	100%	1,244	100%	863	100%
Female adult or adolescent						
Injection drug use	44	10%	21	8%	23	15%
Heterosexual contact	144	34%	81	29%	63	42%
Blood product	5	1%	4	1%	1	1%
Other/unknown	234	55%	171	62%	63	42%
Subtotal	427	100%	277	100%	150	100%
Child (<13 yrs at diagnosis)						
Perinatal	14	74%	8	67%	6	86%
Other	5	26%	4	33%	1	14%
Subtotal	19	100%	12	100%	7	100%
Total	2,553		1,533		1,020	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Franklin County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	426	83%	544	81%
Female	87	17%	124	19%
Unknown	-	-	-	-
Age				
<13	1	<1%	5	1%
13-19	10	2%	11	2%
20-24	37	7%	57	9%
25-29	78	15%	73	11%
30-39	232	45%	261	39%
40-49	115	22%	194	29%
50-64	37	7%	64	10%
65+	3	1%	3	<1%
Race/Ethnicity				
White, not Hispanic	299	58%	337	50%
Black, not Hispanic	173	34%	242	36%
Hispanic	9	2%	25	4%
Asian/Pacific Islander	5	1%	4	1%
American Indian/Alaska Native	2	<1%	1	<1%
Unknown	25	5%	59	9%
Race/Gender				
White, not Hispanic Male	280	55%	307	46%
White, not Hispanic Female	19	4%	30	4%
Black, not Hispanic Male	116	23%	159	24%
Black, not Hispanic Female	57	11%	83	12%
Other Male	10	2%	26	4%
Other Female	6	1%	4	1%
Unknown	25	5%	59	9%
Total	513		668	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Franklin County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	184	43%	125	23%
Injection drug use (IDU)	8	2%	6	1%
Male-to-male sexual contact and IDU	10	2%	3	1%
Heterosexual contact	12	3%	6	1%
Blood product	-	-	-	-
Other/unknown	211	50%	402	74%
Subtotal	425	100%	542	100%
Female adult or adolescent				
Injection drug use	7	8%	2	2%
Heterosexual contact	30	34%	18	15%
Blood product	2	2%	1	1%
Other/unknown	48	55%	100	83%
Subtotal	87	100%	121	100%
Child (<13 yrs at diagnosis)				
Perinatal	1	100%	4	80%
Other	-	-	1	20%
Subtotal	1	-	5	-
Total	513		668	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Franklin County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	197	79%	281	83%	2,042	90%
Female	53	21%	57	17%	237	10%
Unknown	-	-	-	-	-	-
Age						
<13	1	<1%	1	<1%	11	<1%
13-19	1	<1%	1	<1%	8	<1%
20-24	4	2%	11	3%	88	4%
25-29	22	9%	21	6%	339	15%
30-39	137	55%	138	41%	1,066	47%
40-49	62	25%	118	35%	567	25%
50-64	21	8%	46	14%	187	8%
65+	2	1%	2	1%	13	1%
Race/Ethnicity						
White, not Hispanic	144	58%	193	57%	1,624	71%
Black, not Hispanic	96	38%	130	38%	601	26%
Hispanic	4	2%	11	3%	36	2%
Asian/Pacific Islander	2	1%	2	1%	11	<1%
American Indian/Alaska Native	3	1%	-	-	4	<1%
Unknown	1	<1%	2	1%	3	<1%
Race/Gender						
White, not Hispanic Male	131	52%	173	51%	1,535	67%
White, not Hispanic Female	13	5%	20	6%	89	4%
Black, not Hispanic Male	61	24%	95	28%	463	20%
Black, not Hispanic Female	35	14%	35	10%	138	6%
Other Male	4	2%	11	3%	41	2%
Other Female	5	2%	2	1%	10	<1%
Unknown	1	<1%	2	1%	3	<1%
Total	250		338		2,279	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Franklin County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	105	54%	105	37%	1,487	73%
Injection drug use (IDU)	10	5%	9	3%	111	5%
Male-to-male sexual contact and IDU	7	4%	9	3%	77	4%
Heterosexual contact	7	4%	8	3%	45	2%
Blood product	-	-	-	-	19	1%
Other/unknown	67	34%	150	53%	297	15%
Subtotal	196	100%	281	100%	2,036	100%
Female adult or adolescent						
Injection drug use	10	19%	4	7%	41	18%
Heterosexual contact	24	45%	14	25%	106	46%
Blood product	2	4%	-	-	9	4%
Other/unknown	17	32%	38	68%	75	32%
Subtotal	53	100%	56	100%	231	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	1	100%	10	83%
Other	-	-	-	-	2	17%
Subtotal	1	100%	1	100%	12	100%
Total	250		338		2,279	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.