

## Greene County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate <sup>a</sup>	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
<b>Gender</b>							
Male	86.1	62	79%	23	74%	39	83%
Female	21.1	16	21%	8	26%	8	17%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	1	1%	1	3%	-	-
13-19	*	2	3%	2	6%	-	-
20-24	*	4	5%	4	13%	-	-
25-29	72.4	6	8%	5	16%	1	2%
30-39	121.0	24	31%	7	23%	17	36%
40-49	131.6	30	38%	9	29%	21	45%
50-64	41.9	10	13%	3	10%	7	15%
65+	*	1	1%	-	-	1	2%
<b>Race/Ethnicity</b>							
White, not Hispanic	40.8	54	69%	21	68%	33	70%
Black, not Hispanic	189.3	19	24%	9	29%	10	21%
Hispanic	*	3	4%	-	-	3	6%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	1	1%	1	3%	-	-
Unknown	*	1	1%	-	-	1	2%
<b>Race/Gender</b>							
White, not Hispanic Male	65.0	42	54%	14	45%	28	60%
White, not Hispanic Female	17.7	12	15%	7	23%	5	11%
Black, not Hispanic Male	334.9	16	21%	9	29%	7	15%
Black, not Hispanic Female	*	3	4%	-	-	3	6%
Other Male	*	3	4%	-	-	3	6%
Other Female	*	1	1%	1	3%	-	-
Unknown	*	1	1%	-	-	1	2%
<b>Total</b>	<b>52.7</b>	<b>78</b>		<b>31</b>		<b>47</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Greene County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	42	68%	17	74%	25	64%
Injection drug use (IDU)	2	3%	-	-	2	5%
Male-to-male sexual contact and IDU	1	2%	-	-	1	3%
Heterosexual contact	2	3%	1	4%	1	3%
Blood product	2	3%	-	-	2	5%
Other/unknown	13	21%	5	22%	8	21%
Subtotal	62	100%	23	100%	39	100%
<b>Female adult or adolescent</b>						
Injection drug use	1	7%	-	-	1	13%
Heterosexual contact	10	67%	6	86%	4	50%
Blood product	-	-	-	-	-	-
Other/unknown	4	27%	1	14%	3	38%
Subtotal	15	100%	7	100%	8	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	1	100%	1	100%	-	-
Other	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-
<b>Total</b>	<b>78</b>		<b>31</b>		<b>47</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Greene County, Ohio

### Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Gender</b>				
Male	18	86%	13	72%
Female	3	14%	5	28%
Unknown	-	-	-	-
<b>Age</b>				
<13	-	-	-	-
13-19	1	5%	4	22%
20-24	3	14%	1	6%
25-29	1	5%	2	11%
30-39	10	48%	6	33%
40-49	5	24%	4	22%
50-64	1	5%	1	6%
65+	-	-	-	-
<b>Race/Ethnicity</b>				
White, not Hispanic	15	71%	9	50%
Black, not Hispanic	4	19%	9	50%
Hispanic	1	5%	-	-
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	1	5%	-	-
Unknown	-	-	-	-
<b>Race/Gender</b>				
White, not Hispanic Male	13	62%	6	33%
White, not Hispanic Female	2	10%	3	17%
Black, not Hispanic Male	4	19%	7	39%
Black, not Hispanic Female	-	-	2	11%
Other Male	1	5%	-	-
Other Female	1	5%	-	-
Unknown	-	-	-	-
<b>Total</b>	<b>21</b>		<b>18</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Greene County, Ohio

### Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	12	67%	7	54%
Injection drug use (IDU)	-	-	1	8%
Male-to-male sexual contact and IDU	1	6%	-	-
Heterosexual contact	1	6%	-	-
Blood product	-	-	-	-
Other/unknown	4	22%	5	38%
Subtotal	18	100%	13	100%
<b>Female adult or adolescent</b>				
Injection drug use	-	-	-	-
Heterosexual contact	3	100%	3	60%
Blood product	-	-	-	-
Other/unknown	-	-	2	40%
Subtotal	3	100%	5	100%
<b>Child (&lt;13 yrs at diagnosis)</b>				
Perinatal	-	-	-	-
Other	-	-	-	-
Subtotal	-	-	-	-
<b>Total</b>	<b>21</b>		<b>18</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Greene County, Ohio

### Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Gender</b>						
Male	10	83%	11	79%	84	88%
Female	2	17%	3	21%	12	13%
Unknown	-	-	-	-	-	-
<b>Age</b>						
<13	-	-	-	-	2	2%
13-19	-	-	-	-	1	1%
20-24	-	-	-	-	3	3%
25-29	-	-	-	-	11	11%
30-39	7	58%	8	57%	45	47%
40-49	4	33%	4	29%	21	22%
50-64	1	8%	2	14%	11	11%
65+	-	-	-	-	2	2%
<b>Race/Ethnicity</b>						
White, not Hispanic	9	75%	10	71%	77	80%
Black, not Hispanic	2	17%	3	21%	14	15%
Hispanic	1	8%	1	7%	5	5%
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Race/Gender</b>						
White, not Hispanic Male	8	67%	7	50%	69	72%
White, not Hispanic Female	1	8%	3	21%	8	8%
Black, not Hispanic Male	1	8%	3	21%	10	10%
Black, not Hispanic Female	1	8%	-	-	4	4%
Other Male	1	8%	1	7%	5	5%
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Total</b>	<b>12</b>		<b>14</b>		<b>96</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Greene County, Ohio

### Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	6	60%	6	55%	59	71%
Injection drug use (IDU)	-	-	1	9%	4	5%
Male-to-male sexual contact and IDU	1	10%	-	-	3	4%
Heterosexual contact	1	10%	-	-	3	4%
Blood product	-	-	-	-	3	4%
Other/unknown	2	20%	4	36%	11	13%
Subtotal	10	100%	11	100%	83	100%
<b>Female adult or adolescent</b>						
Injection drug use	-	-	-	-	2	18%
Heterosexual contact	1	50%	1	33%	5	45%
Blood product	-	-	-	-	1	9%
Other/unknown	1	50%	2	67%	3	27%
Subtotal	2	100%	3	100%	11	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	2	100%
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	2	100%
<b>Total</b>	<b>12</b>		<b>14</b>		<b>96</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.