

Guernsey County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	85.8	17	77%	9	75%	8	80%
Female	23.8	5	23%	3	25%	2	20%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	1	5%	1	8%	-	-
25-29	*	-	-	-	-	-	-
30-39	89.6	5	23%	2	17%	3	30%
40-49	224.2	14	64%	8	67%	6	60%
50-64	*	1	5%	-	-	1	10%
65+	*	1	5%	1	8%	-	-
Race/Ethnicity							
White, not Hispanic	43.1	17	77%	10	83%	7	70%
Black, not Hispanic	*	3	14%	-	-	3	30%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	2	9%	2	17%	-	-
Race/Gender							
White, not Hispanic Male	73.2	14	64%	8	67%	6	60%
White, not Hispanic Female	*	3	14%	2	17%	1	10%
Black, not Hispanic Male	*	2	9%	-	-	2	20%
Black, not Hispanic Female	*	1	5%	-	-	1	10%
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	2	9%	2	17%	-	-
Total	53.9	22		12		10	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Guernsey County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	5	31%	3	33%	2	29%
Injection drug use (IDU)	-	-	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-
Heterosexual contact	3	19%	2	22%	1	14%
Blood product	-	-	-	-	-	-
Other/unknown	8	50%	4	44%	4	57%
Subtotal	16	100%	9	100%	7	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	3	60%	2	67%	1	50%
Blood product	-	-	-	-	-	-
Other/unknown	2	40%	1	33%	1	50%
Subtotal	5	100%	3	100%	2	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	1	100%	-	-	1	100%
Subtotal	1	100%	-	-	1	100%
Total	22		12		10	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Guernsey County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

		Cumulative AIDS Diagnoses			
		No.	%		
		No.	%	No.	%
Gender				Transmission category	
Male	11	85%	Male adult or adolescent		
Female	2	15%	Male-to-male sexual contact	6	60%
Unknown	-	-	Injection drug use (IDU)	-	-
			Male-to-male sexual contact and IDU	-	-
Age			Heterosexual contact	1	10%
<13	-	-	Blood product	-	-
13-19	1	8%	Other/unknown	3	30%
20-24	-	-	Subtotal	10	100%
25-29	1	8%	Female adult or adolescent		
30-39	5	38%	Injection drug use	-	-
40-49	1	8%	Heterosexual contact	2	100%
50-64	5	38%	Blood product	-	-
65+	-	-	Other/unknown	-	-
			Subtotal	2	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	11	85%	Perinatal	-	-
Black, not Hispanic	2	15%	Other	1	100%
Hispanic	-	-	Subtotal	1	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	9	69%			
White, not Hispanic Female	2	15%			
Black, not Hispanic Male	2	15%			
Black, not Hispanic Female	-	-			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
Total	13				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.