

## Hancock County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	95.4	33	85%	17	89%	16	80%
Female	16.4	6	15%	2	11%	4	20%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	2	5%	1	5%	1	5%
30-39	118.0	12	31%	7	37%	5	25%
40-49	146.7	16	41%	8	42%	8	40%
50-64	82.3	9	23%	3	16%	6	30%
65+	*	-	-	-	-	-	-
<b>Race/Ethnicity</b>							
White, not Hispanic	49.1	33	85%	16	84%	17	85%
Black, not Hispanic	*	2	5%	2	11%	-	-
Hispanic	*	2	5%	-	-	2	10%
Asian/Pacific Islander	*	1	3%	-	-	1	5%
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	1	3%	1	5%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	86.2	28	72%	15	79%	13	65%
White, not Hispanic Female	14.4	5	13%	1	5%	4	20%
Black, not Hispanic Male	*	1	3%	1	5%	-	-
Black, not Hispanic Female	*	1	3%	1	5%	-	-
Other Male	*	3	8%	-	-	3	15%
Other Female	*	-	-	-	-	-	-
Unknown	*	1	3%	1	5%	-	-
<b>Total</b>	<b>54.7</b>	<b>39</b>		<b>19</b>		<b>20</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Hancock County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	19	58%	8	47%	11	69%
Injection drug use (IDU)	-	-	-	-	-	-
Male-to-male sexual contact and IDU	3	9%	2	12%	1	6%
Heterosexual contact	2	6%	1	6%	1	6%
Blood product	-	-	-	-	-	-
Other/unknown	9	27%	6	35%	3	19%
Subtotal	33	100%	17	100%	16	100%
<b>Female adult or adolescent</b>						
Injection drug use	1	17%	1	50%	-	-
Heterosexual contact	3	50%	-	-	3	75%
Blood product	-	-	-	-	-	-
Other/unknown	2	33%	1	50%	1	25%
Subtotal	6	100%	2	100%	4	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
<b>Total</b>	<b>39</b>		<b>19</b>		<b>20</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Hancock County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

Cumulative AIDS Diagnoses					
	No.	%		No.	%
<b>Gender</b>			<b>Transmission category</b>		
Male	33	89%	<b>Male adult or adolescent</b>		
Female	4	11%	Male-to-male sexual contact	25	76%
Unknown	-	-	Injection drug use (IDU)	-	-
			Male-to-male sexual contact and IDU	1	3%
<b>Age</b>			Heterosexual contact	1	3%
<13	-	-	Blood product	2	6%
13-19	1	3%	Other/unknown	4	12%
20-24	1	3%	Subtotal	33	100%
25-29	3	8%	<b>Female adult or adolescent</b>		
30-39	12	32%	Injection drug use	-	-
40-49	15	41%	Heterosexual contact	3	75%
50-64	4	11%	Blood product	-	-
65+	1	3%	Other/unknown	1	25%
			Subtotal	4	100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>		
White, not Hispanic	34	92%	Perinatal	-	-
Black, not Hispanic	-	-	Other	-	-
Hispanic	2	5%	Subtotal	-	-
Asian/Pacific Islander	1	3%			
American Indian/Alaska Native	-	-			
Unknown	-	-			
<b>Race/Gender</b>					
White, not Hispanic Male	30	81%			
White, not Hispanic Female	4	11%			
Black, not Hispanic Male	-	-			
Black, not Hispanic Female	-	-			
Other Male	3	8%			
Other Female	-	-			
Unknown	-	-			
<b>Total</b>	<b>37</b>				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.