

Huron County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by selected characteristics and transmission category

Reported Persons Living with HIV/AIDS						
			No.	%		
			No.	%	No.	%
Current disease status					Race/Gender	
HIV (not AIDS)	8	62%	White, not Hispanic Male	10	77%	
AIDS	5	38%	White, not Hispanic Female	2	15%	
			Black, not Hispanic Male	1	8%	
			Black, not Hispanic Female	-	-	
Gender			Other Male	-	-	
Male	11	85%	Other Female	-	-	
Female	2	15%	Unknown	-	-	
Unknown	-	-				
Age			Transmission category			
<13	1	8%	Male adult or adolescent			
13-19	1	8%	Male-to-male sexual contact	8	80%	
20-24	-	-	Injection drug use (IDU)	-	-	
25-29	2	15%	Male-to-male sexual contact and IDU	-	-	
30-39	3	23%	Heterosexual contact	-	-	
40-49	5	38%	Blood product	-	-	
50-64	1	8%	Other/unknown	2	20%	
65+	-	-	Subtotal	10	100%	
Race/Ethnicity			Female adult or adolescent			
White, not Hispanic	12	92%	Injection drug use	-	-	
Black, not Hispanic	1	8%	Heterosexual contact	2	100%	
Hispanic	-	-	Blood product	-	-	
Asian/Pacific Islander	-	-	Other/unknown	-	-	
American Indian/Alaska Native	-	-	Subtotal	2	100%	
Unknown	-	-	Child (<13 yrs at diagnosis)			
			Perinatal	1	100%	
			Other	-	-	
			Subtotal	1	100%	
Total	13					

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Huron County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses			
	No.	%	No.	%
Gender			Transmission category	
Male	12	80%	Male adult or adolescent	
Female	3	20%	Male-to-male sexual contact	6 50%
Unknown	-	-	Injection drug use (IDU)	2 17%
			Male-to-male sexual contact and IDU	1 8%
Age			Heterosexual contact	1 8%
<13	-	-	Blood product	1 8%
13-19	-	-	Other/unknown	1 8%
20-24	-	-	Subtotal	12 100%
25-29	4	27%	Female adult or adolescent	
30-39	7	47%	Injection drug use	- -
40-49	3	20%	Heterosexual contact	3 100%
50-64	1	7%	Blood product	- -
65+	-	-	Other/unknown	- -
			Subtotal	3 100%
Race/Ethnicity			Child (<13 yrs at diagnosis)	
White, not Hispanic	15	100%	Perinatal	- -
Black, not Hispanic	-	-	Other	- -
Hispanic	-	-	Subtotal	- -
Asian/Pacific Islander	-	-		
American Indian/Alaska Native	-	-		
Unknown	-	-		
Race/Gender				
White, not Hispanic Male	12	80%		
White, not Hispanic Female	3	20%		
Black, not Hispanic Male	-	-		
Black, not Hispanic Female	-	-		
Other Male	-	-		
Other Female	-	-		
Unknown	-	-		
Total	15			

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.