

## Jefferson County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate <sup>a</sup>	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
<b>Gender</b>							
Male	87.9	31	76%	21	84%	10	63%
Female	25.9	10	24%	4	16%	6	38%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	-	-	-	-	-	-
13-19	*	1	2%	-	-	1	6%
20-24	*	1	2%	1	4%	-	-
25-29	*	2	5%	2	8%	-	-
30-39	154.3	14	34%	9	36%	5	31%
40-49	118.8	14	34%	8	32%	6	38%
50-64	68.1	9	22%	5	20%	4	25%
65+	*	-	-	-	-	-	-
<b>Race/Ethnicity</b>							
White, not Hispanic	43.8	30	73%	18	72%	12	75%
Black, not Hispanic	179.0	8	20%	4	16%	4	25%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	3	7%	3	12%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	67.3	22	54%	14	56%	8	50%
White, not Hispanic Female	22.3	8	20%	4	16%	4	25%
Black, not Hispanic Male	279.6	6	15%	4	16%	2	13%
Black, not Hispanic Female	*	2	5%	-	-	2	13%
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	3	7%	3	12%	-	-
<b>Total</b>	<b>55.5</b>	<b>41</b>		<b>25</b>		<b>16</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Jefferson County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	15	48%	8	38%	7	70%
Injection drug use (IDU)	1	3%	-	-	1	10%
Male-to-male sexual contact and IDU	-	-	-	-	-	-
Heterosexual contact	1	3%	1	5%	-	-
Blood product	1	3%	1	5%	-	-
Other/unknown	13	42%	11	52%	2	20%
Subtotal	31	100%	21	100%	10	100%
<b>Female adult or adolescent</b>						
Injection drug use	1	11%	-	-	1	20%
Heterosexual contact	5	56%	2	50%	3	60%
Blood product	-	-	-	-	-	-
Other/unknown	3	33%	2	50%	1	20%
Subtotal	9	100%	4	100%	5	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	1	100%	-	-	1	100%
Other	-	-	-	-	-	-
Subtotal	1	100%	-	-	1	100%
<b>Total</b>	<b>41</b>		<b>25</b>		<b>16</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Jefferson County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
<b>Gender</b>			<b>Transmission category</b>		
Male	39	83%	<b>Male adult or adolescent</b>		
Female	8	17%	Male-to-male sexual contact	23	61%
Unknown	-	-	Injection drug use (IDU)	3	8%
			Male-to-male sexual contact and IDU	3	8%
<b>Age</b>			Heterosexual contact	1	3%
<13	2	4%	Blood product	4	11%
13-19	-	-	Other/unknown	4	11%
20-24	3	6%	Subtotal	38	100%
25-29	8	17%	<b>Female adult or adolescent</b>		
30-39	23	49%	Injection drug use	1	14%
40-49	9	19%	Heterosexual contact	3	43%
50-64	2	4%	Blood product	-	-
65+	-	-	Other/unknown	3	43%
			Subtotal	7	100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>		
White, not Hispanic	37	79%	Perinatal	2	100%
Black, not Hispanic	10	21%	Other	-	-
Hispanic	-	-	Subtotal	2	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
<b>Race/Gender</b>					
White, not Hispanic Male	32	68%			
White, not Hispanic Female	5	11%			
Black, not Hispanic Male	7	15%			
Black, not Hispanic Female	3	6%			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
<b>Total</b>	<b>47</b>				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.