

Lake County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	68.8	76	85%	34	83%	42	88%
Female	11.1	13	15%	7	17%	6	13%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	1	1%	-	-	1	2%
20-24	*	2	2%	2	5%	-	-
25-29	45.2	6	7%	4	10%	2	4%
30-39	90.1	31	35%	11	27%	20	42%
40-49	84.8	32	36%	18	44%	14	29%
50-64	41.6	16	18%	5	12%	11	23%
65+	*	1	1%	1	2%	-	-
Race/Ethnicity							
White, not Hispanic	31.0	67	75%	29	71%	38	79%
Black, not Hispanic	264.3	13	15%	5	12%	8	17%
Hispanic	*	4	4%	2	5%	2	4%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	1	1%	1	2%	-	-
Unknown	*	4	4%	4	10%	-	-
Race/Gender							
White, not Hispanic Male	57.3	60	67%	26	63%	34	71%
White, not Hispanic Female	6.3	7	8%	3	7%	4	8%
Black, not Hispanic Male	418.9	10	11%	4	10%	6	13%
Black, not Hispanic Female	*	3	3%	1	2%	2	4%
Other Male	*	3	3%	1	2%	2	4%
Other Female	*	2	2%	2	5%	-	-
Unknown	*	4	4%	4	10%	-	-
Total	39.1	89		41		48	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lake County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	42	56%	9	26%	33	80%
Injection drug use (IDU)	4	5%	-	-	4	10%
Male-to-male sexual contact and IDU	4	5%	2	6%	2	5%
Heterosexual contact	-	-	-	-	-	-
Blood product	-	-	-	-	-	-
Other/unknown	25	33%	23	68%	2	5%
Subtotal	75	100%	34	100%	41	100%
Female adult or adolescent						
Injection drug use	1	8%	1	14%	-	-
Heterosexual contact	4	33%	-	-	4	80%
Blood product	-	-	-	-	-	-
Other/unknown	7	58%	6	86%	1	20%
Subtotal	12	100%	7	100%	5	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	50%	-	-	1	50%
Other	1	50%	-	-	1	50%
Subtotal	2	100%	-	-	2	100%
Total	89		41		48	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lake County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	20	87%	13	87%
Female	3	13%	2	13%
Unknown	-	-	-	-
Age				
<13	-	-	-	-
13-19	-	-	-	-
20-24	3	13%	2	13%
25-29	2	9%	5	33%
30-39	7	30%	2	13%
40-49	10	43%	4	27%
50-64	-	-	2	13%
65+	1	4%	-	-
Race/Ethnicity				
White, not Hispanic	14	61%	10	67%
Black, not Hispanic	6	26%	1	7%
Hispanic	1	4%	2	13%
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	1	4%	-	-
Unknown	1	4%	2	13%
Race/Gender				
White, not Hispanic Male	13	57%	8	53%
White, not Hispanic Female	1	4%	2	13%
Black, not Hispanic Male	6	26%	1	7%
Black, not Hispanic Female	-	-	-	-
Other Male	1	4%	2	13%
Other Female	1	4%	-	-
Unknown	1	4%	2	13%
Total	23		15	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lake County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	12	60%	3	23%
Injection drug use (IDU)	2	10%	-	-
Male-to-male sexual contact and IDU	-	-	-	-
Heterosexual contact	-	-	-	-
Blood product	-	-	-	-
Other/unknown	6	30%	10	77%
Subtotal	20	100%	13	100%
Female adult or adolescent				
Injection drug use	-	-	-	-
Heterosexual contact	-	-	-	-
Blood product	-	-	-	-
Other/unknown	3	100%	2	100%
Subtotal	3	100%	2	100%
Child (<13 yrs at diagnosis)				
Perinatal	-	-	-	-
Other	-	-	-	-
Subtotal	-	-	-	-
Total	23		15	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lake County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	14	93%	10	91%	112	95%
Female	1	7%	1	9%	6	5%
Unknown	-	-	-	-	-	-
Age						
<13	-	-	-	-	1	1%
13-19	-	-	-	-	2	2%
20-24	-	-	-	-	1	1%
25-29	-	-	2	18%	22	19%
30-39	6	40%	7	64%	53	45%
40-49	9	60%	2	18%	29	25%
50-64	-	-	-	-	8	7%
65+	-	-	-	-	2	2%
Race/Ethnicity						
White, not Hispanic	9	60%	10	91%	102	86%
Black, not Hispanic	5	33%	-	-	13	11%
Hispanic	1	7%	1	9%	3	3%
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	8	53%	9	82%	97	82%
White, not Hispanic Female	1	7%	1	9%	5	4%
Black, not Hispanic Male	5	33%	-	-	12	10%
Black, not Hispanic Female	-	-	-	-	1	1%
Other Male	1	7%	1	9%	3	3%
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Total	15		11		118	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lake County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003		No.	%
	No.	%	No.	%		
Male adult or adolescent						
Male-to-male sexual contact	10	71%	7	70%	84	76%
Injection drug use (IDU)	2	14%	1	10%	10	9%
Male-to-male sexual contact and IDU	1	7%	-	-	7	6%
Heterosexual contact	-	-	-	-	1	1%
Blood product	-	-	-	-	4	4%
Other/unknown	1	7%	2	20%	5	5%
Subtotal	14	100%	10	100%	111	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	1	100%	-	-	4	80%
Blood product	-	-	-	-	-	-
Other/unknown	-	-	1	100%	1	20%
Subtotal	1	100%	1	100%	5	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	1	50%
Other	-	-	-	-	1	50%
Subtotal	-	-	-	-	2	100%
Total	15		11		118	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.