

Lawrence County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	66.9	20	71%	9	75%	11	69%
Female	24.7	8	29%	3	25%	5	31%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	-	-	-	-	-	-
30-39	78.7	7	25%	4	33%	3	19%
40-49	163.9	15	54%	7	58%	8	50%
50-64	55.4	6	21%	1	8%	5	31%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	41.5	25	89%	11	92%	14	88%
Black, not Hispanic	*	3	11%	1	8%	2	13%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Race/Gender							
White, not Hispanic Male	62.3	18	64%	8	67%	10	63%
White, not Hispanic Female	22.3	7	25%	3	25%	4	25%
Black, not Hispanic Male	*	2	7%	1	8%	1	6%
Black, not Hispanic Female	*	1	4%	-	-	1	6%
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Total	44.9	28		12		16	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lawrence County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	8	40%	1	11%	7	64%
Injection drug use (IDU)	4	20%	2	22%	2	18%
Male-to-male sexual contact and IDU	-	-	-	-	-	-
Heterosexual contact	3	15%	3	33%	-	-
Blood product	-	-	-	-	-	-
Other/unknown	5	25%	3	33%	2	18%
Subtotal	20	100%	9	100%	11	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	5	63%	1	33%	4	80%
Blood product	1	13%	-	-	1	20%
Other/unknown	2	25%	2	67%	-	-
Subtotal	8	100%	3	100%	5	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	28		12		16	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Lawrence County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
Gender			Transmission category		
Male	27	84%	Male adult or adolescent		
Female	5	16%	Male-to-male sexual contact	18	67%
Unknown	-	-	Injection drug use (IDU)	2	7%
			Male-to-male sexual contact and IDU	1	4%
Age			Heterosexual contact	1	4%
<13	-	-	Blood product	2	7%
13-19	-	-	Other/unknown	3	11%
20-24	-	-	Subtotal	27	100%
25-29	3	9%	Female adult or adolescent		
30-39	14	44%	Injection drug use	-	-
40-49	12	38%	Heterosexual contact	4	80%
50-64	3	9%	Blood product	1	20%
65+	-	-	Other/unknown	-	-
			Subtotal	5	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	30	94%	Perinatal	-	-
Black, not Hispanic	2	6%	Other	-	-
Hispanic	-	-	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	26	81%			
White, not Hispanic Female	4	13%			
Black, not Hispanic Male	1	3%			
Black, not Hispanic Female	1	3%			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
Total	32				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.