

## Lucas County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate <sup>a</sup>	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
<b>Gender</b>							
Male	266.0	582	76%	303	72%	279	80%
Female	79.6	188	24%	119	28%	69	20%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	8.1	7	1%	3	1%	4	1%
13-19	10.9	5	1%	4	1%	1	<1%
20-24	66.3	21	3%	17	4%	4	1%
25-29	185.3	60	8%	48	11%	12	3%
30-39	395.2	255	33%	152	36%	103	30%
40-49	439.6	301	39%	146	35%	155	45%
50-64	165.2	109	14%	48	11%	61	18%
65+	20.2	12	2%	4	1%	8	2%
<b>Race/Ethnicity</b>							
White, not Hispanic	113.4	394	51%	223	53%	171	49%
Black, not Hispanic	403.6	321	42%	163	39%	158	45%
Hispanic	183.8	38	5%	20	5%	18	5%
Asian/Pacific Islander	81.1	5	1%	4	1%	1	<1%
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	12	2%	12	3%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	195.6	328	43%	179	42%	149	43%
White, not Hispanic Female	36.7	66	9%	44	10%	22	6%
Black, not Hispanic Male	578.5	214	28%	98	23%	116	33%
Black, not Hispanic Female	251.5	107	14%	65	15%	42	12%
Other Male	227.9	32	4%	18	4%	14	4%
Other Female	78.3	11	1%	6	1%	5	1%
Unknown	*	12	2%	12	3%	-	-
<b>Total</b>	<b>169.2</b>	<b>770</b>		<b>422</b>		<b>348</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Lucas County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	342	59%	173	57%	169	61%
Injection drug use (IDU)	42	7%	24	8%	18	7%
Male-to-male sexual contact and IDU	35	6%	9	3%	26	9%
Heterosexual contact	33	6%	17	6%	16	6%
Blood product	7	1%	3	1%	4	1%
Other/unknown	119	21%	76	25%	43	16%
Subtotal	578	100%	302	100%	276	100%
<b>Female adult or adolescent</b>						
Injection drug use	25	14%	11	10%	14	21%
Heterosexual contact	77	43%	51	44%	26	39%
Blood product	1	1%	-	-	1	2%
Other/unknown	78	43%	53	46%	25	38%
Subtotal	181	100%	115	100%	66	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	10	91%	5	100%	5	83%
Other	1	9%	-	-	1	17%
Subtotal	11	100%	5	100%	6	100%
<b>Total</b>	<b>770</b>		<b>422</b>		<b>348</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Lucas County, Ohio

### Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Gender</b>				
Male	95	67%	126	75%
Female	47	33%	42	25%
Unknown	-	-	-	-
<b>Age</b>				
<13	3	2%	2	1%
13-19	3	2%	1	1%
20-24	16	11%	15	9%
25-29	27	19%	23	14%
30-39	63	44%	62	37%
40-49	20	14%	51	30%
50-64	9	6%	14	8%
65+	1	1%	-	-
<b>Race/Ethnicity</b>				
White, not Hispanic	72	51%	71	42%
Black, not Hispanic	56	39%	83	49%
Hispanic	11	8%	9	5%
Asian/Pacific Islander	1	1%	2	1%
American Indian/Alaska Native	-	-	-	-
Unknown	2	1%	3	2%
<b>Race/Gender</b>				
White, not Hispanic Male	55	39%	61	36%
White, not Hispanic Female	17	12%	10	6%
Black, not Hispanic Male	30	21%	53	32%
Black, not Hispanic Female	26	18%	30	18%
Other Male	8	6%	11	7%
Other Female	4	3%	-	-
Unknown	2	1%	3	2%
<b>Total</b>	<b>142</b>		<b>168</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Lucas County, Ohio

### Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	49	52%	57	46%
Injection drug use (IDU)	5	5%	7	6%
Male-to-male sexual contact and IDU	3	3%	3	2%
Heterosexual contact	8	8%	8	6%
Blood product	-	-	-	-
Other/unknown	30	32%	50	40%
Subtotal	95	100%	125	100%
<b>Female adult or adolescent</b>				
Injection drug use	5	11%	1	2%
Heterosexual contact	14	32%	15	37%
Blood product	-	-	-	-
Other/unknown	25	57%	25	61%
Subtotal	44	100%	41	100%
<b>Child (&lt;13 yrs at diagnosis)</b>				
Perinatal	3	100%	2	100%
Other	-	-	-	-
Subtotal	3	-	2	-
<b>Total</b>	<b>142</b>		<b>168</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Lucas County, Ohio

### Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Gender</b>						
Male	62	72%	72	77%	516	82%
Female	24	28%	22	23%	115	18%
Unknown	-	-	-	-	-	-
<b>Age</b>						
<13	1	1%	1	1%	11	2%
13-19	1	1%	-	-	6	1%
20-24	4	5%	3	3%	43	7%
25-29	9	10%	9	10%	89	14%
30-39	42	49%	42	45%	280	44%
40-49	22	26%	30	32%	146	23%
50-64	6	7%	9	10%	50	8%
65+	1	1%	-	-	6	1%
<b>Race/Ethnicity</b>						
White, not Hispanic	44	51%	38	40%	369	58%
Black, not Hispanic	34	40%	52	55%	239	38%
Hispanic	8	9%	4	4%	22	3%
Asian/Pacific Islander	-	-	-	-	1	<1%
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Race/Gender</b>						
White, not Hispanic Male	31	36%	33	35%	324	51%
White, not Hispanic Female	13	15%	5	5%	45	7%
Black, not Hispanic Male	26	30%	35	37%	175	28%
Black, not Hispanic Female	8	9%	17	18%	64	10%
Other Male	5	6%	4	4%	17	3%
Other Female	3	3%	-	-	6	1%
Unknown	-	-	-	-	-	-
<b>Total</b>	<b>86</b>		<b>94</b>		<b>631</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Lucas County, Ohio

### Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	34	55%	33	46%	362	71%
Injection drug use (IDU)	5	8%	6	8%	31	6%
Male-to-male sexual contact and IDU	6	10%	3	4%	37	7%
Heterosexual contact	8	13%	2	3%	19	4%
Blood product	-	-	-	-	5	1%
Other/unknown	9	15%	27	38%	55	11%
Subtotal	62	100%	71	100%	509	100%
<b>Female adult or adolescent</b>						
Injection drug use	4	17%	1	5%	23	21%
Heterosexual contact	9	39%	7	32%	51	46%
Blood product	-	-	-	-	1	1%
Other/unknown	10	43%	14	64%	35	32%
Subtotal	23	100%	22	100%	110	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	1	100%	1	100%	11	92%
Other	-	-	-	-	1	8%
Subtotal	1	100%	1	100%	12	100%
<b>Total</b>	<b>86</b>		<b>94</b>		<b>631</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.