

Mahoning County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate ^a	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
Gender							
Male	179.7	221	66%	128	62%	93	74%
Female	84.0	113	34%	80	38%	33	26%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	16.1	7	2%	7	3%	-	-
13-19	*	4	1%	4	2%	-	-
20-24	*	3	1%	2	1%	1	1%
25-29	105.1	15	4%	13	6%	2	2%
30-39	311.7	103	31%	72	35%	31	25%
40-49	326.4	133	40%	72	35%	61	48%
50-64	151.0	62	19%	33	16%	29	23%
65+	15.3	7	2%	5	2%	2	2%
Race/Ethnicity							
White, not Hispanic	63.9	132	40%	72	35%	60	48%
Black, not Hispanic	366.7	152	46%	96	46%	56	44%
Hispanic	418.8	32	10%	22	11%	10	8%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	18	5%	18	9%	-	-
Race/Gender							
White, not Hispanic Male	103.4	102	31%	51	25%	51	40%
White, not Hispanic Female	27.8	30	9%	21	10%	9	7%
Black, not Hispanic Male	457.7	90	27%	54	26%	36	29%
Black, not Hispanic Female	284.6	62	19%	42	20%	20	16%
Other Male	360.9	17	5%	11	5%	6	5%
Other Female	309.0	15	4%	11	5%	4	3%
Unknown	*	18	5%	18	9%	-	-
Total	129.7	334		208		126	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Mahoning County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	81	37%	36	29%	45	48%
Injection drug use (IDU)	22	10%	12	10%	10	11%
Male-to-male sexual contact and IDU	14	6%	5	4%	9	10%
Heterosexual contact	9	4%	5	4%	4	4%
Blood product	4	2%	1	1%	3	3%
Other/unknown	88	40%	66	53%	22	24%
Subtotal	218	100%	125	100%	93	100%
Female adult or adolescent						
Injection drug use	13	12%	8	11%	5	15%
Heterosexual contact	25	23%	17	23%	8	24%
Blood product	-	-	-	-	-	-
Other/unknown	70	65%	50	67%	20	61%
Subtotal	108	100%	75	100%	33	100%
Child (<13 yrs at diagnosis)						
Perinatal	7	88%	7	88%	-	-
Other	1	13%	1	13%	-	-
Subtotal	8	100%	8	100%	-	-
Total	334		208		126	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Mahoning County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	43	78%	39	48%
Female	12	22%	43	52%
Unknown	-	-	-	-
Age				
<13	1	2%	1	1%
13-19	1	2%	3	4%
20-24	1	2%	4	5%
25-29	6	11%	16	20%
30-39	19	35%	23	28%
40-49	21	38%	29	35%
50-64	6	11%	6	7%
65+	-	-	-	-
Race/Ethnicity				
White, not Hispanic	27	49%	23	28%
Black, not Hispanic	24	44%	52	63%
Hispanic	2	4%	5	6%
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	-	-	-	-
Unknown	2	4%	2	2%
Race/Gender				
White, not Hispanic Male	25	45%	9	11%
White, not Hispanic Female	2	4%	14	17%
Black, not Hispanic Male	15	27%	27	33%
Black, not Hispanic Female	9	16%	25	30%
Other Male	1	2%	2	2%
Other Female	1	2%	3	4%
Unknown	2	4%	2	2%
Total	55		82	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Mahoning County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	22	52%	10	26%
Injection drug use (IDU)	4	10%	2	5%
Male-to-male sexual contact and IDU	3	7%	1	3%
Heterosexual contact	2	5%	3	8%
Blood product	-	-	-	-
Other/unknown	11	26%	23	59%
Subtotal	42	100%	39	100%
Female adult or adolescent				
Injection drug use	1	8%	1	2%
Heterosexual contact	3	25%	4	10%
Blood product	-	-	-	-
Other/unknown	8	67%	37	88%
Subtotal	12	100%	42	100%
Child (<13 yrs at diagnosis)				
Perinatal	1	100%	1	100%
Other	-	-	-	-
Subtotal	1	-	1	-
Total	55		82	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Mahoning County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	18	82%	24	56%	188	76%
Female	4	18%	19	44%	59	24%
Unknown	-	-	-	-	-	-
Age						
<13	-	-	-	-	-	-
13-19	-	-	-	-	5	2%
20-24	-	-	-	-	6	2%
25-29	2	9%	5	12%	26	11%
30-39	8	36%	17	40%	118	48%
40-49	11	50%	18	42%	70	28%
50-64	1	5%	3	7%	20	8%
65+	-	-	-	-	2	1%
Race/Ethnicity						
White, not Hispanic	12	55%	17	40%	132	53%
Black, not Hispanic	10	45%	24	56%	102	41%
Hispanic	-	-	2	5%	13	5%
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	12	55%	11	26%	113	46%
White, not Hispanic Female	-	-	6	14%	19	8%
Black, not Hispanic Male	6	27%	12	28%	68	28%
Black, not Hispanic Female	4	18%	12	28%	34	14%
Other Male	-	-	1	2%	7	3%
Other Female	-	-	1	2%	6	2%
Unknown	-	-	-	-	-	-
Total	22		43		247	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Mahoning County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	13	72%	6	25%	104	55%
Injection drug use (IDU)	1	6%	4	17%	17	9%
Male-to-male sexual contact and IDU	1	6%	1	4%	12	6%
Heterosexual contact	1	6%	-	-	7	4%
Blood product	-	-	1	4%	18	10%
Other/unknown	2	11%	12	50%	30	16%
Subtotal	18	100%	24	100%	188	100%
Female adult or adolescent						
Injection drug use	1	25%	-	-	16	27%
Heterosexual contact	-	-	3	16%	17	29%
Blood product	-	-	-	-	3	5%
Other/unknown	3	75%	16	84%	23	39%
Subtotal	4	100%	19	100%	59	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	22		43		247	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.