

Montgomery County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	304.4	817	81%	385	77%	432	85%
Female	66.4	193	19%	115	23%	78	15%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	4	<1%	2	<1%	2	<1%
13-19	22.3	12	1%	6	1%	6	1%
20-24	83.7	32	3%	25	5%	7	1%
25-29	179.0	67	7%	42	8%	25	5%
30-39	377.4	307	30%	158	32%	149	29%
40-49	454.8	381	38%	180	36%	201	39%
50-64	219.9	193	19%	81	16%	112	22%
65+	18.3	14	1%	6	1%	8	2%
Race/Ethnicity							
White, not Hispanic	114.8	492	49%	235	47%	257	50%
Black, not Hispanic	432.3	491	49%	245	49%	246	48%
Hispanic	183.2	13	1%	7	1%	6	1%
Asian/Pacific Islander	*	4	<1%	3	1%	1	<1%
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	10	1%	10	2%	-	-
Race/Gender							
White, not Hispanic Male	210.6	437	43%	204	41%	233	46%
White, not Hispanic Female	24.9	55	5%	31	6%	24	5%
Black, not Hispanic Male	683.3	360	36%	168	34%	192	38%
Black, not Hispanic Female	215.1	131	13%	77	15%	54	11%
Other Male	158.0	13	1%	6	1%	7	1%
Other Female	*	4	<1%	4	1%	-	-
Unknown	*	10	1%	10	2%	-	-
Total	180.7	1,010		500		510	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Montgomery County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	510	63%	228	59%	282	66%
Injection drug use (IDU)	36	4%	13	3%	23	5%
Male-to-male sexual contact and IDU	49	6%	13	3%	36	8%
Heterosexual contact	31	4%	8	2%	23	5%
Blood product	9	1%	3	1%	6	1%
Other/unknown	177	22%	119	31%	58	14%
Subtotal	812	100%	384	100%	428	100%
Female adult or adolescent						
Injection drug use	28	15%	12	11%	16	22%
Heterosexual contact	78	42%	49	43%	29	39%
Blood product	3	2%	-	-	3	4%
Other/unknown	78	42%	52	46%	26	35%
Subtotal	187	100%	113	100%	74	100%
Child (<13 yrs at diagnosis)						
Perinatal	8	73%	2	67%	6	75%
Other	3	27%	1	33%	2	25%
Subtotal	11	100%	3	100%	8	100%
Total	1,010		500		510	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Montgomery County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	169	79%	145	71%
Female	46	21%	59	29%
Unknown	-	-	-	-
Age				
<13	-	-	1	<1%
13-19	5	2%	15	7%
20-24	20	9%	17	8%
25-29	31	14%	28	14%
30-39	85	40%	75	37%
40-49	50	23%	55	27%
50-64	20	9%	12	6%
65+	4	2%	1	<1%
Race/Ethnicity				
White, not Hispanic	93	43%	83	41%
Black, not Hispanic	116	54%	113	55%
Hispanic	2	1%	2	1%
Asian/Pacific Islander	1	<1%	3	1%
American Indian/Alaska Native	-	-	-	-
Unknown	3	1%	3	1%
Race/Gender				
White, not Hispanic Male	81	38%	69	34%
White, not Hispanic Female	12	6%	14	7%
Black, not Hispanic Male	85	40%	70	34%
Black, not Hispanic Female	31	14%	43	21%
Other Male	2	1%	4	2%
Other Female	1	<1%	1	<1%
Unknown	3	1%	3	1%
Total	215		204	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Montgomery County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	114	67%	62	43%
Injection drug use (IDU)	6	4%	3	2%
Male-to-male sexual contact and IDU	4	2%	4	3%
Heterosexual contact	9	5%	6	4%
Blood product	-	-	-	-
Other/unknown	36	21%	70	48%
Subtotal	169	100%	145	100%
Female adult or adolescent				
Injection drug use	-	-	4	7%
Heterosexual contact	16	35%	15	26%
Blood product	1	2%	1	2%
Other/unknown	29	63%	38	66%
Subtotal	46	100%	58	100%
Child (<13 yrs at diagnosis)				
Perinatal	-	-	1	100%
Other	-	-	-	-
Subtotal	-	-	1	-
Total	215		204	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Montgomery County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	106	85%	108	76%	784	87%
Female	18	15%	34	24%	119	13%
Unknown	-	-	-	-	-	-
Age						
<13	-	-	-	-	10	1%
13-19	2	2%	3	2%	10	1%
20-24	4	3%	7	5%	28	3%
25-29	11	9%	15	11%	113	13%
30-39	62	50%	60	42%	411	46%
40-49	29	23%	42	30%	245	27%
50-64	13	10%	13	9%	75	8%
65+	3	2%	2	1%	11	1%
Race/Ethnicity						
White, not Hispanic	60	48%	64	45%	534	59%
Black, not Hispanic	63	51%	77	54%	361	40%
Hispanic	1	1%	-	-	7	1%
Asian/Pacific Islander	-	-	1	1%	1	<1%
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	54	44%	57	40%	490	54%
White, not Hispanic Female	6	5%	7	5%	44	5%
Black, not Hispanic Male	51	41%	50	35%	286	32%
Black, not Hispanic Female	12	10%	27	19%	75	8%
Other Male	1	1%	1	1%	8	1%
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Total	124		142		903	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Montgomery County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	74	70%	58	54%	542	70%
Injection drug use (IDU)	5	5%	2	2%	41	5%
Male-to-male sexual contact and IDU	4	4%	5	5%	63	8%
Heterosexual contact	10	9%	2	2%	33	4%
Blood product	1	1%	-	-	17	2%
Other/unknown	12	11%	40	37%	80	10%
Subtotal	106	100%	107	100%	776	100%
Female adult or adolescent						
Injection drug use	4	22%	4	12%	28	25%
Heterosexual contact	5	28%	10	30%	42	37%
Blood product	1	6%	1	3%	7	6%
Other/unknown	8	44%	18	55%	36	32%
Subtotal	18	100%	33	100%	113	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	1	50%	9	64%
Other	-	-	1	50%	5	36%
Subtotal	-	-	2	100%	14	100%
Total	124		142		903	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.