

Ross County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	107.5	41	82%	16	73%	25	89%
Female	25.6	9	18%	6	27%	3	11%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	1	2%	-	-	1	4%
13-19	*	1	2%	1	5%	-	-
20-24	*	-	-	-	-	-	-
25-29	*	-	-	-	-	-	-
30-39	120.8	14	28%	6	27%	8	29%
40-49	198.7	24	48%	11	50%	13	46%
50-64	84.9	10	20%	4	18%	6	21%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	60.7	41	82%	18	82%	23	82%
Black, not Hispanic	145.3	7	14%	2	9%	5	18%
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	2	4%	2	9%	-	-
Race/Gender							
White, not Hispanic Male	99.5	34	68%	12	55%	22	79%
White, not Hispanic Female	21.0	7	14%	6	27%	1	4%
Black, not Hispanic Male	143.6	5	10%	2	9%	3	11%
Black, not Hispanic Female	*	2	4%	-	-	2	7%
Other Male	*	-	-	-	-	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	2	4%	2	9%	-	-
Total	68.2	50		22		28	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Ross County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	24	59%	9	56%	15	60%
Injection drug use (IDU)	1	2%	1	6%	-	-
Male-to-male sexual contact and IDU	2	5%	-	-	2	8%
Heterosexual contact	1	2%	-	-	1	4%
Blood product	-	-	-	-	-	-
Other/unknown	13	32%	6	38%	7	28%
Subtotal	41	100%	16	100%	25	100%
Female adult or adolescent						
Injection drug use	2	25%	1	17%	1	50%
Heterosexual contact	1	13%	1	17%	-	-
Blood product	-	-	-	-	-	-
Other/unknown	5	63%	4	67%	1	50%
Subtotal	8	100%	6	100%	2	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	-	-	1	100%
Other	-	-	-	-	-	-
Subtotal	1	100%	-	-	1	100%
Total	50		22		28	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Ross County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
Gender			Transmission category		
Male	50	88%	Male adult or adolescent		
Female	7	12%	Male-to-male sexual contact	37	76%
Unknown	-	-	Injection drug use (IDU)	-	-
			Male-to-male sexual contact and IDU	3	6%
Age			Heterosexual contact	1	2%
<13	2	4%	Blood product	-	-
13-19	-	-	Other/unknown	8	16%
20-24	-	-	Subtotal	49	100%
25-29	7	12%	Female adult or adolescent		
30-39	18	32%	Injection drug use	2	33%
40-49	26	46%	Heterosexual contact	1	17%
50-64	4	7%	Blood product	1	17%
65+	-	-	Other/unknown	2	33%
			Subtotal	6	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	51	89%	Perinatal	1	50%
Black, not Hispanic	6	11%	Other	1	50%
Hispanic	-	-	Subtotal	2	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	47	82%			
White, not Hispanic Female	4	7%			
Black, not Hispanic Male	3	5%			
Black, not Hispanic Female	3	5%			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
Total	57				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.