

Sandusky County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	89.3	27	90%	10	91%	17	89%
Female	*	3	10%	1	9%	2	11%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	1	3%	-	-	1	5%
25-29	*	-	-	-	-	-	-
30-39	127.8	11	37%	3	27%	8	42%
40-49	112.6	11	37%	6	55%	5	26%
50-64	62.2	6	20%	1	9%	5	26%
65+	*	1	3%	1	9%	-	-
Race/Ethnicity							
White, not Hispanic	37.9	21	70%	9	82%	12	63%
Black, not Hispanic	270.1	5	17%	2	18%	3	16%
Hispanic	*	4	13%	-	-	4	21%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Race/Gender							
White, not Hispanic Male	70.3	19	63%	8	73%	11	58%
White, not Hispanic Female	*	2	7%	1	9%	1	5%
Black, not Hispanic Male	538.2	5	17%	2	18%	3	16%
Black, not Hispanic Female	*	-	-	-	-	-	-
Other Male	*	3	10%	-	-	3	16%
Other Female	*	1	3%	-	-	1	5%
Unknown	*	-	-	-	-	-	-
Total	48.5	30		11		19	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Sandusky County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	17	63%	7	70%	10	59%
Injection drug use (IDU)	3	11%	2	20%	1	6%
Male-to-male sexual contact and IDU	1	4%	-	-	1	6%
Heterosexual contact	2	7%	-	-	2	12%
Blood product	-	-	-	-	-	-
Other/unknown	4	15%	1	10%	3	18%
Subtotal	27	100%	10	100%	17	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	3	100%	1	100%	2	100%
Blood product	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-
Subtotal	3	100%	1	100%	2	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	30		11		19	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Sandusky County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

Cumulative AIDS Diagnoses					
	No.	%		No.	%
Gender			Transmission category		
Male	32	89%	Male adult or adolescent		
Female	4	11%	Male-to-male sexual contact	23	72%
Unknown	-	-	Injection drug use (IDU)	2	6%
			Male-to-male sexual contact and IDU	-	-
Age			Heterosexual contact	3	9%
<13	-	-	Blood product	-	-
13-19	-	-	Other/unknown	4	13%
20-24	1	3%	Subtotal	32	100%
25-29	1	3%	Female adult or adolescent		
30-39	20	56%	Injection drug use	-	-
40-49	8	22%	Heterosexual contact	3	75%
50-64	5	14%	Blood product	1	25%
65+	1	3%	Other/unknown	-	-
			Subtotal	4	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	27	75%	Perinatal	-	-
Black, not Hispanic	5	14%	Other	-	-
Hispanic	3	8%	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	1	3%			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	24	67%			
White, not Hispanic Female	3	8%			
Black, not Hispanic Male	5	14%			
Black, not Hispanic Female	-	-			
Other Male	3	8%			
Other Female	1	3%			
Unknown	-	-			
Total	36				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.