

Stark County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate ^a	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
Gender							
Male	110.7	201	77%	115	74%	86	81%
Female	31.0	61	23%	41	26%	20	19%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	3	1%	1	1%	2	2%
13-19	*	-	-	-	-	-	-
20-24	*	4	2%	4	3%	-	-
25-29	54.9	12	5%	9	6%	3	3%
30-39	175.3	92	35%	65	42%	27	25%
40-49	161.2	96	37%	49	31%	47	44%
50-64	84.0	52	20%	26	17%	26	25%
65+	*	3	1%	2	1%	1	1%
Race/Ethnicity							
White, not Hispanic	53.8	184	70%	103	66%	81	76%
Black, not Hispanic	230.9	67	26%	45	29%	22	21%
Hispanic	143.2	5	2%	2	1%	3	3%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	6	2%	6	4%	-	-
Race/Gender							
White, not Hispanic Male	90.6	149	57%	82	53%	67	63%
White, not Hispanic Female	19.7	35	13%	21	13%	14	13%
Black, not Hispanic Male	311.8	43	16%	27	17%	16	15%
Black, not Hispanic Female	157.6	24	9%	18	12%	6	6%
Other Male	150.7	5	2%	2	1%	3	3%
Other Female	*	-	-	-	-	-	-
Unknown	*	6	2%	6	4%	-	-
Total	69.3	262		156		106	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Stark County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	108	54%	47	41%	61	71%
Injection drug use (IDU)	8	4%	4	3%	4	5%
Male-to-male sexual contact and IDU	6	3%	2	2%	4	5%
Heterosexual contact	7	3%	5	4%	2	2%
Blood product	3	1%	-	-	3	3%
Other/unknown	69	34%	57	50%	12	14%
Subtotal	201	100%	115	100%	86	100%
Female adult or adolescent						
Injection drug use	3	5%	3	8%	-	-
Heterosexual contact	21	36%	11	28%	10	56%
Blood product	1	2%	1	3%	-	-
Other/unknown	33	57%	25	63%	8	44%
Subtotal	58	100%	40	100%	18	100%
Child (<13 yrs at diagnosis)						
Perinatal	3	100%	1	100%	2	100%
Other	-	-	-	-	-	-
Subtotal	3	100%	1	100%	2	100%
Total	262		156		106	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Stark County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	38	64%	35	78%
Female	21	36%	10	22%
Unknown	-	-	-	-
Age				
<13	2	3%	-	-
13-19	1	2%	1	2%
20-24	5	8%	2	4%
25-29	9	15%	4	9%
30-39	24	41%	21	47%
40-49	14	24%	8	18%
50-64	4	7%	9	20%
65+	-	-	-	-
Race/Ethnicity				
White, not Hispanic	45	76%	27	60%
Black, not Hispanic	12	20%	13	29%
Hispanic	1	2%	1	2%
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	-	-	-	-
Unknown	1	2%	4	9%
Race/Gender				
White, not Hispanic Male	29	49%	23	51%
White, not Hispanic Female	16	27%	4	9%
Black, not Hispanic Male	8	14%	8	18%
Black, not Hispanic Female	4	7%	5	11%
Other Male	1	2%	1	2%
Other Female	-	-	-	-
Unknown	1	2%	4	9%
Total	59		45	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Stark County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	25	66%	10	29%
Injection drug use (IDU)	1	3%	1	3%
Male-to-male sexual contact and IDU	-	-	-	-
Heterosexual contact	1	3%	1	3%
Blood product	-	-	-	-
Other/unknown	11	29%	23	66%
Subtotal	38	100%	35	100%
Female adult or adolescent				
Injection drug use	2	11%	-	-
Heterosexual contact	9	47%	2	20%
Blood product	-	-	-	-
Other/unknown	8	42%	8	80%
Subtotal	19	100%	10	100%
Child (<13 yrs at diagnosis)				
Perinatal	2	100%	-	-
Other	-	-	-	-
Subtotal	2	-	-	-
Total	59		45	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Stark County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	25	81%	17	77%	202	86%
Female	6	19%	5	23%	33	14%
Unknown	-	-	-	-	-	-
Age						
<13	1	3%	-	-	6	3%
13-19	-	-	-	-	-	-
20-24	1	3%	-	-	12	5%
25-29	1	3%	-	-	28	12%
30-39	14	45%	12	55%	107	46%
40-49	9	29%	7	32%	58	25%
50-64	5	16%	2	9%	21	9%
65+	-	-	1	5%	3	1%
Race/Ethnicity						
White, not Hispanic	23	74%	16	73%	182	77%
Black, not Hispanic	7	23%	5	23%	48	20%
Hispanic	1	3%	1	5%	5	2%
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	19	61%	12	55%	160	68%
White, not Hispanic Female	4	13%	4	18%	22	9%
Black, not Hispanic Male	5	16%	4	18%	37	16%
Black, not Hispanic Female	2	6%	1	5%	11	5%
Other Male	1	3%	1	5%	5	2%
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Total	31		22		235	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Stark County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	19	76%	8	47%	146	73%
Injection drug use (IDU)	-	-	-	-	10	5%
Male-to-male sexual contact and IDU	-	-	-	-	7	4%
Heterosexual contact	-	-	-	-	5	3%
Blood product	-	-	-	-	9	5%
Other/unknown	6	24%	9	53%	23	12%
Subtotal	25	100%	17	100%	200	100%
Female adult or adolescent						
Injection drug use	1	20%	-	-	8	28%
Heterosexual contact	2	40%	2	40%	10	34%
Blood product	-	-	-	-	1	3%
Other/unknown	2	40%	3	60%	10	34%
Subtotal	5	100%	5	100%	29	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	-	-	6	100%
Other	-	-	-	-	-	-
Subtotal	1	100%	-	-	6	100%
Total	31		22		235	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.