

Summit County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	179.0	468	80%	211	77%	257	83%
Female	40.9	115	20%	62	23%	53	17%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	4	1%	3	1%	1	<1%
13-19	*	3	1%	2	1%	1	<1%
20-24	32.2	10	2%	10	4%	-	-
25-29	113.3	39	7%	23	8%	16	5%
30-39	208.1	169	29%	84	31%	85	27%
40-49	267.4	231	40%	102	37%	129	42%
50-64	140.6	118	20%	47	17%	71	23%
65+	11.8	9	2%	2	1%	7	2%
Race/Ethnicity							
White, not Hispanic	71.3	324	56%	133	49%	191	62%
Black, not Hispanic	312.9	231	40%	118	43%	113	36%
Hispanic	251.0	12	2%	7	3%	5	2%
Asian/Pacific Islander	*	4	1%	3	1%	1	<1%
American Indian/Alaska Native	*	1	<1%	1	<1%	-	-
Unknown	*	11	2%	11	4%	-	-
Race/Gender							
White, not Hispanic Male	129.1	284	49%	116	42%	168	54%
White, not Hispanic Female	17.0	40	7%	17	6%	23	7%
Black, not Hispanic Male	468.3	160	27%	76	28%	84	27%
Black, not Hispanic Female	179.1	71	12%	42	15%	29	9%
Other Male	193.1	14	2%	9	3%	5	2%
Other Female	*	3	1%	2	1%	1	<1%
Unknown	*	11	2%	11	4%	-	-
Total	107.4	583		273		310	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Summit County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	219	47%	59	28%	160	63%
Injection drug use (IDU)	28	6%	9	4%	19	7%
Male-to-male sexual contact and IDU	25	5%	7	3%	18	7%
Heterosexual contact	10	2%	4	2%	6	2%
Blood product	1	<1%	-	-	1	<1%
Other/unknown	181	39%	130	62%	51	20%
Subtotal	464	100%	209	100%	255	100%
Female adult or adolescent						
Injection drug use	13	12%	3	5%	10	19%
Heterosexual contact	38	34%	13	22%	25	47%
Blood product	-	-	-	-	-	-
Other/unknown	61	54%	43	73%	18	34%
Subtotal	112	100%	59	100%	53	100%
Child (<13 yrs at diagnosis)						
Perinatal	7	100%	5	100%	2	100%
Other	-	-	-	-	-	-
Subtotal	7	100%	5	100%	2	100%
Total	583		273		310	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Summit County, Ohio

Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Gender				
Male	109	81%	104	77%
Female	25	19%	31	23%
Unknown	-	-	-	-
Age				
<13	2	1%	2	1%
13-19	3	2%	1	1%
20-24	10	7%	16	12%
25-29	13	10%	12	9%
30-39	53	40%	54	40%
40-49	40	30%	30	22%
50-64	12	9%	19	14%
65+	1	1%	1	1%
Race/Ethnicity				
White, not Hispanic	68	51%	72	53%
Black, not Hispanic	60	45%	51	38%
Hispanic	4	3%	4	3%
Asian/Pacific Islander	1	1%	3	2%
American Indian/Alaska Native	-	-	1	1%
Unknown	1	1%	4	3%
Race/Gender				
White, not Hispanic Male	60	45%	61	45%
White, not Hispanic Female	8	6%	11	8%
Black, not Hispanic Male	43	32%	33	24%
Black, not Hispanic Female	17	13%	18	13%
Other Male	5	4%	6	4%
Other Female	-	-	2	1%
Unknown	1	1%	4	3%
Total	134		135	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Summit County, Ohio

Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
Male adult or adolescent				
Male-to-male sexual contact	54	50%	29	28%
Injection drug use (IDU)	5	5%	4	4%
Male-to-male sexual contact and IDU	2	2%	-	-
Heterosexual contact	1	1%	4	4%
Blood product	-	-	-	-
Other/unknown	46	43%	66	64%
Subtotal	108	100%	103	100%
Female adult or adolescent				
Injection drug use	-	-	2	7%
Heterosexual contact	9	38%	5	17%
Blood product	-	-	-	-
Other/unknown	15	63%	23	77%
Subtotal	24	100%	30	100%
Child (<13 yrs at diagnosis)				
Perinatal	2	100%	2	100%
Other	-	-	-	-
Subtotal	2	-	2	-
Total	134		135	

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Summit County, Ohio

Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Gender						
Male	83	85%	43	74%	518	88%
Female	15	15%	15	26%	69	12%
Unknown	-	-	-	-	-	-
Age						
<13	1	1%	-	-	1	<1%
13-19	1	1%	-	-	2	<1%
20-24	2	2%	2	3%	23	4%
25-29	13	13%	7	12%	84	14%
30-39	42	43%	23	40%	252	43%
40-49	31	32%	19	33%	167	28%
50-64	7	7%	6	10%	54	9%
65+	1	1%	1	2%	4	1%
Race/Ethnicity						
White, not Hispanic	58	59%	35	60%	364	62%
Black, not Hispanic	37	38%	22	38%	215	37%
Hispanic	2	2%	1	2%	7	1%
Asian/Pacific Islander	1	1%	-	-	1	<1%
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
Race/Gender						
White, not Hispanic Male	51	52%	28	48%	335	57%
White, not Hispanic Female	7	7%	7	12%	29	5%
Black, not Hispanic Male	29	30%	14	24%	176	30%
Black, not Hispanic Female	8	8%	8	14%	39	7%
Other Male	3	3%	1	2%	7	1%
Other Female	-	-	-	-	1	<1%
Unknown	-	-	-	-	-	-
Total	98		58		587	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Summit County, Ohio

Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	60	73%	14	33%	368	71%
Injection drug use (IDU)	4	5%	2	5%	31	6%
Male-to-male sexual contact and IDU	2	2%	2	5%	34	7%
Heterosexual contact	-	-	1	2%	10	2%
Blood product	-	-	-	-	12	2%
Other/unknown	16	20%	24	56%	62	12%
Subtotal	82	100%	43	100%	517	100%
Female adult or adolescent						
Injection drug use	1	7%	1	7%	9	13%
Heterosexual contact	5	33%	7	47%	33	48%
Blood product	-	-	-	-	4	6%
Other/unknown	9	60%	7	47%	23	33%
Subtotal	15	100%	15	100%	69	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	-	-	1	100%
Other	-	-	-	-	-	-
Subtotal	1	100%	-	-	1	100%
Total	98		58		587	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.