

## Trumbull County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	88.1	96	77%	47	68%	49	88%
Female	25.0	29	23%	22	32%	7	13%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	2	2%	2	3%	-	-
13-19	*	-	-	-	-	-	-
20-24	*	2	2%	2	3%	-	-
25-29	68.7	9	7%	9	13%	-	-
30-39	121.0	37	30%	20	29%	17	30%
40-49	128.8	45	36%	22	32%	23	41%
50-64	67.0	26	21%	11	16%	15	27%
65+	*	4	3%	3	4%	1	2%
<b>Race/Ethnicity</b>							
White, not Hispanic	38.8	79	63%	40	58%	39	70%
Black, not Hispanic	201.5	37	30%	21	30%	16	29%
Hispanic	*	2	2%	1	1%	1	2%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	1	1%	1	1%	-	-
Unknown	*	6	5%	6	9%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	63.0	62	50%	27	39%	35	63%
White, not Hispanic Female	16.2	17	14%	13	19%	4	7%
Black, not Hispanic Male	288.1	26	21%	13	19%	13	23%
Black, not Hispanic Female	117.8	11	9%	8	12%	3	5%
Other Male	*	3	2%	2	3%	1	2%
Other Female	*	-	-	-	-	-	-
Unknown	*	6	5%	6	9%	-	-
<b>Total</b>	<b>55.5</b>	<b>125</b>		<b>69</b>		<b>56</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Trumbull County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	44	47%	15	33%	29	59%
Injection drug use (IDU)	10	11%	7	16%	3	6%
Male-to-male sexual contact and IDU	7	7%	1	2%	6	12%
Heterosexual contact	-	-	-	-	-	-
Blood product	1	1%	-	-	1	2%
Other/unknown	32	34%	22	49%	10	20%
Subtotal	94	100%	45	100%	49	100%
<b>Female adult or adolescent</b>						
Injection drug use	4	14%	2	10%	2	29%
Heterosexual contact	8	29%	4	19%	4	57%
Blood product	-	-	-	-	-	-
Other/unknown	16	57%	15	71%	1	14%
Subtotal	28	100%	21	100%	7	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	2	67%	2	67%	-	-
Other	1	33%	1	33%	-	-
Subtotal	3	100%	3	100%	-	-
<b>Total</b>	<b>125</b>		<b>69</b>		<b>56</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Trumbull County, Ohio

### Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Gender</b>				
Male	20	87%	17	63%
Female	3	13%	10	37%
Unknown	-	-	-	-
<b>Age</b>				
<13	-	-	-	-
13-19	-	-	-	-
20-24	3	13%	3	11%
25-29	2	9%	1	4%
30-39	6	26%	13	48%
40-49	8	35%	8	30%
50-64	4	17%	2	7%
65+	-	-	-	-
<b>Race/Ethnicity</b>				
White, not Hispanic	13	57%	16	59%
Black, not Hispanic	8	35%	9	33%
Hispanic	-	-	1	4%
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	1	4%	-	-
Unknown	1	4%	1	4%
<b>Race/Gender</b>				
White, not Hispanic Male	11	48%	11	41%
White, not Hispanic Female	2	9%	5	19%
Black, not Hispanic Male	7	30%	5	19%
Black, not Hispanic Female	1	4%	4	15%
Other Male	1	4%	-	-
Other Female	-	-	1	4%
Unknown	1	4%	1	4%
<b>Total</b>	<b>23</b>		<b>27</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Trumbull County, Ohio

### Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	9	45%	4	24%
Injection drug use (IDU)	6	30%	1	6%
Male-to-male sexual contact and IDU	-	-	-	-
Heterosexual contact	-	-	-	-
Blood product	-	-	-	-
Other/unknown	5	25%	12	71%
Subtotal	20	100%	17	100%
<b>Female adult or adolescent</b>				
Injection drug use	1	33%	-	-
Heterosexual contact	2	67%	-	-
Blood product	-	-	-	-
Other/unknown	-	-	10	100%
Subtotal	3	100%	10	100%
<b>Child (&lt;13 yrs at diagnosis)</b>				
Perinatal	-	-	-	-
Other	-	-	-	-
Subtotal	-	-	-	-
<b>Total</b>	<b>23</b>		<b>27</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Trumbull County, Ohio

### Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Gender</b>						
Male	13	76%	12	92%	95	89%
Female	4	24%	1	8%	12	11%
Unknown	-	-	-	-	-	-
<b>Age</b>						
<13	-	-	-	-	-	-
13-19	-	-	-	-	1	1%
20-24	-	-	-	-	2	2%
25-29	2	12%	1	8%	17	16%
30-39	4	24%	7	54%	44	41%
40-49	7	41%	4	31%	29	27%
50-64	4	24%	1	8%	11	10%
65+	-	-	-	-	3	3%
<b>Race/Ethnicity</b>						
White, not Hispanic	11	65%	8	62%	72	67%
Black, not Hispanic	6	35%	4	31%	32	30%
Hispanic	-	-	1	8%	3	3%
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Race/Gender</b>						
White, not Hispanic Male	8	47%	7	54%	65	61%
White, not Hispanic Female	3	18%	1	8%	7	7%
Black, not Hispanic Male	5	29%	4	31%	28	26%
Black, not Hispanic Female	1	6%	-	-	4	4%
Other Male	-	-	1	8%	2	2%
Other Female	-	-	-	-	1	1%
Unknown	-	-	-	-	-	-
<b>Total</b>	<b>17</b>		<b>13</b>		<b>107</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Trumbull County, Ohio

### Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	9	69%	3	25%	59	62%
Injection drug use (IDU)	2	15%	1	8%	11	12%
Male-to-male sexual contact and IDU	1	8%	1	8%	10	11%
Heterosexual contact	-	-	-	-	1	1%
Blood product	-	-	-	-	4	4%
Other/unknown	1	8%	7	58%	10	11%
Subtotal	13	100%	12	100%	95	100%
<b>Female adult or adolescent</b>						
Injection drug use	1	25%	-	-	3	25%
Heterosexual contact	2	50%	1	100%	5	42%
Blood product	-	-	-	-	1	8%
Other/unknown	1	25%	-	-	3	25%
Subtotal	4	100%	1	100%	12	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
<b>Total</b>	<b>17</b>		<b>13</b>		<b>107</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.