

## Warren County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	66.1	53	77%	25	68%	28	88%
Female	20.5	16	23%	12	32%	4	13%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	1	1%	1	3%	-	-
13-19	*	1	1%	-	-	1	3%
20-24	*	2	3%	2	5%	-	-
25-29	*	2	3%	2	5%	-	-
30-39	58.7	17	25%	9	24%	8	25%
40-49	117.1	31	45%	15	41%	16	50%
50-64	57.2	13	19%	7	19%	6	19%
65+	*	2	3%	1	3%	1	3%
<b>Race/Ethnicity</b>							
White, not Hispanic	40.7	61	88%	30	81%	31	97%
Black, not Hispanic	*	4	6%	3	8%	1	3%
Hispanic	*	2	3%	2	5%	-	-
Asian/Pacific Islander	*	1	1%	1	3%	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	1	1%	1	3%	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	64.3	48	70%	21	57%	27	84%
White, not Hispanic Female	17.3	13	19%	9	24%	4	13%
Black, not Hispanic Male	*	3	4%	2	5%	1	3%
Black, not Hispanic Female	*	1	1%	1	3%	-	-
Other Male	*	2	3%	2	5%	-	-
Other Female	*	1	1%	1	3%	-	-
Unknown	*	1	1%	1	3%	-	-
<b>Total</b>	<b>43.6</b>	<b>69</b>		<b>37</b>		<b>32</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Warren County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	29	55%	8	32%	21	75%
Injection drug use (IDU)	2	4%	1	4%	1	4%
Male-to-male sexual contact and IDU	3	6%	2	8%	1	4%
Heterosexual contact	-	-	-	-	-	-
Blood product	1	2%	-	-	1	4%
Other/unknown	18	34%	14	56%	4	14%
Subtotal	53	100%	25	100%	28	100%
<b>Female adult or adolescent</b>						
Injection drug use	2	14%	1	9%	1	33%
Heterosexual contact	5	36%	3	27%	2	67%
Blood product	-	-	-	-	-	-
Other/unknown	7	50%	7	64%	-	-
Subtotal	14	100%	11	100%	3	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	2	100%	1	100%	1	100%
Other	-	-	-	-	-	-
Subtotal	2	100%	1	100%	1	100%
<b>Total</b>	<b>69</b>		<b>37</b>		<b>32</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Warren County, Ohio

### Reported cases of HIV infection, by year of diagnosis and selected characteristics

	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Gender</b>				
Male	7	70%	13	81%
Female	3	30%	3	19%
Unknown	-	-	-	-
<b>Age</b>				
<13	-	-	-	-
13-19	-	-	-	-
20-24	-	-	-	-
25-29	-	-	2	13%
30-39	5	50%	6	38%
40-49	4	40%	5	31%
50-64	1	10%	3	19%
65+	-	-	-	-
<b>Race/Ethnicity</b>				
White, not Hispanic	10	100%	14	88%
Black, not Hispanic	-	-	1	6%
Hispanic	-	-	-	-
Asian/Pacific Islander	-	-	-	-
American Indian/Alaska Native	-	-	-	-
Unknown	-	-	1	6%
<b>Race/Gender</b>				
White, not Hispanic Male	7	70%	13	81%
White, not Hispanic Female	3	30%	1	6%
Black, not Hispanic Male	-	-	-	-
Black, not Hispanic Female	-	-	1	6%
Other Male	-	-	-	-
Other Female	-	-	-	-
Unknown	-	-	1	6%
<b>Total</b>	<b>10</b>		<b>16</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Warren County, Ohio

### Reported cases of HIV infection, by year of diagnosis and transmission category

Transmission category	Year of HIV Diagnosis			
	1998 - 2000		2001 - 2003	
	No.	%	No.	%
<b>Male adult or adolescent</b>				
Male-to-male sexual contact	4	57%	8	62%
Injection drug use (IDU)	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-
Heterosexual contact	-	-	-	-
Blood product	-	-	-	-
Other/unknown	3	43%	5	38%
Subtotal	7	100%	13	100%
<b>Female adult or adolescent</b>				
Injection drug use	-	-	1	33%
Heterosexual contact	1	33%	1	33%
Blood product	-	-	-	-
Other/unknown	2	67%	1	33%
Subtotal	3	100%	3	100%
<b>Child (&lt;13 yrs at diagnosis)</b>				
Perinatal	-	-	-	-
Other	-	-	-	-
Subtotal	-	-	-	-
<b>Total</b>	<b>10</b>		<b>16</b>	

*Note:* HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

Dash (-) indicates no cases were reported for the given category.

*Source:* Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Warren County, Ohio

### Reported cases of AIDS, by year of diagnosis and selected characteristics

	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003			
	No.	%	No.	%	No.	%
<b>Gender</b>						
Male	9	82%	9	82%	46	87%
Female	2	18%	2	18%	7	13%
Unknown	-	-	-	-	-	-
<b>Age</b>						
<13	-	-	-	-	1	2%
13-19	-	-	1	9%	1	2%
20-24	-	-	-	-	3	6%
25-29	-	-	-	-	6	11%
30-39	5	45%	3	27%	19	36%
40-49	4	36%	5	45%	13	25%
50-64	2	18%	2	18%	10	19%
65+	-	-	-	-	-	-
<b>Race/Ethnicity</b>						
White, not Hispanic	11	100%	11	100%	52	98%
Black, not Hispanic	-	-	-	-	1	2%
Hispanic	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Race/Gender</b>						
White, not Hispanic Male	9	82%	9	82%	45	85%
White, not Hispanic Female	2	18%	2	18%	7	13%
Black, not Hispanic Male	-	-	-	-	1	2%
Black, not Hispanic Female	-	-	-	-	-	-
Other Male	-	-	-	-	-	-
Other Female	-	-	-	-	-	-
Unknown	-	-	-	-	-	-
<b>Total</b>	<b>11</b>		<b>11</b>		<b>53</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Warren County, Ohio

### Reported cases of AIDS, by year of diagnosis and transmission category

Transmission category	Year of AIDS Diagnosis				Cumulative	
	1998 - 2000		2001 - 2003		No.	%
	No.	%	No.	%		
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	7	78%	7	78%	32	71%
Injection drug use (IDU)	-	-	-	-	1	2%
Male-to-male sexual contact and IDU	-	-	-	-	1	2%
Heterosexual contact	-	-	-	-	2	4%
Blood product	-	-	-	-	1	2%
Other/unknown	2	22%	2	22%	8	18%
Subtotal	9	100%	9	100%	45	100%
<b>Female adult or adolescent</b>						
Injection drug use	-	-	1	100%	2	33%
Heterosexual contact	2	100%	-	-	4	67%
Blood product	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-
Subtotal	2	100%	1	100%	6	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	1	100%	2	100%
Other	-	-	-	-	-	-
Subtotal	-	-	1	100%	2	100%
<b>Total</b>	<b>11</b>		<b>11</b>		<b>53</b>	

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.