

Washington County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Gender							
Male	97.6	30	88%	11	79%	19	95%
Female	*	4	12%	3	21%	1	5%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	1	3%	-	-	1	5%
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	-	-	-	-	-	-
30-39	93.6	8	24%	6	43%	2	10%
40-49	156.1	16	47%	7	50%	9	45%
50-64	81.9	9	26%	1	7%	8	40%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	51.9	32	94%	13	93%	19	95%
Black, not Hispanic	*	-	-	-	-	-	-
Hispanic	*	1	3%	-	-	1	5%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	1	3%	1	7%	-	-
Race/Gender							
White, not Hispanic Male	93.5	28	82%	10	71%	18	90%
White, not Hispanic Female	*	4	12%	3	21%	1	5%
Black, not Hispanic Male	*	-	-	-	-	-	-
Black, not Hispanic Female	*	-	-	-	-	-	-
Other Male	*	1	3%	-	-	1	5%
Other Female	*	-	-	-	-	-	-
Unknown	*	1	3%	1	7%	-	-
Total	53.8	34		14		20	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Washington County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	16	55%	5	45%	11	61%
Injection drug use (IDU)	1	3%	1	9%	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-
Heterosexual contact	4	14%	1	9%	3	17%
Blood product	1	3%	1	9%	-	-
Other/unknown	7	24%	3	27%	4	22%
Subtotal	29	100%	11	100%	18	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	2	50%	1	33%	1	100%
Blood product	-	-	-	-	-	-
Other/unknown	2	50%	2	67%	-	-
Subtotal	4	100%	3	100%	1	100%
Child (<13 yrs at diagnosis)						
Perinatal	1	100%	-	-	1	100%
Other	-	-	-	-	-	-
Subtotal	1	100%	-	-	1	100%
Total	34		14		20	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Washington County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
Gender			Transmission category		
Male	43	93%	Male adult or adolescent		
Female	3	7%	Male-to-male sexual contact	25	60%
Unknown	-	-	Injection drug use (IDU)	-	-
			Male-to-male sexual contact and IDU	4	10%
Age			Heterosexual contact	4	10%
<13	1	2%	Blood product	2	5%
13-19	-	-	Other/unknown	7	17%
20-24	-	-	Subtotal	42	100%
25-29	3	7%	Female adult or adolescent		
30-39	23	50%	Injection drug use	-	-
40-49	10	22%	Heterosexual contact	1	33%
50-64	9	20%	Blood product	2	67%
65+	-	-	Other/unknown	-	-
			Subtotal	3	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	45	98%	Perinatal	1	100%
Black, not Hispanic	-	-	Other	-	-
Hispanic	1	2%	Subtotal	1	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	42	91%			
White, not Hispanic Female	3	7%			
Black, not Hispanic Male	-	-			
Black, not Hispanic Female	-	-			
Other Male	1	2%			
Other Female	-	-			
Unknown	-	-			
Total	46				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.