

Wayne County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	HIV/AIDS			Current Disease Status			
	Rate ^a	No.	%	HIV (not AIDS)		AIDS	
				No.	%	No.	%
Gender							
Male	58.1	32	84%	15	88%	17	81%
Female	10.6	6	16%	2	12%	4	19%
Unknown	*	-	-	-	-	-	-
Age (as of 12/2003)							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	-	-	-	-	-	-
25-29	*	4	11%	3	18%	1	5%
30-39	83.6	13	34%	7	41%	6	29%
40-49	93.7	16	42%	5	29%	11	52%
50-64	29.2	5	13%	2	12%	3	14%
65+	*	-	-	-	-	-	-
Race/Ethnicity							
White, not Hispanic	28.8	31	82%	15	88%	16	76%
Black, not Hispanic	253.4	5	13%	1	6%	4	19%
Hispanic	*	1	3%	-	-	1	5%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	1	3%	1	6%	-	-
Race/Gender							
White, not Hispanic Male	50.8	27	71%	14	82%	13	62%
White, not Hispanic Female	*	4	11%	1	6%	3	14%
Black, not Hispanic Male	*	4	11%	1	6%	3	14%
Black, not Hispanic Female	*	1	3%	-	-	1	5%
Other Male	*	1	3%	-	-	1	5%
Other Female	*	-	-	-	-	-	-
Unknown	*	1	3%	1	6%	-	-
Total	34.1	38		17		21	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Wayne County, Ohio

Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	14	44%	4	27%	10	59%
Injection drug use (IDU)	3	9%	1	7%	2	12%
Male-to-male sexual contact and IDU	1	3%	-	-	1	6%
Heterosexual contact	2	6%	-	-	2	12%
Blood product	-	-	-	-	-	-
Other/unknown	12	38%	10	67%	2	12%
Subtotal	32	100%	15	100%	17	100%
Female adult or adolescent						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	2	33%	-	-	2	50%
Blood product	1	17%	-	-	1	25%
Other/unknown	3	50%	2	100%	1	25%
Subtotal	6	100%	2	100%	4	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	38		17		21	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Wayne County, Ohio

Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

		Cumulative AIDS Diagnoses			
		No.	%		
				No.	%
Gender				Transmission category	
Male	31	89%	Male adult or adolescent		
Female	4	11%	Male-to-male sexual contact	19	61%
Unknown	-	-	Injection drug use (IDU)	2	6%
			Male-to-male sexual contact and IDU	2	6%
Age			Heterosexual contact	1	3%
<13	-	-	Blood product	1	3%
13-19	-	-	Other/unknown	6	19%
20-24	1	3%	Subtotal	31	100%
25-29	3	9%	Female adult or adolescent		
30-39	15	43%	Injection drug use	-	-
40-49	11	31%	Heterosexual contact	2	50%
50-64	5	14%	Blood product	1	25%
65+	-	-	Other/unknown	1	25%
			Subtotal	4	100%
Race/Ethnicity			Child (<13 yrs at diagnosis)		
White, not Hispanic	32	91%	Perinatal	-	-
Black, not Hispanic	3	9%	Other	-	-
Hispanic	-	-	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
Race/Gender					
White, not Hispanic Male	28	80%			
White, not Hispanic Female	4	11%			
Black, not Hispanic Male	3	9%			
Black, not Hispanic Female	-	-			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
Total	35				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.