

## Williams County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	97.6	19	83%	9	75%	10	91%
Female	*	4	17%	3	25%	1	9%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	-	-	-	-	-	-
13-19	*	-	-	-	-	-	-
20-24	*	1	4%	1	8%	-	-
25-29	*	3	13%	3	25%	-	-
30-39	162.2	9	39%	5	42%	4	36%
40-49	80.8	5	22%	2	17%	3	27%
50-64	82.5	5	22%	1	8%	4	36%
65+	*	-	-	-	-	-	-
<b>Race/Ethnicity</b>							
White, not Hispanic	56.0	21	91%	10	83%	11	100%
Black, not Hispanic	*	1	4%	1	8%	-	-
Hispanic	*	-	-	-	-	-	-
Asian/Pacific Islander	*	1	4%	1	8%	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	91.8	17	74%	7	58%	10	91%
White, not Hispanic Female	*	4	17%	3	25%	1	9%
Black, not Hispanic Male	*	1	4%	1	8%	-	-
Black, not Hispanic Female	*	-	-	-	-	-	-
Other Male	*	1	4%	1	8%	-	-
Other Female	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
<b>Total</b>	<b>58.7</b>	<b>23</b>		<b>12</b>		<b>11</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Williams County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	12	63%	3	33%	9	90%
Injection drug use (IDU)	-	-	-	-	-	-
Male-to-male sexual contact and IDU	2	11%	1	11%	1	10%
Heterosexual contact	-	-	-	-	-	-
Blood product	-	-	-	-	-	-
Other/unknown	5	26%	5	56%	-	-
Subtotal	19	100%	9	100%	10	100%
<b>Female adult or adolescent</b>						
Injection drug use	1	25%	-	-	1	100%
Heterosexual contact	2	50%	2	67%	-	-
Blood product	-	-	-	-	-	-
Other/unknown	1	25%	1	33%	-	-
Subtotal	4	100%	3	100%	1	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	-	-	-	-	-	-
Other	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
<b>Total</b>	<b>23</b>		<b>12</b>		<b>11</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Williams County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

Cumulative AIDS Diagnoses					
	No.	%		No.	%
<b>Gender</b>			<b>Transmission category</b>		
Male	15	94%	<b>Male adult or adolescent</b>		
Female	1	6%	Male-to-male sexual contact	13	87%
Unknown	-	-	Injection drug use (IDU)	-	-
			Male-to-male sexual contact and IDU	2	13%
<b>Age</b>			Heterosexual contact	-	-
<13	-	-	Blood product	-	-
13-19	-	-	Other/unknown	-	-
20-24	1	6%	Subtotal	15	100%
25-29	2	13%	<b>Female adult or adolescent</b>		
30-39	5	31%	Injection drug use	1	100%
40-49	7	44%	Heterosexual contact	-	-
50-64	1	6%	Blood product	-	-
65+	-	-	Other/unknown	-	-
			Subtotal	1	100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>		
White, not Hispanic	16	100%	Perinatal	-	-
Black, not Hispanic	-	-	Other	-	-
Hispanic	-	-	Subtotal	-	-
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
<b>Race/Gender</b>					
White, not Hispanic Male	15	94%			
White, not Hispanic Female	1	6%			
Black, not Hispanic Male	-	-			
Black, not Hispanic Female	-	-			
Other Male	-	-			
Other Female	-	-			
Unknown	-	-			
<b>Total</b>	<b>16</b>				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.