

## Wood County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and selected characteristics

	Current Disease Status						
	HIV/AIDS			HIV (not AIDS)		AIDS	
	Rate <sup>a</sup>	No.	%	No.	%	No.	%
<b>Gender</b>							
Male	73.4	43	84%	17	77%	26	90%
Female	12.8	8	16%	5	23%	3	10%
Unknown	*	-	-	-	-	-	-
<b>Age (as of 12/2003)</b>							
<13	*	1	2%	1	5%	-	-
13-19	*	-	-	-	-	-	-
20-24	*	1	2%	1	5%	-	-
25-29	81.4	6	12%	4	18%	2	7%
30-39	88.9	14	27%	6	27%	8	28%
40-49	83.2	15	29%	5	23%	10	34%
50-64	70.3	12	24%	5	23%	7	24%
65+	*	2	4%	-	-	2	7%
<b>Race/Ethnicity</b>							
White, not Hispanic	37.8	43	84%	18	82%	25	86%
Black, not Hispanic	297.4	5	10%	3	14%	2	7%
Hispanic	*	3	6%	1	5%	2	7%
Asian/Pacific Islander	*	-	-	-	-	-	-
American Indian/Alaska Native	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
<b>Race/Gender</b>							
White, not Hispanic Male	69.1	38	75%	15	68%	23	79%
White, not Hispanic Female	8.5	5	10%	3	14%	2	7%
Black, not Hispanic Male	*	3	6%	2	9%	1	3%
Black, not Hispanic Female	*	2	4%	1	5%	1	3%
Other Male	*	2	4%	-	-	2	7%
Other Female	*	1	2%	1	5%	-	-
Unknown	*	-	-	-	-	-	-
<b>Total</b>	<b>42.1</b>	<b>51</b>		<b>22</b>		<b>29</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

<sup>a</sup> The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Wood County, Ohio

### Reported persons living with HIV/AIDS as of Dec. 31, 2003, by current disease status and transmission category

Transmission category	HIV/AIDS		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
<b>Male adult or adolescent</b>						
Male-to-male sexual contact	25	60%	11	69%	14	54%
Injection drug use (IDU)	3	7%	2	13%	1	4%
Male-to-male sexual contact and IDU	1	2%	1	6%	-	-
Heterosexual contact	2	5%	-	-	2	8%
Blood product	2	5%	-	-	2	8%
Other/unknown	9	21%	2	13%	7	27%
Subtotal	42	100%	16	100%	26	100%
<b>Female adult or adolescent</b>						
Injection drug use	-	-	-	-	-	-
Heterosexual contact	6	75%	4	80%	2	67%
Blood product	-	-	-	-	-	-
Other/unknown	2	25%	1	20%	1	33%
Subtotal	8	100%	5	100%	3	100%
<b>Child (&lt;13 yrs at diagnosis)</b>						
Perinatal	1	100%	1	100%	-	-
Other	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-
<b>Total</b>	<b>51</b>		<b>22</b>		<b>29</b>	

Note: Living with HIV/AIDS represents all persons ever diagnosed and reported with HIV or AIDS who have not been reported as having died as of Dec. 31, 2003. Living with HIV/AIDS by current disease status breaks out the number of persons living with HIV/AIDS by cases that were HIV (not AIDS) and those who have been diagnosed with AIDS as of Dec. 31, 2003.

Asterisk (\*) indicates rates were not calculated for case counts < 5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

## Wood County, Ohio

### Cumulative cases of AIDS diagnosed through 2003, by selected characteristics and transmission category

	Cumulative AIDS Diagnoses				
	No.	%		No.	%
<b>Gender</b>			<b>Transmission category</b>		
Male	47	92%	<b>Male adult or adolescent</b>		
Female	4	8%	Male-to-male sexual contact	26	58%
Unknown	-	-	Injection drug use (IDU)	2	4%
			Male-to-male sexual contact and IDU	3	7%
<b>Age</b>			Heterosexual contact	2	4%
<13	1	2%	Blood product	5	11%
13-19	2	4%	Other/unknown	7	16%
20-24	4	8%	Subtotal	45	100%
25-29	7	14%	<b>Female adult or adolescent</b>		
30-39	22	43%	Injection drug use	-	-
40-49	10	20%	Heterosexual contact	3	75%
50-64	5	10%	Blood product	-	-
65+	-	-	Other/unknown	1	25%
			Subtotal	4	100%
<b>Race/Ethnicity</b>			<b>Child (&lt;13 yrs at diagnosis)</b>		
White, not Hispanic	45	88%	Perinatal	-	-
Black, not Hispanic	2	4%	Other	2	100%
Hispanic	4	8%	Subtotal	2	100%
Asian/Pacific Islander	-	-			
American Indian/Alaska Native	-	-			
Unknown	-	-			
<b>Race/Gender</b>					
White, not Hispanic Male	42	82%			
White, not Hispanic Female	3	6%			
Black, not Hispanic Male	1	2%			
Black, not Hispanic Female	1	2%			
Other Male	4	8%			
Other Female	-	-			
Unknown	-	-			
<b>Total</b>	<b>51</b>				

Note: Cumulative AIDS diagnoses include persons with a diagnosis of AIDS, reported from the beginning of the epidemic (1981) through 2003.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.