

Section 3: HIV Prevention Regional Summary Data

This section presents cross-regional summary data for the nine HIV Prevention Regional Advisory Groups. Data presented include census data, HIV/AIDS surveillance data, CTS data and STD data. More detailed HIV/AIDS data for each planning region are presented at the end of section 1, question 1: What is the scope of the HIV/AIDS epidemic in Ohio?

Ohio HIV Prevention Regional Advisory Groups

Figure 56. Ohio HIV Prevention Regional Advisory Groups Map



Ohio HIV Prevention Regional Advisory Groups Breakdown

Table 159. Ohio HIV Prevention Regional Advisory Groups Breakdown

Regional Advisory Groups	
Akron	Rural
Portage	Adams
Summit	Licking
	Allen
	Ashland
	Ashtabula
Canton	Madison
Carroll	Marion
Stark	Auglaize
	Medina
	Belmont
	Meigs
Cincinnati	Brown
Butler	Mercer
Clermont	Miami
Hamilton	Monroe
	Clinton
	Morgan
	Coshocton
	Morrow
Cleveland	Crawford
Cuyahoga	Muskingum
	Darke
	Noble
	Defiance
	Ottawa
Columbus	Delaware
Franklin	Paulding
	Erie
	Perry
	Fairfield
	Pickaway
Dayton	Fayette
Montgomery	Pike
	Fulton
	Preble
	Gallia
	Putnam
	Geauga
	Richland
	Greene
	Ross
	Guernsey
	Sandusky
	Hancock
	Scioto
Youngstown	Hardin
Columbiana	Seneca
Mahoning	Harrison
Trumbull	Shelby
	Henry
	Tuscarawas
	Highland
	Union
	Hocking
	Van Wert
	Holmes
	Vinton
	Huron
	Warren
	Jackson
	Washington
	Jefferson
	Wayne
	Knox
	Williams
	Lake
	Wood
	Lawerence
	Wyandot

Table 160. 2000 Census data by demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Akron		Canton		Cincinnati	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	5,512,262	49%	335,731	48%	195,862	48%	652,676	48%
Female	5,840,878	51%	359,229	52%	211,072	52%	703,411	52%
Age								
<2	298,734	3%	17,659	3%	10,154	2%	37,551	3%
2-12	1,772,611	16%	106,305	15%	61,820	15%	216,406	16%
13-19	1,144,610	10%	68,711	10%	40,180	10%	141,467	10%
20-24	728,928	6%	45,609	7%	22,519	6%	94,138	7%
25-29	735,582	6%	43,811	6%	23,453	6%	90,892	7%
30-49	3,424,459	30%	212,835	31%	120,632	30%	414,095	31%
50-64	1,740,459	15%	106,770	15%	67,038	16%	195,336	14%
65+	1,507,757	13%	93,260	13%	61,138	15%	166,202	12%
Race/Ethnicity								
White, not Hispanic	9,621,819	85%	598,739	86%	370,501	91%	1,093,749	81%
Black, not Hispanic	1,339,820	12%	79,079	11%	29,210	7%	221,702	16%
Hispanic	217,123	2%	5,874	1%	3,650	1%	15,832	1%
Asian/Pacific Islander	145,695	1%	9,667	1%	2,394	1%	21,742	2%
American Indian/Alaskan Native	28,683	<1%	1,601	<1%	1,179	<1%	3,062	<1%
Race/Gender								
White, not Hispanic Male	4,679,780	41%	290,431	42%	178,521	44%	530,089	39%
White, not Hispanic Female	4,942,039	44%	308,308	44%	191,980	47%	563,660	42%
Black, not Hispanic Male	635,016	6%	36,693	5%	13,887	3%	101,794	8%
Black, not Hispanic Female	704,804	6%	42,386	6%	15,323	4%	119,908	9%
Hispanic Male	112,265	1%	2,981	<1%	1,835	<1%	8,486	1%
Hispanic Female	104,858	1%	2,893	<1%	1,815	<1%	7,346	1%
Asian/Pacific Islander Male	70,971	1%	4,803	1%	1,043	<1%	10,816	1%
Asian/Pacific Islander Female	74,724	1%	4,864	1%	1,351	<1%	10,926	1%
American Indian/Alaskan Native Male	14,230	<1%	823	<1%	576	<1%	1,491	<1%
American Indian/Alaskan Native Female	14,453	<1%	778	<1%	603	<1%	1,571	<1%
Total	11,353,140	100%	694,960	100%	406,934	100%	1,356,087	100%

Source: Census 2000, U.S. Bureau of Census.

Table 160. 2000 Census data by demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Cleveland Regional Advisory Group		Columbus Regional Advisory Group		Dayton Regional Advisory Group	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	5,512,262	49%	658,481	47%	519,283	49%	268,371	48%
Female	5,840,878	51%	735,497	53%	549,695	51%	290,691	52%
Age								
<2	298,734	3%	35,706	3%	31,549	3%	15,070	3%
2-12	1,772,611	16%	217,319	16%	168,112	16%	84,926	15%
13-19	1,144,610	10%	128,538	9%	102,244	10%	53,838	10%
20-24	728,928	6%	77,515	6%	91,706	9%	38,209	7%
25-29	735,582	6%	91,182	7%	94,300	9%	37,423	7%
30-49	3,424,459	30%	418,107	30%	335,426	31%	165,131	30%
50-64	1,740,459	15%	208,450	15%	141,335	13%	87,768	16%
65+	1,507,757	13%	217,161	16%	104,306	10%	76,697	14%
Race/Ethnicity								
White, not Hispanic	9,621,819	85%	930,199	67%	806,481	75%	428,560	77%
Black, not Hispanic	1,339,820	12%	386,328	28%	199,141	19%	113,576	20%
Hispanic	217,123	2%	47,078	3%	24,279	2%	7,096	1%
Asian/Pacific Islander	145,695	1%	27,365	2%	35,520	3%	8,265	1%
American Indian/Alaskan Native	28,683	<1%	3,008	<1%	3,557	<1%	1,565	<1%
Race/Gender								
White, not Hispanic Male	4,679,780	41%	445,092	32%	392,774	37%	207,458	37%
White, not Hispanic Female	4,942,039	44%	485,107	35%	413,707	39%	221,102	40%
Black, not Hispanic Male	635,016	6%	174,942	13%	93,215	9%	52,685	9%
Black, not Hispanic Female	704,804	6%	211,386	15%	105,926	10%	60,891	11%
Hispanic Male	112,265	1%	23,477	2%	13,643	1%	3,635	1%
Hispanic Female	104,858	1%	23,601	2%	10,636	1%	3,461	1%
Asian/Pacific Islander Male	70,971	1%	13,546	1%	17,920	2%	3,853	1%
Asian/Pacific Islander Female	74,724	1%	13,819	1%	17,600	2%	4,412	1%
American Indian/Alaskan Native Male	14,230	<1%	1,424	<1%	1,731	<1%	740	<1%
American Indian/Alaskan Native Female	14,453	<1%	1,584	<1%	1,826	<1%	825	<1%
Total	11,353,140	100%	1,393,978	100%	1,068,978	100%	559,062	100%

Source: Census 2000, U.S. Bureau of Census.

Table 160. 2000 Census data by demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Toledo		Youngstown		Rural	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	5,512,262	49%	218,764	48%	287,664	48%	2,375,430	49%
Female	5,840,878	51%	236,290	52%	307,082	52%	2,447,911	51%
Age								
<2	298,734	3%	12,366	3%	13,944	2%	124,735	3%
2-12	1,772,611	16%	74,193	16%	87,251	15%	756,279	16%
13-19	1,144,610	10%	46,011	10%	57,117	10%	506,504	11%
20-24	728,928	6%	31,695	7%	32,691	5%	294,846	6%
25-29	735,582	6%	32,379	7%	34,205	6%	287,937	6%
30-49	3,424,459	30%	132,995	29%	173,412	29%	1,451,826	30%
50-64	1,740,459	15%	65,974	14%	98,116	16%	769,672	16%
65+	1,507,757	13%	59,441	13%	98,010	16%	631,542	13%
Race/Ethnicity								
White, not Hispanic	9,621,819	85%	347,434	76%	517,581	87%	4,528,575	94%
Black, not Hispanic	1,339,820	12%	79,534	17%	62,465	11%	168,785	3%
Hispanic	217,123	2%	20,670	5%	10,743	2%	81,901	2%
Asian/Pacific Islander	145,695	1%	6,166	1%	2,863	<1%	31,713	1%
American Indian/Alaskan Native	28,683	<1%	1,250	<1%	1,094	<1%	12,367	<1%
Race/Gender								
White, not Hispanic Male	4,679,780	41%	167,730	37%	249,483	42%	2,218,202	46%
White, not Hispanic Female	4,942,039	44%	179,704	39%	268,098	45%	2,310,373	48%
Black, not Hispanic Male	635,016	6%	36,992	8%	30,572	5%	94,236	2%
Black, not Hispanic Female	704,804	6%	42,542	9%	31,893	5%	74,549	2%
Hispanic Male	112,265	1%	10,385	2%	5,698	1%	42,125	1%
Hispanic Female	104,858	1%	10,285	2%	5,045	1%	39,776	1%
Asian/Pacific Islander Male	70,971	1%	3,052	1%	1,368	<1%	14,570	<1%
Asian/Pacific Islander Female	74,724	1%	3,114	1%	1,495	<1%	17,143	<1%
American Indian/Alaskan Native Male	14,230	<1%	605	<1%	543	<1%	6,297	<1%
American Indian/Alaskan Native Female	14,453	<1%	645	<1%	551	<1%	6,070	<1%
Total	11,353,140	100%	455,054	100%	594,746	100%	4,823,341	100%

Source: Census 2000, U.S. Bureau of Census.

Table 161. Reported persons living with HIV/AIDS through December 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio			Akron Regional Advisory Group			Canton Regional Advisory Group		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Gender									
Male	210.3	11,591	80%	154.0	517	81%	106.2	208	77%
Female	49.4	2,884	20%	34.2	123	19%	28.9	61	23%
Unknown	-	2	<1%	-	-	-	-	-	-
Age									
<13	4.9	102	1%	*	4	1%	*	3	1%
13-19	7.3	84	1%	*	3	<1%	-	-	-
20-24	46.4	338	2%	26.3	12	2%	*	4	1%
25-29	111.6	821	6%	91.3	40	6%	51.2	12	4%
30-39	282.3	4,709	33%	179.3	185	29%	164.7	93	35%
40-49	326.1	5,728	40%	227.0	249	39%	152.8	98	36%
50-64	141.5	2,463	17%	127.4	136	21%	83.5	56	21%
65+	15.4	232	2%	11.8	11	2%	*	3	1%
Race/Ethnicity									
White, not Hispanic	75.5	7,268	50%	62.0	371	58%	51.6	191	71%
Black, not Hispanic	450.1	6,031	42%	304.8	241	38%	229.4	67	25%
Hispanic	316.9	688	5%	204.3	12	2%	137.0	5	2%
Asian/Pacific Islander	37.1	54	<1%	*	4	1%	-	-	-
American Indian/Alaska Native	108.1	31	<1%	*	1	<1%	-	-	-
Unknown	-	405	3%	-	11	2%	-	6	2%
Race/Gender									
White, not Hispanic Male	134.3	6,283	43%	112.2	326	51%	87.4	156	58%
White, not Hispanic Female	19.9	985	7%	14.6	45	7%	18.2	35	13%
Black, not Hispanic Male	698.6	4,436	31%	455.1	167	26%	309.6	43	16%
Black, not Hispanic Female	226.2	1,594	11%	174.6	74	12%	156.6	24	9%
Other Male	279.5	552	4%	162.7	14	2%	144.8	5	2%
Other Female	113.9	221	2%	*	3	<1%	-	-	-
Unknown	-	406	3%	-	11	2%	-	6	2%
Transmission Category									
Male Adult or Adolescent									
Male-to-Male Sexual Contact	-	5,731	50%	-	248	48%	-	113	54%
Injection Drug Use (IDU)	-	909	8%	-	29	6%	-	8	4%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	25	5%	-	6	3%
Heterosexual Contact	-	421	4%	-	10	2%	-	7	3%
Blood Product	-	103	<1%	-	1	<1%	-	3	1%
Other/Unknown	-	3,766	33%	-	200	39%	-	71	34%
Subtotal	-	11,509	100%	-	513	100%	-	208	100%
Female Adult or Adolescent									
Injection Drug Use	-	388	14%	-	13	11%	-	3	5%
Heterosexual Contact	-	1,038	37%	-	40	33%	-	21	36%
Blood Product	-	25	<1%	-	1	<1%	-	1	2%
Other/Unknown	-	1,346	48%	-	66	55%	-	33	57%
Subtotal	-	2,797	100%	-	120	100%	-	58	100%
Child (<13 years at diagnosis)									
Perinatal	-	132	78%	-	7	100%	-	3	100%
Other/Unknown	-	37	22%	-	-	-	-	-	-
Subtotal	-	169	100%	-	7	100%	-	3	100%
Total	127.5	14,477	100%	92.1	640	100%	66.1	269	100%

^aThe rate is per 100,000 population using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 161. Reported persons living with HIV/AIDS through December 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio			Cincinnati Regional Advisory Group			Cleveland Regional Advisory Group		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Gender									
Male	210.3	11,591	80%	258.0	1,684	82%	379.8	2,501	77%
Female	49.4	2,884	20%	52.9	372	18%	100.3	738	23%
Unknown	-	2	<1%	-	-	-	-	1	<1%
Age									
<13	4.9	102	1%	4.7	12	1%	10.3	26	1%
13-19	7.3	84	1%	4.2	6	<1%	20.2	26	1%
20-24	46.4	338	2%	62.7	59	3%	83.9	65	2%
25-29	111.6	821	6%	148.5	135	7%	151.3	138	4%
30-39	282.3	4,709	33%	319.1	652	32%	486.3	995	31%
40-49	326.1	5,728	40%	394.7	828	40%	631.9	1,349	42%
50-64	141.5	2,463	17%	168.4	329	16%	279.7	583	18%
65+	15.4	232	2%	21.1	35	2%	26.7	58	2%
Race/Ethnicity									
White, not Hispanic	75.5	7,268	50%	91.1	996	48%	116.2	1,081	33%
Black, not Hispanic	450.1	6,031	42%	434.8	964	47%	455.1	1,758	54%
Hispanic	316.9	688	5%	195.8	31	2%	622.4	293	9%
Asian/Pacific Islander	37.1	54	<1%	41.4	9	<1%	36.5	10	<1%
American Indian/Alaska Native	108.1	31	<1%	*	4	<1%	299.2	9	<1%
Unknown	-	405	3%	-	52	3%	-	89	3%
Race/Gender									
White, not Hispanic Male	134.3	6,283	43%	166.6	883	43%	213.0	948	29%
White, not Hispanic Female	19.9	985	7%	20.0	113	5%	27.4	133	4%
Black, not Hispanic Male	698.6	4,436	31%	708.3	721	35%	730.0	1,277	39%
Black, not Hispanic Female	226.2	1,594	11%	202.7	243	12%	227.1	480	15%
Other Male	279.5	552	4%	177.9	37	2%	541.0	208	6%
Other Female	113.9	221	2%	35.3	7	<1%	266.6	104	3%
Unknown	-	406	3%	-	52	3%	-	90	3%
Transmission Category									
Male Adult or Adolescent									
Male-to-Male Sexual Contact	-	5,731	50%	-	895	54%	-	1,388	56%
Injection Drug Use (IDU)	-	909	8%	-	101	6%	-	249	10%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	78	5%	-	148	6%
Heterosexual Contact	-	421	4%	-	40	2%	-	101	4%
Blood Product	-	103	<1%	-	14	<1%	-	13	<1%
Other/Unknown	-	3,766	33%	-	544	33%	-	581	23%
Subtotal	-	11,509	100%	-	1,672	100%	-	2,480	100%
Female Adult or Adolescent									
Injection Drug Use	-	388	14%	-	40	11%	-	143	20%
Heterosexual Contact	-	1,038	37%	-	122	33%	-	268	38%
Blood Product	-	25	<1%	-	3	<1%	-	5	<1%
Other/Unknown	-	1,346	48%	-	200	55%	-	295	41%
Subtotal	-	2,797	100%	-	365	100%	-	711	100%
Child (<13 years at diagnosis)									
Perinatal	-	132	78%	-	13	68%	-	36	75%
Other/Unknown	-	37	22%	-	6	32%	-	12	25%
Subtotal	-	169	100%	-	19	100%	-	48	100%
Total	127.5	14,477	100%	151.6	2,056	100%	232.4	3,240	100%

^aThe rate is per 100,000 population using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 161. Reported persons living with HIV/AIDS through December 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio			Columbus Regional Advisory Group			Dayton Regional Advisory Group		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Gender									
Male	210.3	11,591	80%	407.9	2,118	83%	304.4	817	81%
Female	49.4	2,884	20%	79.1	435	17%	66.4	193	19%
Unknown	-	2	<1%	-	-	-	-	-	-
Age									
<13	4.9	102	1%	5.5	11	<1%	*	4	<1%
13-19	7.3	84	1%	9.8	10	<1%	22.3	12	1%
20-24	46.4	338	2%	68.7	63	2%	83.7	32	3%
25-29	111.6	821	6%	160.1	151	6%	179.0	67	7%
30-39	282.3	4,709	33%	498.8	883	35%	377.4	307	30%
40-49	326.1	5,728	40%	621.2	984	39%	454.8	381	38%
50-64	141.5	2,463	17%	288.0	407	16%	219.9	193	19%
65+	15.4	232	2%	42.2	44	2%	18.3	14	1%
Race/Ethnicity									
White, not Hispanic	75.5	7,268	50%	182.6	1,473	58%	114.8	492	49%
Black, not Hispanic	450.1	6,031	42%	435.9	868	34%	432.3	491	49%
Hispanic	316.9	688	5%	300.7	73	3%	183.2	13	1%
Asian/Pacific Islander	37.1	54	<1%	39.4	14	1%	*	4	<1%
American Indian/Alaska Native	108.1	31	<1%	224.9	8	<1%	-	-	-
Unknown	-	405	3%	-	117	5%	-	10	1%
Race/Gender									
White, not Hispanic Male	134.3	6,283	43%	342.7	1,346	53%	210.6	437	43%
White, not Hispanic Female	19.9	985	7%	30.7	127	5%	24.9	55	5%
Black, not Hispanic Male	698.6	4,436	31%	643.7	600	24%	683.3	360	36%
Black, not Hispanic Female	226.2	1,594	11%	253.0	268	10%	215.1	131	13%
Other Male	279.5	552	4%	219.3	73	3%	158.0	13	1%
Other Female	113.9	221	2%	73.2	22	1%	*	4	<1%
Unknown	-	406	3%	-	117	5%	-	10	1%
Transmission Category									
Male Adult or Adolescent									
Male-to-Male Sexual Contact	-	5,731	50%	-	947	45%	-	510	63%
Injection Drug Use (IDU)	-	909	8%	-	86	4%	-	36	4%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	58	3%	-	49	6%
Heterosexual Contact	-	421	4%	-	49	2%	-	31	4%
Blood Product	-	103	<1%	-	12	<1%	-	9	1%
Other/Unknown	-	3,766	33%	-	955	45%	-	177	22%
Subtotal	-	11,509	100%	-	2,107	100%	-	812	100%
Female Adult or Adolescent									
Injection Drug Use	-	388	14%	-	44	10%	-	28	15%
Heterosexual Contact	-	1,038	37%	-	144	34%	-	78	42%
Blood Product	-	25	<1%	-	5	1%	-	3	2%
Other/Unknown	-	1,346	48%	-	234	55%	-	78	42%
Subtotal	-	2,797	100%	-	427	100%	-	187	100%
Child (<13 years at diagnosis)									
Perinatal	-	132	78%	-	14	74%	-	8	73%
Other/Unknown	-	37	22%	-	5	26%	-	3	27%
Subtotal	-	169	100%	-	19	100%	-	11	100%
Total	127.5	14,477	100%	238.8	2,553	100%	180.7	1,010	100%

^aThe rate is per 100,000 population using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 161. Reported persons living with HIV/AIDS through December 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio			Toledo Regional Advisory Group			Youngstown Regional Advisory Group		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Gender									
Male	210.3	11,591	80%	266.0	582	76%	121.0	348	69%
Female	49.4	2,884	20%	79.6	188	24%	50.5	155	31%
Unknown	-	2	<1%	-	-	-	-	-	-
Age									
<13	4.9	102	1%	8.1	7	1%	8.9	9	2%
13-19	7.3	84	1%	10.9	5	1%	*	4	1%
20-24	46.4	338	2%	66.3	21	3%	15.3	5	1%
25-29	111.6	821	6%	185.3	60	8%	78.9	27	5%
30-39	282.3	4,709	33%	395.2	255	33%	193.7	154	31%
40-49	326.1	5,728	40%	439.6	301	39%	205.5	193	38%
50-64	141.5	2,463	17%	165.2	109	14%	100.9	99	20%
65+	15.4	232	2%	20.2	12	2%	12.2	12	2%
Race/Ethnicity									
White, not Hispanic	75.5	7,268	50%	113.4	394	51%	47.3	245	49%
Black, not Hispanic	450.1	6,031	42%	403.6	321	42%	313.8	196	39%
Hispanic	316.9	688	5%	183.8	38	5%	316.5	34	7%
Asian/Pacific Islander	37.1	54	<1%	81.1	5	1%	-	-	-
American Indian/Alaska Native	108.1	31	<1%	-	-	-	*	1	<1%
Unknown	-	405	3%	-	12	2%	-	27	5%
Race/Gender									
White, not Hispanic Male	134.3	6,283	43%	195.6	328	43%	76.2	190	38%
White, not Hispanic Female	19.9	985	7%	36.7	66	9%	20.5	55	11%
Black, not Hispanic Male	698.6	4,436	31%	578.5	214	28%	392.5	120	24%
Black, not Hispanic Female	226.2	1,594	11%	251.5	107	14%	238.3	76	15%
Other Male	279.5	552	4%	227.9	32	4%	262.8	20	4%
Other Female	113.9	221	2%	78.3	11	1%	211.5	15	3%
Unknown	-	406	3%	-	12	2%	-	27	5%
Transmission Category									
Male Adult or Adolescent									
Male-to-Male Sexual Contact	-	5,731	50%	-	342	59%	-	139	41%
Injection Drug Use (IDU)	-	909	8%	-	42	7%	-	33	10%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	35	6%	-	23	7%
Heterosexual Contact	-	421	4%	-	33	6%	-	11	3%
Blood Product	-	103	<1%	-	7	1%	-	6	2%
Other/Unknown	-	3,766	33%	-	119	21%	-	131	38%
Subtotal	-	11,509	100%	-	578	100%	-	343	100%
Female Adult or Adolescent									
Injection Drug Use	-	388	14%	-	25	14%	-	19	13%
Heterosexual Contact	-	1,038	37%	-	77	43%	-	37	25%
Blood Product	-	25	<1%	-	1	<1%	-	-	-
Other/Unknown	-	1,346	48%	-	78	43%	-	93	62%
Subtotal	-	2,797	100%	-	181	100%	-	149	100%
Child (<13 years at diagnosis)									
Perinatal	-	132	78%	-	10	91%	-	9	82%
Other/Unknown	-	37	22%	-	1	9%	-	2	18%
Subtotal	-	169	100%	-	11	100%	-	11	100%
Total	127.5	14,477	100%	169.2	770	100%	84.6	503	100%

^aThe rate is per 100,000 population using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 161. Reported persons living with HIV/AIDS through December 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio			Rural Regional Advisory Group		
	Rate ^a	No.	%	Rate ^a	No.	%
Gender						
Male	210.3	11,591	80%	74.4	1,768	78%
Female	49.4	2,884	20%	20.1	493	22%
Unknown	-	2	<1%	-	1	<1%
Age						
<13	4.9	102	1%	3.0	26	1%
13-19	7.3	84	1%	3.4	17	1%
20-24	46.4	338	2%	17.0	50	2%
25-29	111.6	821	6%	42.0	121	5%
30-39	282.3	4,709	33%	102.1	712	31%
40-49	326.1	5,728	40%	117.7	888	39%
50-64	141.5	2,463	17%	53.3	410	18%
65+	15.4	232	2%	6.0	38	2%
Race/Ethnicity						
White, not Hispanic	75.5	7,268	50%	38.5	1,743	77%
Black, not Hispanic	450.1	6,031	42%	197.3	333	15%
Hispanic	316.9	688	5%	145.3	119	5%
Asian/Pacific Islander	37.1	54	<1%	22.1	7	<1%
American Indian/Alaska Native	108.1	31	<1%	56.6	7	<1%
Unknown	-	405	3%	-	53	2%
Race/Gender						
White, not Hispanic Male	134.3	6,283	43%	64.0	1,420	63%
White, not Hispanic Female	19.9	985	7%	14.0	323	14%
Black, not Hispanic Male	698.6	4,436	31%	240.9	227	10%
Black, not Hispanic Female	226.2	1,594	11%	142.2	106	5%
Other Male	279.5	552	4%	131.8	83	4%
Other Female	113.9	221	2%	79.4	50	2%
Unknown	-	406	3%	-	53	2%
Transmission Category						
Male Adult or Adolescent						
Male-to-Male Sexual Contact	-	5,731	50%	-	885	51%
Injection Drug Use (IDU)	-	909	8%	-	110	6%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	72	4%
Heterosexual Contact	-	421	4%	-	67	4%
Blood Product	-	103	<1%	-	35	2%
Other/Unknown	-	3,766	33%	-	579	33%
Subtotal	-	11,509	100%	-	1,748	100%
Female Adult or Adolescent						
Injection Drug Use	-	388	14%	-	37	8%
Heterosexual Contact	-	1,038	37%	-	223	47%
Blood Product	-	25	<1%	-	5	1%
Other/Unknown	-	1,346	48%	-	208	44%
Subtotal	-	2,797	100%	-	473	100%
Child (<13 years at diagnosis)						
Perinatal	-	132	78%	-	32	80%
Other/Unknown	-	37	22%	-	8	20%
Subtotal	-	169	100%	-	40	100%
Total	127.5	14,477	100%	46.9	2,262	100%

^aThe rate is per 100,000 population using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 162. Trends among reported persons living with HIV/AIDS by demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Akron		Canton		Cincinnati		Cleveland		Columbus	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total												
1999	97.1	11,005	70.4	488	51.6	210	120.0	1,629	188.5	2,639	166.6	1,768
2000	103.6	11,758	73.5	511	55.3	225	125.8	1,706	200.7	2,798	180.5	1,929
2001	111.1	12,617	82.3	572	57.7	235	135.4	1,836	212.3	2,960	196.4	2,099
2002	119.0	13,506	86.8	603	60.9	248	142.0	1,925	220.3	3,071	216.4	2,313
2003	127.5	14,477	92.1	640	66.1	269	151.6	2,056	232.4	3,240	238.8	2,553
Male												
1999	162.1	8,918	118.9	398	82.7	162	208.8	1,363	312.8	2,067	285.6	1,471
2000	172.6	9,515	124.2	417	88.3	173	217.9	1,422	331.8	2,185	310.6	1,613
2001	184.4	10,165	138.2	464	92.9	182	232.0	1,514	350.7	2,309	335.1	1,740
2002	196.7	10,844	145.4	488	98.0	192	242.5	1,583	363.1	2,391	369.2	1,917
2003	210.3	11,591	154.0	517	106.2	208	258.0	1,684	379.8	2,501	407.9	2,118
Female												
1999	35.7	2,085	25.1	90	22.7	48	37.8	266	77.3	571	54.4	297
2000	38.4	2,241	26.2	94	24.6	52	40.4	284	83.2	612	57.5	316
2001	41.9	2,450	30.1	108	25.1	53	45.8	322	88.4	650	65.3	359
2002	45.5	2,660	32.0	115	26.5	56	48.6	342	92.3	679	72.0	396
2003	49.4	2,884	34.2	123	28.9	61	52.9	372	100.3	738	79.1	435
13-19 Years of Age												
1999	5.7	65	*	1	*	1	8.5	12	14.6	19	6.8	7
2000	5.5	63	*	3	*	1	6.4	9	14.8	19	7.8	8
2001	6.2	71	*	2	-	-	6.4	9	14.8	19	6.8	7
2002	6.6	75	*	2	-	-	5.7	8	16.3	21	11.7	12
2003	7.3	84	*	3	-	-	4.2	6	20.2	26	9.8	10
20-29 Years of Age												
1999	91.9	1,356	64.2	58	64.6	30	100.6	188	160.4	275	121.6	226
2000	84.3	1,235	59.3	53	43.5	20	93.0	172	146.4	247	117.2	218
2001	79.4	1,163	61.5	55	37.0	17	98.4	184	136.9	231	103.2	192
2002	78.5	1,149	55.9	50	28.3	13	98.9	183	122.1	206	108.6	202
2003	79.1	1,159	58.2	52	34.8	16	104.8	194	120.3	203	115.1	214
30+ Years of Age												
1999	142.7	9,473	103.6	425	71.4	177	183.2	1,416	274.0	2,315	265.2	1,525
2000	155.1	10,351	109.2	451	80.8	201	194.9	1,512	296.4	2,501	291.5	1,694
2001	168.9	11,272	123.8	511	86.4	215	210.3	1,631	317.6	2,680	325.3	1,890
2002	182.5	12,178	132.2	546	93.2	232	222.0	1,722	334.4	2,821	359.3	2,088
2003	196.8	13,132	140.7	581	100.5	250	237.7	1,844	353.8	2,985	398.9	2,318

^aThe rate is per 100,000 population using 2000 census data.
Asterisk (*) indicates rates were not calculated for the given category or rates are not applicable because census data are not applicable to the respective category.
Dash (-) indicates no cases were reported for the given category or rates are not applicable because census data are not applicable to the respective category.
Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 162. Trends among reported persons living with HIV/AIDS by demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Dayton		Toledo		Youngstown		Rural	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total										
1999	97.1	11,005	135.8	763	125.6	572	60.6	362	34.9	1,676
2000	103.6	11,758	146.5	819	135.4	616	65.7	391	37.1	1,791
2001	111.1	12,617	156.3	874	145.5	662	71.5	425	39.8	1,918
2002	119.0	13,506	168.7	943	157.1	715	77.8	463	43.6	2,102
2003	127.5	14,477	180.7	1,010	169.2	770	84.6	503	46.9	2,262
Male										
1999	162.1	8,918	237.0	639	198.8	435	92.2	266	55.3	1,307
2000	172.6	9,515	254.1	682	211.6	463	100.1	288	58.7	1,394
2001	184.4	10,165	267.2	717	230.4	504	105.7	304	63.1	1,499
2002	196.7	10,844	286.2	768	247.8	542	112.3	323	68.9	1,636
2003	210.3	11,591	304.4	817	266.0	582	121.0	348	74.4	1,768
Female										
1999	35.7	2,085	42.4	124	57.9	137	31.1	96	15.1	368
2000	38.4	2,241	47.1	137	64.8	153	33.5	103	16.2	396
2001	41.9	2,450	54.0	157	66.9	158	39.4	121	17.1	418
2002	45.5	2,660	60.2	175	73.2	173	45.6	140	19.0	465
2003	49.4	2,884	66.4	193	79.6	188	50.5	155	20.1	493
13-19 Years of Age										
1999	5.7	65	*	4	10.7	5	*	3	2.4	12
2000	5.5	63	9.3	5	*	2	*	3	2.6	13
2001	6.2	71	20.4	11	*	4	8.8	5	2.2	11
2002	6.6	75	20.4	11	10.9	5	*	3	2.0	10
2003	7.3	84	22.3	12	10.9	5	*	4	3.4	17
20-29 Years of Age										
1999	91.9	1,356	118.5	91	161.2	104	51.7	35	36.6	214
2000	84.3	1,235	116.4	88	148.3	95	55.3	37	33.3	194
2001	79.4	1,163	103.1	78	137.3	88	64.3	43	30.2	176
2002	78.5	1,149	124.3	94	128.0	82	62.8	42	30.9	180
2003	79.1	1,159	130.9	99	126.4	81	47.8	32	29.3	171
30+ Years of Age										
1999	142.7	9,473	200.3	661	176.4	455	85.7	317	50.2	1,420
2000	155.1	10,351	218.4	720	197.7	511	93.1	344	54.5	1,556
2001	168.9	11,272	236.3	779	217.1	561	99.9	369	59.7	1,702
2002	182.5	12,178	252.7	833	239.9	620	110.7	409	66.0	1,884
2003	196.8	13,132	271.5	895	262.0	677	123.9	458	71.8	2,048

^aThe rate is per 100,000 population using 2000 census data.
Asterisk (*) indicates rates were not calculated for case counts <5.
Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.
Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 163. Trends in reported cases of HIV infection, by HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Akron		Canton		Cincinnati		Cleveland		Columbus	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total												
1999	8.8	1,003	8.1	56	6.4	26	11.0	149	13.1	183	16.0	170
2000	8.1	916	5.3	37	3.9	16	7.8	106	13.7	191	15.3	164
2001	9.1	1,033	10.4	72	3.7	15	11.5	156	14.6	203	18.2	195
2002	8.5	967	6.0	42	2.7	11	8.3	113	9.9	138	20.8	222
2003	8.8	1,001	5.2	36	4.7	19	9.7	132	12.6	176	23.5	251
Male												
1999	14.4	790	13.1	44	8.2	16	18.2	119	21.6	143	26.8	138
2000	13.3	731	8.9	30	5.6	11	12.6	82	21.4	141	27.9	145
2001	14.4	795	16.4	55	6.6	13	17.8	116	23.7	156	28.7	149
2002	13.5	746	9.8	33	4.1	8	14.2	93	15.6	103	35.4	184
2003	14.0	772	8.3	28	7.1	14	15.5	101	18.1	119	40.6	211
Female												
1999	3.6	212	3.3	12	4.7	10	4.3	30	5.4	40	5.9	32
2000	3.2	185	1.9	7	2.4	5	3.4	24	6.8	50	3.5	19
2001	4.1	238	4.7	17	*	2	5.7	40	4.7	47	8.4	46
2002	3.8	221	2.5	9	*	3	2.8	20	4.8	35	6.9	38
2003	3.9	229	2.2	8	2.4	5	4.4	31	7.7	57	7.3	40
13-19 Years of Age												
1999	2.3	27	*	1	*	1	5.6	8	5.4	7	*	2
2000	1.7	19	*	1	-	-	*	2	4.7	6	*	2
2001	2.5	29	-	-	*	1	3.5	5	*	3	*	4
2002	1.8	21	-	-	-	-	*	4	-	-	5.9	6
2003	1.8	21	*	1	-	-	*	4	*	4	*	1
20-29 Years of Age												
1999	16.0	236	12.2	11	17.2	8	16.1	30	25.7	44	19.4	36
2000	12.7	186	6.7	6	*	1	14.6	27	20.7	35	17.2	32
2001	14.5	212	17.9	16	*	1	19.5	36	30.8	52	14.0	26
2002	13.9	204	7.8	7	*	2	16.2	30	15.4	26	24.7	46
2003	14.7	215	8.9	8	*	3	16.8	31	21.9	37	31.2	58
30+ Years of Age												
1999	11.0	732	10.7	44	6.5	16	14.1	109	15.3	129	23.0	132
2000	10.6	704	7.0	29	5.6	14	9.9	77	17.3	146	22.4	130
2001	11.8	785	13.6	56	5.2	13	14.8	115	17.4	147	28.2	164
2002	11.0	735	8.0	33	3.6	9	10.2	79	13.2	111	28.7	167
2003	11.4	759	6.5	27	6.4	16	12.5	97	15.5	131	32.9	191

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 163. Trends in reported cases of HIV infection, by HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total										
1999	8.8	1,003	14.1	79	9.7	44	5.4	32	3.4	163
2000	8.1	916	12.0	67	11.6	53	5.0	30	3.2	153
2001	9.1	1,033	11.4	64	12.1	55	6.9	41	3.2	152
2002	8.5	967	12.9	72	11.9	54	6.6	39	3.9	190
2003	8.8	1,001	12.2	68	13.0	59	7.1	42	3.3	158
Male										
1999	14.4	790	20.8	56	11.4	25	9.7	28	5.5	129
2000	13.3	731	20.1	54	15.5	34	8.0	23	5.0	119
2001	14.4	795	16.8	45	21.0	46	7.6	22	5.1	121
2002	13.5	746	19.4	52	17.4	38	6.6	19	6.0	142
2003	14.0	772	17.9	48	19.2	42	9.0	26	5.5	131
Female										
1999	3.6	212	7.9	23	8.0	19	*	4	1.4	33
2000	3.2	185	4.5	13	8.0	19	2.3	7	1.4	34
2001	4.1	238	6.5	19	3.8	9	6.2	19	1.3	31
2002	3.8	221	6.9	20	6.8	16	6.5	20	2.0	48
2003	3.9	229	6.9	20	7.2	17	5.2	16	1.1	27
13-19 Years of Age										
1999	2.3	27	*	2	-	-	-	-	*	4
2000	1.7	19	*	2	*	1	*	1	*	4
2001	2.5	29	14.9	8	*	1	*	2	*	3
2002	1.8	21	11.1	6	-	-	-	-	*	3
2003	1.8	21	*	1	-	-	*	1	1.6	8
20-29 Years of Age										
1999	16.0	236	31.3	24	24.8	16	7.4	5	5.0	29
2000	12.7	186	18.5	14	21.8	14	9.0	6	4.5	26
2001	14.5	212	15.9	12	17.2	11	17.9	12	4.5	26
2002	13.9	204	21.2	16	20.3	13	13.5	9	6.0	35
2003	14.7	215	22.5	17	21.8	14	7.5	5	4.6	27
30+ Years of Age										
1999	11.0	732	16.1	53	10.1	26	7.3	27	4.6	130
2000	10.6	704	15.5	51	14.7	38	6.2	23	4.3	123
2001	11.8	785	13.0	43	15.9	41	7.0	26	4.3	122
2002	11.0	735	15.2	50	15.9	41	8.1	30	5.3	151
2003	11.4	759	15.2	50	17.4	45	9.7	36	4.3	123

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

Table 164. CTS 2003 data by demographic characteristics and by HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio				Akron				Canton			
	Total Tests		Positive Tests		Total Tests		Positive Tests		Total Tests		Positive Tests	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Gender												
Male	23,550	54%	254	82%	1,383	52%	14	78%	386	47%	5	100%
Female	20,067	46%	57	18%	1,298	48%	4	22%	444	53%	-	-
Age												
<13	35	<1%	1	<1%	1	<1%	-	-	1	<1%	-	-
13-19	5,349	12%	12	4%	282	11%	4	22%	124	15%	-	-
20-24	11,321	26%	49	16%	736	27%	4	22%	220	27%	1	20%
25-29	6,950	16%	40	13%	435	16%	3	17%	121	15%	-	<1%
30-39	9,745	22%	118	38%	582	22%	5	28%	175	21%	3	60%
40-49	7,173	16%	74	24%	427	16%	5	28%	117	14%	1	20%
50-64	2,842	7%	17	5%	192	7%	1	6%	67	8%	-	-
65+	302	1%	-	-	16	1%	-	-	5	1%	-	-
Race/Ethnicity												
White, not Hispanic	22,018	50%	141	45%	1,562	58%	8	44%	639	77%	5	100%
Black, not Hispanic	18,300	42%	145	47%	978	36%	10	56%	155	19%	-	-
Hispanic	1,990	5%	8	3%	56	2%	-	-	9	1%	-	-
Asian/Pacific Islander	422	1%	3	1%	33	1%	-	-	2	<1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	11	<1%	-	-	3	<1%	-	-
Other	696	2%	12	4%	39	1%	-	-	22	3%	-	-
Unknown	49	<1%	1	<1%	2	<1%	-	-	-	-	-	-
Race/Gender												
White, not Hispanic Male	12,111	28%	130	42%	845	32%	7	39%	312	38%	5	100%
White, not Hispanic Female	9,907	23%	11	4%	717	27%	1	6%	327	39%	-	-
Black, not Hispanic Male	9,563	22%	101	32%	473	18%	7	39%	63	8%	-	-
Black, not Hispanic Female	8,737	20%	44	14%	505	19%	3	17%	92	11%	-	-
Hispanic Male	1,168	3%	8	3%	15	1%	-	-	3	<1%	-	-
Hispanic Female	822	2%	2	1%	41	2%	-	-	6	1%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	21	1%	-	-	1	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	12	<1%	-	-	1	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	5	<1%	-	-	1	<1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	6	<1%	-	-	2	<1%	-	-
Other Male	374	1%	10	3%	22	1%	-	-	6	1%	-	-
Other Female	322	1%	2	1%	17	1%	-	-	16	2%	-	-
Unknown Male	32	<1%	1	<1%	2	<1%	-	-	-	-	-	-
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-
Exposure Category												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	10	<1%	1	6%	4	<1%	1	25%
Male/Male Sex	4,770	11%	180	58%	333	12%	9	50%	111	13%	2	40%
Heterosexual IDU	3,237	7%	9	3%	157	6%	1	6%	33	4%	1	20%
Sex Partner At Risk	6,384	15%	35	11%	394	15%	1	6%	99	12%	1	20%
Child of Women with HIV/AIDS	3	<1%	1	<1%	33	1%	-	-	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	491	18%	1	6%	214	26%	-	-
Sex for Drugs/Money	613	1%	1	<1%	29	1%	-	-	9	1%	-	-
Sex Using Non-Injection Drugs	6,020	14%	8	3%	476	18%	1	6%	162	20%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	9	<1%	-	-	6	1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	32	1%	-	-	13	2%	-	-
Health Care Exposure	190	<1%	-	-	26	1%	-	-	3	<1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	91	3%	-	-	33	4%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	615	23%	4	22%	141	17%	-	-
Other	495	1%	2	1%	18	1%	-	-	2	<1%	-	-
Testing												
Anonymous	17,602	40%	167	54%	1,358	51%	12	67%	270	33%	-	-
Confidential	25,998	60%	144	46%	1,323	49%	6	33%	560	67%	5	100%
Unknown	17	<1%	-	-	-	-	-	-	-	-	-	-
Total	43,617	100%	311	100%	2,681	100%	18	100%	830	100%	5	100%

Source: HIV Counseling and Testing System, 2003.

Table 164. CTS 2003 data by demographic characteristics and by HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio						Cincinnati						Cleveland						
	Total Tests		Positive Tests		Percent Positive		Total Tests		Positive Tests		Percent Positive		Total Tests		Positive Tests		Percent Positive		
	No.	%	No.	%	Positive	%	No.	%	No.	%	Positive	%	No.	%	No.	%	Positive	%	
Gender																			
Male	23,550	54%	254	82%	1%	3%	3,605	57%	37	97%	1%	3%	5,015	55%	52	78%	1%	1%	
Female	20,067	46%	57	18%	<1%	<1%	2,727	43%	1	3%	<1%	<1%	4,166	45%	15	22%	<1%	<1%	
Age																			
<13	35	<1%	1	<1%	3%	3%	5	<1%	1	3%	20%	3%	8	<1%	-	-	-	-	
13-19	5,349	12%	12	4%	<1%	<1%	664	10%	1	3%	<1%	3%	791	9%	5	7%	1%	1%	
20-24	11,321	26%	49	16%	<1%	<1%	1,626	26%	5	13%	<1%	13%	1,718	19%	6	9%	<1%	<1%	
25-29	6,850	16%	40	13%	1%	1%	1,060	17%	2	5%	<1%	5%	1,248	14%	6	9%	<1%	<1%	
30-39	9,745	22%	118	38%	1%	1%	1,475	23%	15	39%	1%	1%	2,354	26%	27	40%	1%	1%	
40-49	7,173	16%	74	24%	1%	1%	1,130	18%	10	26%	1%	1%	2,054	22%	19	28%	1%	1%	
50-64	2,842	7%	17	5%	1%	1%	349	6%	4	11%	1%	1%	882	10%	4	6%	<1%	<1%	
65+	302	1%	-	-	-	-	23	<1%	0	<1%	<1%	<1%	126	1%	-	-	-	-	
Race/Ethnicity																			
White, not Hispanic	22,018	50%	141	45%	1%	1%	2,828	45%	17	45%	1%	1%	2,503	27%	19	28%	1%	1%	
Black, not Hispanic	18,300	42%	145	47%	1%	1%	3,215	51%	18	47%	1%	1%	5,721	62%	39	58%	1%	1%	
Hispanic	1,990	5%	8	3%	<1%	<1%	149	2%	1	3%	<1%	<1%	719	8%	4	6%	1%	1%	
Asian/Pacific Islander	422	1%	3	1%	1%	1%	45	1%	0	<1%	<1%	<1%	60	1%	-	-	-	-	
American Indian/Alaska Native	142	<1%	1	<1%	1%	1%	14	<1%	1	3%	1%	1%	28	<1%	-	-	-	-	
Other	696	2%	12	4%	2%	2%	69	1%	1	3%	1%	1%	139	2%	4	6%	3%	3%	
Unknown	49	<1%	1	<1%	2%	2%	12	<1%	0	<1%	<1%	<1%	11	<1%	1	1%	9%	9%	
Race/Gender																			
White, not Hispanic Male	12,111	28%	130	42%	1%	1%	1,620	26%	17	45%	1%	1%	1,492	16%	18	27%	1%	1%	
White, not Hispanic Female	9,907	23%	11	4%	<1%	<1%	1,208	19%	1	3%	<1%	<1%	1,011	11%	1	1%	<1%	<1%	
Black, not Hispanic Male	9,563	22%	101	32%	1%	1%	1,819	29%	17	45%	1%	1%	2,990	33%	25	37%	1%	1%	
Black, not Hispanic Female	8,737	20%	44	14%	1%	1%	1,386	22%	1	3%	<1%	<1%	2,731	30%	14	21%	1%	1%	
Hispanic Male	1,168	3%	8	3%	1%	1%	97	2%	1	3%	1%	1%	374	4%	4	6%	1%	1%	
Hispanic Female	822	2%	-	-	-	-	52	1%	-	-	-	-	345	4%	-	-	-	-	
Asian/Pacific Islander Male	232	1%	3	1%	1%	1%	23	<1%	-	-	-	-	36	<1%	-	-	-	-	
Asian/Pacific Islander Female	190	<1%	-	-	-	-	22	<1%	-	-	-	-	24	<1%	-	-	-	-	
American Indian/Alaska Native Male	70	<1%	1	<1%	1%	1%	9	<1%	1	3%	20%	3%	19	<1%	-	-	-	-	
American Indian/Alaska Native Female	72	<1%	-	-	-	-	5	<1%	-	-	-	-	9	<1%	-	-	-	-	
Other Male	374	1%	10	3%	3%	3%	34	1%	1	3%	3%	3%	96	1%	4	6%	4%	4%	
Other Female	322	1%	2	1%	1%	1%	35	1%	-	-	-	-	43	<1%	-	-	-	-	
Unknown Male	32	<1%	1	<1%	3%	3%	7	<1%	-	-	-	-	8	<1%	1	1%	13%	13%	
Unknown Female	17	<1%	-	-	-	-	5	<1%	-	-	-	-	3	<1%	-	-	-	-	
Exposure Category																			
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	3%	3%	61	1%	1	3%	2%	2%	67	1%	2	3%	3%	3%	
Male/Male Sex	4,770	11%	180	58%	4%	4%	578	9%	27	71%	5%	5%	825	9%	31	46%	4%	4%	
Heterosexual IDU	3,237	7%	9	3%	<1%	<1%	1,070	17%	1	3%	<1%	<1%	827	9%	3	4%	<1%	<1%	
Sex Partner At Risk	6,384	15%	35	11%	1%	1%	369	6%	1	3%	<1%	<1%	429	5%	6	9%	1%	1%	
Child of Women with HIV/AIDS	3	<1%	1	<1%	33%	33%	1	<1%	1	3%	100%	100%	-	-	-	-	-	-	
STD Diagnosis	6,033	14%	16	5%	<1%	<1%	1,018	16%	2	5%	<1%	<1%	1,074	12%	3	4%	<1%	<1%	
Sex for Drugs/Money	613	1%	1	<1%	<1%	<1%	171	3%	-	-	-	-	178	2%	-	-	-	-	
Sex Using Non-Injection Drugs	6,020	14%	8	3%	<1%	<1%	567	9%	-	-	-	-	1,307	14%	4	6%	<1%	<1%	
Hemophilia/Blood Product Recipient	110	<1%	-	-	-	-	18	<1%	-	-	-	-	7	<1%	-	-	-	-	
Victim of Sexual Assault	325	1%	1	<1%	<1%	<1%	50	1%	-	-	-	-	25	<1%	1	1%	4%	4%	
Health Care Exposure	190	<1%	-	-	-	-	15	<1%	-	-	-	-	22	<1%	-	-	-	-	
No Acknowledged Risk	1,890	4%	4	1%	<1%	<1%	262	4%	-	-	-	-	637	7%	-	-	-	-	
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	<1%	<1%	2,072	33%	6	16%	<1%	<1%	3,645	40%	16	24%	<1%	<1%	
Other	495	1%	2	1%	<1%	<1%	80	1%	-	-	-	-	138	2%	1	1%	1%	1%	
Testing																			
Anonymous	17,602	40%	167	54%	1%	1%	1,463	23%	23	61%	2%	2%	4,843	53%	47	70%	1%	1%	
Confidential	25,998	60%	144	46%	1%	1%	4,864	77%	15	39%	<1%	<1%	4,337	47%	20	30%	<1%	<1%	
Unknown	17	<1%	-	-	-	-	5	<1%	-	-	-	-	1	<1%	-	-	-	-	
Total	43,617	100%	311	100%	1%	1%	6,332	100%	38	100%	1%	1%	9,181	100%	67	100%	1%	1%	

Source: HIV Counseling and Testing System, 2003.

Table 164. CTS 2003 data by demographic characteristics and by HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio				Columbus Regional Advisory Group				Dayton Regional Advisory Group			
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Gender												
Male	23,550	54%	254	82%	5,744	57%	82	80%	1,413	52%	12	71%
Female	20,067	46%	57	18%	4,305	43%	20	20%	1,330	48%	5	29%
Age												
<13	35	<1%	1	<1%	4	<1%	-	-	4	<1%	0	<1%
13-19	5,349	12%	12	4%	1,117	11%	1	1%	460	17%	2	12%
20-24	11,321	26%	49	16%	3,065	30%	23	23%	574	21%	1	6%
25-29	6,850	16%	40	13%	1,898	19%	16	16%	395	14%	2	12%
30-39	9,745	22%	118	38%	2,246	22%	37	36%	568	21%	5	29%
40-49	7,173	16%	74	24%	1,199	12%	22	22%	507	18%	5	29%
50-64	2,842	7%	17	5%	488	5%	3	3%	200	7%	2	12%
65+	302	1%	-	-	32	<1%	-	-	35	1%	-	-
Race/Ethnicity												
White, not Hispanic	22,018	50%	141	45%	4,843	48%	42	41%	1,049	38%	6	35%
Black, not Hispanic	18,300	42%	145	47%	4,295	43%	48	47%	1,623	59%	11	65%
Hispanic	1,990	5%	8	3%	460	5%	2	2%	21	1%	-	-
Asian/Pacific Islander	422	1%	3	1%	187	2%	3	3%	6	<1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	34	<1%	-	-	2	<1%	-	-
Other	696	2%	12	4%	213	2%	7	7%	41	1%	-	-
Unknown	49	<1%	1	<1%	17	<1%	-	-	1	<1%	-	-
Race/Gender												
White, not Hispanic Male	12,111	28%	130	42%	2,907	29%	42	41%	584	21%	5	29%
White, not Hispanic Female	9,907	23%	11	4%	1,936	19%	-	-	465	17%	1	6%
Black, not Hispanic Male	9,563	22%	101	32%	2,287	23%	30	29%	790	29%	7	41%
Black, not Hispanic Female	8,737	20%	44	14%	2,008	20%	18	18%	833	30%	4	24%
Hispanic Male	1,168	3%	8	3%	312	3%	2	2%	10	<1%	-	-
Hispanic Female	822	2%	3	1%	148	1%	-	-	11	<1%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	105	1%	3	3%	4	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	82	1%	-	-	2	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	14	<1%	-	-	1	<1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	20	<1%	-	-	-	-	-	-
Other Male	374	1%	10	3%	109	1%	5	5%	23	1%	-	-
Other Female	322	1%	2	1%	104	1%	2	2%	18	1%	-	-
Unknown Male	32	<1%	1	<1%	10	<1%	-	-	1	<1%	-	-
Unknown Female	17	<1%	-	-	7	<1%	-	-	-	-	-	-
Exposure Category												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	44	<1%	2	2%	22	1%	1	6%
Male/Male Sex	4,770	11%	180	58%	1,552	15%	64	63%	205	7%	9	53%
Heterosexual IDU	3,237	7%	9	3%	267	3%	3	3%	220	8%	1	6%
Sex Partner At Risk	6,384	15%	35	11%	679	7%	7	7%	1,063	39%	3	18%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	1,844	18%	6	6%	241	9%	1	6%
Sex for Drugs/Money	613	1%	1	<1%	106	1%	-	-	13	<1%	-	-
Sex for Non-injection Drugs	6,020	14%	8	3%	1,766	18%	-	-	146	5%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	21	<1%	-	-	2	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	44	<1%	-	-	30	1%	-	-
Health Care Exposure	190	<1%	-	-	30	<1%	-	-	7	<1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	80	1%	1	1%	298	11%	2	12%
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	3,494	35%	18	18%	485	18%	-	-
Other	495	1%	2	1%	122	1%	1	1%	11	<1%	-	-
Testing												
Anonymous	17,602	40%	167	54%	3,941	39%	50	49%	661	24%	3	18%
Confidential	25,998	60%	144	46%	6,107	61%	52	51%	2,082	76%	14	82%
Unknown	17	<1%	-	-	1	<1%	-	-	-	-	-	-
Total	43,617	100%	311	100%	10,049	100%	102	100%	2,743	100%	17	100%

Source : HIV Counseling and Testing System, 2003.

Table 164. CTS 2003 data by demographic characteristics and by HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio				Toledo				Youngstown			
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Gender												
Male	23,550	54%	254	82%	1,086	52%	11	69%	336	62%	4	67%
Female	20,067	46%	57	18%	1,004	48%	5	31%	203	38%	2	33%
Age												
<13	35	<1%	1	<1%	2	<1%	-	-	4	1%	-	-
13-19	5,349	12%	12	4%	283	14%	3	19%	68	13%	-	-
20-24	11,321	26%	49	16%	454	22%	3	19%	144	27%	1	17%
25-29	6,850	16%	40	13%	332	16%	2	13%	86	16%	1	17%
30-39	9,745	22%	118	38%	484	24%	5	31%	122	23%	3	50%
40-49	7,173	16%	74	24%	367	18%	5	31%	83	15%	-	-
50-64	2,842	7%	17	5%	147	7%	1	6%	30	6%	1	17%
65+	302	1%	-	-	11	1%	-	-	2	<1%	-	-
Race/Ethnicity												
White, not Hispanic	22,018	50%	141	45%	1,087	52%	10	63%	334	62%	3	50%
Black, not Hispanic	18,300	42%	145	47%	827	40%	6	38%	178	33%	3	50%
Hispanic	1,990	5%	8	3%	99	5%	-	-	16	3%	-	-
Asian/Pacific Islander	422	1%	3	1%	11	1%	-	-	2	<1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	4	<1%	-	-	1	<1%	-	-
Other	696	2%	12	4%	60	3%	-	-	8	1%	-	-
Unknown	49	<1%	1	<1%	2	<1%	-	-	-	-	-	-
Race/Gender												
White, not Hispanic Male	12,111	28%	130	42%	568	27%	7	44%	212	39%	1	17%
White, not Hispanic Female	9,907	23%	11	4%	519	25%	3	19%	122	23%	2	33%
Black, not Hispanic Male	9,563	22%	101	32%	415	20%	4	25%	111	21%	3	50%
Black, not Hispanic Female	8,737	20%	44	14%	412	20%	2	13%	67	12%	-	-
Hispanic Male	1,168	3%	8	3%	57	3%	-	-	7	1%	-	-
Hispanic Female	822	2%	-	-	42	2%	-	-	9	2%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	5	<1%	-	-	-	-	-	-
Asian/Pacific Islander Female	190	<1%	-	-	6	<1%	-	-	2	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	3	<1%	-	-	-	-	-	-
American Indian/Alaska Native Female	72	<1%	-	-	1	<1%	-	-	1	<1%	-	-
Other Male	374	1%	10	3%	36	2%	-	-	6	1%	-	-
Other Female	322	1%	2	1%	24	1%	-	-	2	<1%	-	-
Unknown Male	32	<1%	1	<1%	2	<1%	-	-	-	-	-	-
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-
Exposure Category												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	15	1%	-	-	-	-	-	-
Male/Male Sex	4,770	11%	180	58%	245	12%	7	44%	82	15%	3	50%
Heterosexual IDU	3,237	7%	9	3%	165	8%	-	-	14	3%	-	-
Sex Partner At Risk	6,384	15%	35	11%	503	24%	5	31%	168	31%	2	33%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	-	<1%	-	-
STD Diagnosis	6,033	14%	16	5%	315	15%	2	13%	50	9%	-	-
Sex for Drugs/Money	613	1%	1	<1%	50	2%	-	-	1	<1%	-	-
Sex Using Non-Injection Drugs	6,020	14%	8	3%	376	18%	2	13%	69	13%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	11	1%	-	-	3	1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	23	1%	-	-	3	1%	-	-
Health Care Exposure	190	<1%	-	-	17	1%	-	-	6	1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	25	1%	-	-	21	4%	1	17%
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	330	16%	-	-	118	22%	-	-
Other	495	1%	2	1%	15	1%	-	-	2	<1%	-	-
Testing												
Anonymous	17,602	40%	167	54%	1,239	59%	8	50%	363	67%	3	50%
Confidential	25,998	60%	144	46%	843	40%	8	50%	176	33%	3	50%
Unknown	17	<1%	-	-	8	<1%	-	-	-	-	-	-
Total	43,617	100%	311	100%	2,090	100%	16	100%	539	100%	6	100%

Source: HIV Counseling and Testing System, 2003.

Table 164. CTS 2003 data by demographic characteristics and by HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio				Rural			
	Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	%	No.	%	No.	%	No.	%
Gender								
Male	23,550	54%	254	82%	4,582	50%	37	88%
Female	20,067	46%	57	18%	4,590	50%	5	12%
Age								
<13	35	<1%	1	<1%	6	<1%	-	-
13-19	5,349	12%	12	4%	1,560	17%	3	7%
20-24	11,321	26%	49	16%	2,794	30%	5	12%
25-29	6,850	16%	40	13%	1,275	14%	8	19%
30-39	9,745	22%	118	38%	1,719	19%	18	43%
40-49	7,173	16%	74	24%	1,289	14%	7	17%
50-64	2,842	7%	17	5%	477	5%	1	2%
65+	302	1%	-	-	52	1%	-	-
Race/Ethnicity								
White, not Hispanic	22,018	50%	141	45%	7,173	78%	31	74%
Black, not Hispanic	18,300	42%	145	47%	1,308	14%	10	24%
Hispanic	1,990	5%	8	3%	461	5%	1	2%
Asian/Pacific Islander	422	1%	3	1%	76	1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	45	<1%	-	-
Other	696	2%	12	4%	105	1%	-	-
Unknown	49	<1%	1	<1%	4	<1%	-	-
Race/Gender								
White, not Hispanic Male	12,111	28%	130	42%	3,571	39%	28	67%
White, not Hispanic Female	9,907	23%	11	4%	3,602	39%	3	7%
Black, not Hispanic Male	9,563	22%	101	32%	615	7%	8	19%
Black, not Hispanic Female	8,737	20%	44	14%	693	8%	2	5%
Hispanic Male	1,168	3%	8	3%	283	3%	1	2%
Hispanic Female	822	2%	-	-	168	2%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	37	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	39	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	22	<1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	23	<1%	-	-
Other Male	374	1%	10	3%	42	<1%	-	-
Other Female	322	1%	2	1%	63	1%	-	-
Unknown Male	32	<1%	1	<1%	2	<1%	-	-
Unknown Female	17	<1%	-	-	2	<1%	-	-
Exposure Category								
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	37	<1%	1	2%
Male/Male Sex	4,770	11%	180	58%	839	9%	28	67%
Heterosexual IDU	3,237	7%	9	3%	484	5%	-	-
Sex Partner At Risk	6,384	15%	35	11%	2,680	29%	9	21%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	786	9%	1	2%
Sex for Drugs/Money	613	1%	1	<1%	86	1%	1	2%
Sex Using Non-Injection Drugs	6,020	14%	8	3%	1,151	13%	1	2%
Hemophilia/Blood Product Recipient	110	<1%	-	-	33	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	105	<1%	-	-
Health Care Exposure	190	<1%	-	-	64	1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	443	5%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	2,387	26%	1	2%
Other	495	1%	2	1%	107	1%	-	-
Testing								
Anonymous	17,602	40%	167	54%	3,464	38%	21	50%
Confidential	25,998	60%	144	46%	5,706	62%	21	50%
Unknown	17	<1%	-	-	2	<1%	-	-
Total	43,617	100%	311	100%	9,172	100%	42	100%

Source : HIV Counseling and Testing System, 2003.

Table 165. CTS trends by select demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio			Akron Regional Advisory Group			Canton Regional Advisory Group			Cincinnati Regional Advisory Group		
	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive
	No.	No.		No.	No.		No.	No.		No.	No.	
Total												
1999	42,241	243	1%	2,389	16	1%	1,088	8	1%	8,331	37	<1%
2000	40,883	268	1%	2,458	13	1%	995	3	<1%	8,091	35	<1%
2001	42,021	298	1%	2,418	23	1%	924	1	<1%	7,216	45	1%
2002	39,414	293	1%	2,547	15	1%	817	2	<1%	6,603	52	1%
2003	43,617	311	1%	2,681	18	1%	830	5	1%	6,332	38	1%
Male												
1999	22,306	199	1%	1,364	13	1%	529	5	1%	4,688	34	1%
2000	21,907	219	1%	1,344	9	1%	472	2	<1%	4,568	29	1%
2001	22,336	235	1%	1,255	19	2%	444	1	<1%	4,171	33	1%
2002	21,308	236	1%	1,328	14	1%	410	2	<1%	3,800	47	1%
2003	23,550	254	1%	1,383	14	1%	386	5	1%	3,605	37	1%
Female												
1999	19,935	44	<1%	1,025	3	<1%	559	3	1%	3,643	3	<1%
2000	18,976	49	<1%	1,114	4	<1%	523	1	<1%	3,523	6	<1%
2001	19,685	63	<1%	1,163	4	<1%	480	-	-	3,045	12	<1%
2002	18,106	57	<1%	1,219	1	<1%	407	-	-	2,803	5	<1%
2003	20,067	57	<1%	1,298	4	<1%	444	-	-	2,727	1	<1%
13-19 Years of Age												
1999	6,346	9	<1%	254	1	<1%	224	-	-	1,176	1	<1%
2000	5,768	6	<1%	258	-	-	189	-	-	1,171	-	-
2001	5,783	10	<1%	256	1	<1%	163	-	-	965	3	<1%
2002	5,224	9	<1%	275	-	-	136	-	-	735	-	-
2003	5,349	12	<1%	282	-	-	124	-	-	664	1	<1%
20-29 Years of Age												
1999	16,775	64	<1%	946	4	<1%	411	5	1%	3,601	9	<1%
2000	16,387	82	1%	973	6	1%	385	-	-	3,436	8	<1%
2001	17,154	95	1%	989	7	1%	346	1	<1%	3,149	17	1%
2002	16,455	112	1%	1,087	5	<1%	330	-	-	2,799	17	1%
2003	18,171	89	<1%	1,171	7	1%	341	1	<1%	2,686	7	<1%
30+ Years of Age												
1999	19,091	170	1%	1,189	11	1%	453	3	1%	3,552	27	1%
2000	18,705	180	1%	1,228	7	1%	420	3	1%	3,481	27	1%
2001	19,044	193	1%	1,173	15	1%	415	-	-	3,097	25	1%
2002	17,704	172	1%	1,185	10	1%	351	2	1%	3,038	35	1%
2003	20,062	209	1%	1,227	11	1%	364	4	1%	2,977	29	1%

Source: HIV Counseling and Testing System, 2003.

Table 165. CTS trends by select demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio				Cleveland Regional Advisory Group				Columbus Regional Advisory Group				Dayton Regional Advisory Group				
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive		
	No.	Positive Tests	No.	%	No.	Positive Tests	No.	%	No.	Positive Tests	No.	%	No.	Positive Tests	No.	%	
Total																	
1999	42,241	243	1%	1%	8,078	77	1%	1%	7,815	46	1%	1%	2,908	15	1%	1%	
2000	40,883	268	1%	1%	7,784	81	1%	1%	7,870	58	1%	1%	2,793	19	1%	1%	
2001	42,021	298	1%	1%	8,461	82	1%	1%	7,915	61	1%	1%	2,741	29	1%	1%	
2002	39,414	293	1%	1%	7,333	69	1%	1%	8,861	71	1%	1%	2,286	23	1%	1%	
2003	43,617	311	1%	1%	9,181	67	1%	1%	10,049	102	1%	1%	2,743	17	1%	1%	
Male																	
1999	22,306	199	1%	1%	4,511	58	1%	1%	4,175	42	1%	1%	1,616	10	1%	1%	
2000	21,907	219	1%	1%	4,352	64	1%	1%	4,426	54	1%	1%	1,495	18	1%	1%	
2001	22,336	235	1%	1%	4,703	65	1%	1%	4,422	53	1%	1%	1,409	21	1%	1%	
2002	21,308	236	1%	1%	4,100	51	1%	1%	4,963	61	1%	1%	1,223	19	2%	2%	
2003	23,550	254	1%	1%	5,015	52	1%	1%	5,744	82	1%	1%	1,413	12	1%	1%	
Female																	
1999	19,935	44	<1%	<1%	3,567	19	1%	1%	3,640	4	<1%	<1%	1,292	5	<1%	<1%	
2000	18,976	49	<1%	<1%	3,432	17	<1%	<1%	3,444	4	<1%	<1%	1,298	1	<1%	<1%	
2001	19,685	63	<1%	<1%	3,758	17	<1%	<1%	3,493	8	<1%	<1%	1,332	8	1%	1%	
2002	18,106	57	<1%	<1%	3,233	18	1%	1%	3,898	10	<1%	<1%	1,063	4	<1%	<1%	
2003	20,067	57	<1%	<1%	4,166	15	<1%	<1%	4,305	20	<1%	<1%	1,330	5	<1%	<1%	
13-19 Years of Age																	
1999	6,346	9	<1%	<1%	882	3	<1%	<1%	1,050	-	-	-	415	-	-	-	
2000	5,768	6	<1%	<1%	845	2	<1%	<1%	961	1	<1%	<1%	338	-	-	-	
2001	5,783	10	<1%	<1%	835	3	<1%	<1%	893	-	-	-	403	-	-	-	
2002	5,224	9	<1%	<1%	700	1	<1%	<1%	1,067	3	<1%	<1%	339	1	<1%	<1%	
2003	5,349	12	<1%	<1%	791	5	1%	1%	1,117	1	<1%	<1%	460	2	<1%	<1%	
20-29 Years of Age																	
1999	16,775	64	<1%	<1%	2,662	17	1%	1%	3,680	16	<1%	<1%	983	5	1%	1%	
2000	16,387	82	1%	1%	2,548	22	1%	1%	3,781	17	<1%	<1%	933	7	1%	1%	
2001	17,154	95	1%	1%	2,678	21	1%	1%	4,022	18	<1%	<1%	862	7	1%	1%	
2002	16,455	112	1%	1%	2,414	21	1%	1%	4,453	36	1%	1%	782	9	1%	1%	
2003	18,171	89	<1%	<1%	2,966	12	<1%	<1%	4,953	39	1%	1%	969	3	<1%	<1%	
30+ Years of Age																	
1999	19,091	170	1%	1%	4,524	57	1%	1%	3,083	30	1%	1%	1,509	10	1%	1%	
2000	18,705	180	1%	1%	4,383	57	1%	1%	3,126	40	1%	1%	1,522	12	1%	1%	
2001	19,044	193	1%	1%	4,940	58	1%	1%	2,987	43	1%	1%	1,474	22	1%	1%	
2002	17,704	172	1%	1%	3,606	47	1%	1%	3,336	32	1%	1%	1,160	13	1%	1%	
2003	20,062	209	1%	1%	5,416	50	1%	2%	3,975	62	2%	2%	1,310	12	1%	1%	

Source: HIV Counseling and Testing System, 2003.

Table 165. CTS trends by select demographic characteristics for Ohio and for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio				Toledo Regional Advisory Group				Youngstown Regional Advisory Group				Rural Regional Advisory Group			
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	Positive Tests No.	%	No.	No.	Positive Tests No.	%	No.	No.	Positive Tests No.	%	No.	No.	Positive Tests No.	%	
Total																
1999	42,241	243	1%	2,700	15	1%	556	3	1%	8,376	26	<1%				
2000	40,883	268	1%	2,150	15	1%	504	2	<1%	8,238	41	<1%				
2001	42,021	298	1%	2,645	16	1%	554	13	2%	9,147	28	<1%				
2002	39,414	293	1%	1,965	17	1%	468	3	1%	8,534	41	<1%				
2003	43,617	311	1%	2,090	16	1%	539	6	1%	9,172	42	<1%				
Male																
1999	22,306	199	1%	1,354	12	1%	311	2	1%	3,758	23	1%				
2000	21,907	219	1%	1,152	12	1%	300	3	1%	3,798	28	1%				
2001	22,336	235	1%	1,374	12	1%	314	10	3%	4,244	21	<1%				
2002	21,308	236	1%	1,071	14	1%	285	2	1%	4,128	26	1%				
2003	23,550	254	1%	1,086	11	1%	336	4	1%	4,582	37	1%				
Female																
1999	19,935	44	<1%	1,346	3	<1%	245	1	<1%	4,618	3	<1%				
2000	18,976	49	<1%	998	3	<1%	204	-	-	4,440	13	<1%				
2001	19,685	63	<1%	1,271	4	<1%	240	3	1%	4,903	7	<1%				
2002	18,106	57	<1%	894	3	<1%	183	1	1%	4,406	15	<1%				
2003	20,067	57	<1%	1,004	5	<1%	203	2	1%	4,590	5	<1%				
13-19 Years of Age																
1999	6,346	9	<1%	578	1	<1%	75	-	-	1,692	3	<1%				
2000	5,768	6	<1%	362	-	-	89	1	1%	1,555	2	<1%				
2001	5,783	10	<1%	401	-	-	92	3	3%	1,775	-	-				
2002	5,224	9	<1%	381	-	-	61	-	-	1,530	4	<1%				
2003	5,349	12	<1%	283	-	-	68	-	-	1,560	3	<1%				
20-29 Years of Age																
1999	16,775	64	<1%	1,009	4	<1%	207	-	-	3,276	8	<1%				
2000	16,387	82	1%	806	4	<1%	193	1	1%	3,332	17	1%				
2001	17,154	95	1%	1,033	11	1%	230	4	2%	3,845	9	<1%				
2002	16,455	112	1%	683	5	1%	228	1	<1%	3,679	18	<1%				
2003	18,171	89	<1%	786	5	1%	230	2	1%	4,069	13	<1%				
30+ Years of Age																
1999	19,091	170	1%	1,104	14	1%	274	3	1%	3,403	15	<1%				
2000	18,705	180	1%	980	11	1%	222	1	<1%	3,343	22	1%				
2001	19,044	193	1%	1,207	5	<1%	232	6	3%	3,519	19	1%				
2002	17,704	172	1%	895	12	1%	179	2	1%	3,316	19	1%				
2003	20,062	209	1%	1,019	11	1%	237	4	2%	3,537	26	1%				

Source: HIV Counseling and Testing System, 2003.

Table 166. Chlamydia cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio						Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.										
Gender																
Male	148.1	8,163	115.9	389	64.3	126	169.6	1,107	259.8	1,711	187.8	975				
Female	572.4	33,434	393.9	1,415	443.5	936	645.3	4,539	732.4	5,387	676.2	3,717				
Unknown	-	757	-	72	*	2	-	57	-	36	-	40				
Age																
<13	4.0	82	*	3	11.1	8	5.1	13	4.0	10	6.5	13				
13-19	1,481.6	16,959	1,130.8	777	1,115.0	448	1,837.9	2,600	2,430.4	3,124	1,731.2	1,770				
20-24	2,095.7	15,276	1,480.0	675	1,740.8	392	2,006.6	1,889	3,012.3	2,335	1,881.0	1,725				
25-29	723.0	5,318	534.1	234	618.3	145	741.5	674	968.4	883	674.4	636				
30-39	176.8	2,950	114.4	118	97.4	55	155.2	317	272.7	558	217.5	385				
40-49	35.8	628	30.1	33	15.6	10	29.1	61	58.1	124	48.0	76				
50-64	8.5	148	10.3	11	*	1	5.1	10	12.5	26	13.4	19				
65+	2.6	39	5.4	5	-	-	*	4	4.1	9	*	3				
Unknown	-	954	-	20	-	5	-	135	-	65	-	105				
Race/Ethnicity																
White, not Hispanic	99.3	9,559	81.3	487	146.3	542	114.0	1,247	74.1	689	101.4	818				
Black, not Hispanic	1,014.6	13,594	815.6	645	1,290.7	377	1,231.8	2,731	920.7	3,557	935.5	1,863				
Hispanic	304.9	662	102.1	6	274.0	10	322.1	51	437.6	206	350.1	85				
Asian/Pacific Islander	81.0	118	72.4	7	-	-	128.8	28	73.1	20	36.6	13				
American Indian/Alaska Native	94.1	27	312.3	5	*	2	*	3	*	2	-	-				
Other	-	717	-	28	-	27	-	140	-	32	-	33				
Unknown	-	17,677	-	698	-	106	-	1,503	-	2,628	-	1,920				
Race/Gender																
White, not Hispanic Male	28.7	1,343	29.3	85	21.3	38	35.5	188	26.7	119	39.7	156				
White, not Hispanic Female	164.9	8,151	129.4	399	262.5	504	186.8	1,053	117.1	568	159.5	660				
Black, not Hispanic Male	576.8	3,663	528.7	194	525.7	73	660.2	672	623.6	1,091	512.8	478				
Black, not Hispanic Female	1,403.4	9,891	1,059.3	449	1,970.9	302	1,708.8	2,049	1,164.2	2,461	1,300.9	1,378				
Hispanic Male	163.0	183	*	2	-	-	200.3	17	170.4	40	285.9	39				
Hispanic Female	454.9	477	*	4	551.0	10	462.8	34	699.1	165	432.5	46				
Asian/Pacific Islander Male	19.7	14	*	1	-	-	*	2	*	2	*	2				
Asian/Pacific Islander Female	136.5	102	123.4	6	-	-	238.0	26	123.0	17	62.5	11				
American Indian/Alaska Native Male	*	3	*	1	*	1	-	-	-	-	-	-				
American Indian/Alaska Native Female	166.1	24	*	4	*	1	*	3	*	2	-	-				
Other	-	717	-	28	-	27	-	136	-	32	-	33				
Unknown	-	17,786	-	703	-	108	-	1,523	-	2,637	-	1,929				
Total	373.1	42,354	269.9	1,876	261.5	1,064	420.5	5,703	511.8	7,134	442.7	4,732				

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.

Table 166. Chlamydia cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Gender										
Male	148.1	8,163	254.5	683	202.0	442	73.7	212	58.2	1,382
Female	572.4	33,434	832.8	2,421	759.2	1,794	352.7	1,083	305.2	7,472
Unknown	-	757	-	18	-	9	-	26	-	157
Age										
<13	4.0	82	*	4	*	4	*	2	2.4	21
13-19	1,481.6	16,959	2,284.6	1,230	1,923.5	885	910.4	520	691.0	3,500
20-24	2,095.7	15,276	2,915.5	1,114	2,590.3	821	1,544.8	505	1,212.5	3,575
25-29	723.0	5,318	1,076.9	403	938.9	304	505.8	173	365.0	1,051
30-39	176.8	2,950	297.5	242	257.2	166	91.8	73	74.6	520
40-49	35.8	628	65.7	55	73.0	50	20.2	19	11.9	90
50-64	8.5	148	19.4	17	*	4	*	4	2.3	18
65+	2.6	39	*	4	-	-	-	-	*	3
Unknown	-	954	-	53	-	11	-	25	-	233
Race/Ethnicity										
White, not Hispanic	99.3	9,559	88.9	381	128.1	445	54.3	281	92.7	4,200
Black, not Hispanic	1,014.6	13,594	1,027.5	1,167	1,115.2	887	563.5	352	675.4	1,140
Hispanic	304.9	662	112.7	8	208.0	43	93.1	10	284.5	233
Asian/Pacific Islander	81.0	118	108.9	9	97.3	6	-	-	78.8	25
American Indian/Alaska Native	94.1	27	*	4	-	-	-	-	88.9	11
Other	-	717	-	53	-	3	-	13	-	371
Unknown	-	17,677	-	1,500	-	861	-	665	-	3,031
Race/Gender										
White, not Hispanic Male	28.7	1,343	34.7	72	36.4	61	11.6	29	24.6	546
White, not Hispanic Female	164.9	8,151	139.8	309	213.7	384	93.6	251	156.2	3,608
Black, not Hispanic Male	576.8	3,663	687.1	362	610.9	226	350.0	107	309.9	292
Black, not Hispanic Female	1,403.4	9,891	1,322.0	805	1,553.8	661	761.9	243	1,124.1	838
Hispanic Male	163.0	183	*	2	125.2	13	*	3	154.3	65
Hispanic Female	454.9	477	173.4	6	291.7	30	138.8	7	419.9	167
Asian/Pacific Islander Male	19.7	14	-	-	*	3	-	-	*	2
Asian/Pacific Islander Female	136.5	102	181.3	8	*	3	-	-	134.2	23
American Indian/Alaska Native Male	*	3	-	-	-	-	-	-	*	1
American Indian/Alaska Native Female	166.1	24	*	4	-	-	-	-	164.7	10
Other	-	717	-	53	-	3	-	13	-	360
Unknown	-	17,786	-	1,501	-	861	-	668	-	3,099
Total	373.1	42,354	558.4	3,122	493.3	2,245	222.1	1,321	186.8	9,011

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.

Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 167. Gonorrhea cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio						Akron Regional Advisory Group		Canton Regional Advisory Group		Cincinnati Regional Advisory Group		Cleveland Regional Advisory Group		Columbus Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Gender																
Male	179.0	9,869	128.4	431	171.5	336	254.0	1,658	375.9	2,475	267.1	1,387				
Female	213.3	12,457	155.6	559	186.7	394	301.4	2,120	317.1	2,332	272.3	1,497				
Unknown	-	299	-	43	*	2	-	30	-	29	-	18				
Age																
<13	2.4	50	*	1	*	1	3.9	10	*	4	2.5	5				
13-19	607.7	6,956	518.1	356	512.7	206	962.8	1,362	1,191.1	1,531	760.9	778				
20-24	979.4	7,139	721.3	329	1,145.7	258	1,178.1	1,109	1,936.4	1,501	1,001.0	918				
25-29	470.9	3,464	337.8	148	452.0	106	596.3	542	790.7	721	536.6	506				
30-39	182.0	3,036	119.2	123	185.9	105	233.5	477	303.0	620	272.9	483				
40-49	66.0	1,159	46.5	51	53.0	34	88.2	185	131.2	280	75.1	119				
50-64	21.5	375	10.3	11	25.4	17	20.0	39	50.9	106	34.7	49				
65+	4.6	69	6.4	6	*	2	6.6	11	10.6	23	6.7	7				
Unknown	-	377	-	8	*	3	-	73	-	50	-	37				
Race/Ethnicity																
White, not Hispanic	32.8	3,153	32.4	194	66.4	246	45.4	497	30.3	282	52.2	421				
Black, not Hispanic	803.9	10,771	638.6	505	1,345.4	393	1,112.8	2,467	674.8	2,607	800.4	1,594				
Hispanic	106.4	231	119.2	7	164.4	6	101.1	16	129.6	61	164.8	40				
Asian/Pacific Islander	32.3	47	*	1	*	4	73.6	16	*	3	25.3	9				
American Indian/Alaska Native	48.8	14	*	4	*	3	*	1	*	1	-	-				
Other	-	276	-	7	-	28	-	55	-	17	-	19				
Unknown	-	8,133	-	315	-	52	-	756	-	1,865	-	819				
Race/Gender																
White, not Hispanic Male	22.4	1,047	21.3	62	53.2	95	26.4	140	26.7	119	48.9	192				
White, not Hispanic Female	42.4	2,097	42.8	132	78.7	151	63.0	355	33.6	163	55.4	229				
Black, not Hispanic Male	856.0	5,436	695.0	255	1,490.6	207	1,213.2	1,235	818.6	1,432	886.1	826				
Black, not Hispanic Female	752.5	5,304	587.5	249	1,200.8	184	1,022.5	1,226	554.9	1,173	721.3	764				
Hispanic Male	107.8	121	167.7	5	*	2	141.4	12	132.0	31	190.6	26				
Hispanic Female	101.1	106	*	2	*	4	*	4	127.1	30	122.2	13				
Asian/Pacific Islander Male	21.1	15	*	1	*	2	46.2	5	*	2	*	3				
Asian/Pacific Islander Female	42.8	32	-	1	*	2	100.7	11	*	1	34.1	6				
American Indian/Alaska Native Male	35.1	5	-	1	*	2	-	-	-	1	-	-				
American Indian/Alaska Native Female	62.3	9	*	3	*	1	*	1	-	-	-	-				
Other	-	276	-	7	-	28	-	55	-	17	-	19				
Unknown	-	8,177	-	316	-	54	-	764	-	1,867	-	824				
Total	199.3	22,625	148.6	1,033	179.9	732	280.8	3,808	346.9	4,836	271.5	2,902				

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 167. Gonorrhea cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Gender										
Male	179.0	9,869	341.7	917	200.7	439	104.6	301	45.2	1,074
Female	213.3	12,457	404.9	1,177	301.7	713	136.8	420	68.0	1,665
Unknown	-	299	-	7	-	5	-	16	-	40
Age										
<13	2.4	50	7.0	7	6.9	6	*	1	1.2	11
13-19	607.7	6,956	1,192.5	642	752.0	346	397.4	227	160.1	811
20-24	979.4	7,139	1,829.4	699	1,157.9	367	780.0	255	318.1	938
25-29	470.9	3,464	836.4	313	596.1	193	321.6	110	150.7	434
30-39	182.0	3,036	358.9	292	254.1	164	90.6	72	49.3	344
40-49	66.0	1,159	115.8	97	92.0	63	49.0	46	17.4	131
50-64	21.5	375	30.8	27	18.2	12	11.2	11	7.4	57
65+	4.6	69	*	4	-	-	*	2	0.8	5
Unknown	-	377	-	20	-	6	-	13	-	48
Race/Ethnicity										
White, not Hispanic	32.8	3,153	45.0	193	51.2	178	25.5	132	19.8	896
Black, not Hispanic	803.9	10,771	981.7	1,115	676.4	538	438.6	274	428.9	724
Hispanic	106.4	231	*	4	120.9	25	65.2	7	70.8	58
Asian/Pacific Islander	32.3	47	*	3	-	-	*	1	*	3
American Indian/Alaska Native	48.8	14	*	2	-	-	-	2	*	2
Other	-	276	-	27	-	-	-	8	-	109
Unknown	-	8,133	-	757	-	416	-	315	-	987
Race/Gender										
White, not Hispanic Male	22.4	1,047	29.4	61	28.6	48	19.6	49	11.8	262
White, not Hispanic Female	42.4	2,097	59.7	132	72.3	130	30.6	82	27.3	630
Black, not Hispanic Male	856.0	5,436	1,032.6	544	675.8	250	457.9	140	410.7	387
Black, not Hispanic Female	752.5	5,304	936.1	570	677.0	288	410.7	131	442.7	330
Hispanic Male	107.8	121	*	3	96.3	10	*	4	52.2	22
Hispanic Female	101.1	106	*	1	145.8	15	*	3	83.0	33
Asian/Pacific Islander Male	21.1	15	-	-	-	-	*	1	*	1
Asian/Pacific Islander Female	42.8	32	*	3	-	-	-	-	*	2
American Indian/Alaska Native Male	35.1	5	*	1	-	-	-	-	*	-
American Indian/Alaska Native Female	62.3	9	*	1	-	-	-	-	*	2
Other	-	276	-	27	-	-	-	8	-	109
Unknown	-	8,177	-	758	-	416	-	319	-	1,001
Total	199.3	22,625	375.8	2,101	254.3	1,157	123.9	737	57.6	2,779

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.

Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 168. Syphilis cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Akron Regional Advisory Group		Canton Regional Advisory Group		Cincinnati Regional Advisory Group		Cleveland Regional Advisory Group		Columbus Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Gender												
Male	4.1	224	*	4	*	2	*	2	2.9	19	25.8	134
Female	1.2	72	*	1	*	2	*	1	2.2	16	4.9	27
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Age												
<13	-	-	-	-	-	-	-	-	-	-	-	-
13-19	1.7	19	-	-	-	-	-	-	*	1	10.8	11
20-24	6.4	47	*	1	-	-	-	-	9.0	7	17.4	16
25-29	6.1	45	*	1	*	1	*	3	*	3	27.6	26
30-39	6.1	101	*	1	*	2	*	10	4.9	10	34.5	61
40-49	3.9	69	*	1	*	1	*	9	4.2	9	27.8	44
50-64	0.7	12	*	1	*	1	*	3	*	2	*	1
65+	*	3	-	-	-	-	-	-	*	2	*	1
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Race/Ethnicity												
White, not Hispanic	1.6	156	*	2	*	3	*	2	1.0	9	12.2	98
Black, not Hispanic	8.8	118	*	3	-	-	*	1	6.7	26	23.6	47
Hispanic	4.6	10	-	-	-	-	-	-	-	-	37.1	9
Asian/Pacific Islander	-	-	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	-	-	4
Unknown	-	6	-	-	*	1	-	-	-	-	*	3
Race/Gender												
White, not Hispanic Male	2.8	131	*	2	*	1	*	2	1.3	6	23.2	91
White, not Hispanic Female	0.5	25	-	-	*	2	-	-	*	3	1.7	7
Black, not Hispanic Male	11.7	74	*	2	-	-	-	-	7.4	13	30.0	28
Black, not Hispanic Female	6.2	44	*	1	-	-	*	1	6.1	13	17.9	19
Hispanic Male	8.0	9	-	-	-	-	-	-	-	-	58.6	8
Hispanic Female	*	1	-	-	-	-	-	-	-	-	*	1
Asian/Pacific Islander Male	-	-	-	-	-	-	-	-	-	-	-	-
Asian/Pacific Islander Female	-	-	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Male	-	-	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	-	-	4
Unknown	-	6	-	-	*	1	-	-	-	-	*	3
Total	2.6	296	0.7	5	*	4	*	3	2.5	35	15.1	161

Note: Early syphilis cases include primary, secondary and early latent infections.
^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.
 Asterisk (*) indicates rates were not calculated for case counts <5.
 Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.
 Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 168. Syphilis cases diagnosed in 2003 by demographic characteristics for HIV Prevention Regional Advisory Groups

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Gender										
Male	4.1	224	*	4	4.1	9	*	3	1.9	46
Female	1.2	72	-	-	*	2	*	2	0.9	21
Unknown	-	-	-	-	-	-	-	-	-	-
Age										
<13	-	-	-	-	-	-	-	-	-	-
13-19	1.7	19	-	-	*	1	-	-	1.0	5
20-24	6.4	47	*	1	*	2	-	-	6.8	20
25-29	6.1	45	-	-	*	2	-	-	4.2	12
30-39	6.1	101	*	2	7.7	5	*	3	2.2	15
40-49	3.9	69	*	1	*	1	*	2	1.3	10
50-64	0.7	12	-	-	-	-	-	-	0.6	5
65+	*	3	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-
Race/Ethnicity										
White, not Hispanic	1.6	156	*	3	*	4	*	2	0.7	33
Black, not Hispanic	8.8	118	*	1	7.5	6	*	2	18.4	31
Hispanic	4.6	10	-	-	*	1	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	2
Unknown	-	6	-	-	-	-	*	1	*	1
Race/Gender										
White, not Hispanic Male	2.8	131	*	3	*	4	*	1	0.9	21
White, not Hispanic Female	0.5	25	-	-	-	-	*	1	0.5	12
Black, not Hispanic Male	11.7	74	*	1	*	4	*	2	24.4	23
Black, not Hispanic Female	6.2	44	-	-	*	2	-	-	10.7	8
Hispanic Male	8.0	9	-	-	*	1	-	-	-	-
Hispanic Female	*	1	-	-	-	-	-	-	-	-
Asian/Pacific Islander Male	-	-	-	-	-	-	-	-	-	-
Asian/Pacific Islander Female	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Male	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	2
Unknown	-	6	-	-	-	-	*	1	*	1
Total	2.6	296	*	4	2.4	11	0.8	5	1.4	67

Note: Early syphilis cases include primary, secondary and early latent infections.
^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.
 Asterisk (*) indicates rates were not calculated for case counts <5.
 Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.
 Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 169. Trends in chlamydia cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Akron Regional Advisory Group		Canton Regional Advisory Group		Cincinnati Regional Advisory Group		Cleveland Regional Advisory Group		Columbus Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total												
1999	265.1	30,052	172.6	1,196	253.8	1,033	345.6	4,690	362.1	5,069	422.1	4,479
2000	286.8	32,561	202.6	1,408	241.8	984	398.9	5,410	393.2	5,481	471.7	5,042
2001	327.9	37,223	221.3	1,538	243.8	992	412.8	5,598	455.0	6,343	502.6	5,373
2002	368.9	41,878	263.9	1,834	286.8	1,167	421.9	5,721	489.6	6,825	513.3	5,487
2003	373.1	42,354	269.9	1,876	261.5	1,064	420.5	5,703	511.8	7,134	442.7	4,732
Male												
1999	104.0	5,723	66.3	222	131.7	258	103.9	678	117.0	773	220.0	1,133
2000	112.6	6,208	84.3	283	51.6	101	135.4	884	166.1	1,094	234.6	1,218
2001	137.6	7,585	90.8	305	62.8	123	152.0	992	229.3	1,510	303.1	1,574
2002	153.1	8,442	109.0	366	67.9	133	151.4	988	243.0	1,600	312.5	1,623
2003	148.1	8,163	115.9	389	64.3	126	169.6	1,107	259.8	1,711	187.8	975
Female												
1999	410.0	23,922	268.7	963	365.2	771	564.1	3,973	570.7	4,217	605.7	3,308
2000	446.6	26,083	310.9	1,117	417.4	881	639.2	4,496	591.2	4,348	686.2	3,772
2001	499.0	29,144	341.8	1,228	410.8	867	650.5	4,576	651.9	4,795	674.7	3,709
2002	561.3	32,785	394.2	1,416	487.0	1,028	665.6	4,682	703.6	5,175	690.0	3,793
2003	572.4	33,434	393.9	1,415	443.5	936	645.3	4,539	732.4	5,387	676.2	3,717
13-19 Years of Age												
1999	1,113.5	12,808	820.0	564	1,106.1	447	1,543.5	2,192	1,699.7	2,213	1,527.8	1,574
2000	1,168.6	13,376	858.7	590	1,124.9	452	1,711.4	2,421	1,829.0	2,351	1,674.4	1,712
2001	1,264.6	14,475	909.6	625	1,117.5	449	1,705.0	2,412	2,011.9	2,586	1,582.5	1,618
2002	1,452.7	16,628	1,122.1	771	1,378.8	554	1,795.5	2,540	2,308.3	2,967	1,719.4	1,758
2003	1,481.6	16,959	1,130.8	777	1,115.0	448	1,837.9	2,600	2,430.4	3,124	1,731.2	1,770
20-29 Years of Age												
1999	917.4	13,534	576.9	521	981.5	456	1,120.6	2,094	1,271.8	2,181	1,179.3	2,192
2000	1,045.7	15,315	722.4	646	1,018.0	468	1,353.3	2,504	1,400.7	2,363	1,371.5	2,551
2001	1,233.7	18,067	835.4	747	1,031.1	474	1,432.2	2,650	1,723.2	2,907	1,524.7	2,836
2002	1,394.3	19,541	997.5	892	1,163.8	535	1,417.6	2,623	1,815.1	3,062	1,508.0	2,805
2003	1,406.2	20,594	1,016.6	909	1,168.1	537	1,385.2	2,563	1,907.6	3,218	1,269.3	2,361
30+ Years of Age												
1999	41.0	2,724	19.5	80	40.3	100	37.5	290	66.4	561	93.0	535
2000	46.0	3,070	37.3	154	22.5	56	48.9	379	80.4	678	105.0	610
2001	53.2	3,551	32.2	133	24.9	62	54.7	424	89.5	755	128.7	748
2002	58.2	3,885	33.2	137	25.3	63	52.6	408	83.8	707	135.6	788
2003	56.4	3,765	40.4	167	26.5	66	50.5	392	85.0	717	83.1	483

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 169. Trends in chlamydia cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total										
1999	265.1	30,052	456.6	2,566	315.5	1,437	149.7	894	144.6	6,942
2000	286.8	32,561	527.7	2,950	412.0	1,875	154.0	916	146.1	7,049
2001	327.9	37,223	498.3	2,786	529.2	2,408	175.5	1,044	166.9	8,048
2002	368.9	41,878	539.3	3,015	594.7	2,706	224.0	1,332	188.5	9,093
2003	373.1	42,354	558.4	3,122	493.3	2,245	222.1	1,321	186.8	9,011
Male										
1999	104.0	5,723	236.2	637	133.4	292	45.7	132	55.2	1,304
2000	112.6	6,208	240.3	645	153.1	335	56.7	163	51.4	1,221
2001	137.6	7,585	226.9	609	209.8	459	62.9	181	59.0	1,402
2002	153.1	8,442	272.4	731	246.4	539	74.0	213	63.0	1,497
2003	148.1	8,163	254.5	683	202.0	442	73.7	212	58.2	1,382
Female										
1999	410.0	23,922	653.2	1,909	480.8	1,138	242.5	749	225.9	5,508
2000	446.6	26,083	786.1	2,285	645.4	1,525	243.3	747	235.5	5,766
2001	499.0	29,144	744.1	2,163	821.9	1,942	279.1	857	268.4	6,571
2002	561.3	32,785	780.2	2,268	911.6	2,154	357.9	1,099	305.0	7,467
2003	572.4	33,434	832.8	2,421	759.2	1,794	352.7	1,083	305.2	7,472
13-19 Years of Age										
1999	1,113.5	12,808	2,079.4	1,135	1,303.8	609	691.4	399	592.1	3,001
2000	1,168.6	13,376	2,119.3	1,141	1,625.7	748	632.0	361	599.0	3,034
2001	1,264.6	14,475	1,952.2	1,051	2,075.6	955	766.8	438	642.0	3,252
2002	1,452.7	16,628	2,202.9	1,186	2,232.1	1,027	996.2	569	681.5	3,452
2003	1,481.6	16,959	2,284.6	1,230	1,923.5	885	910.4	520	691.0	3,500
20-29 Years of Age										
1999	917.4	13,534	1,491.4	1,145	1,043.2	673	573.4	388	534.1	3,126
2000	1,045.7	15,315	1,911.9	1,446	1,442.1	924	713.0	477	566.6	3,302
2001	1,233.7	18,067	1,856.4	1,404	1,868.2	1,197	795.3	532	669.2	3,900
2002	1,334.3	19,541	1,911.9	1,446	2,111.6	1,353	786.3	526	713.6	4,159
2003	1,406.2	20,594	2,005.8	1,517	1,755.8	1,125	1,013.5	678	793.8	4,626
30+ Years of Age										
1999	41.0	2,724	66.7	220	49.6	128	18.4	68	19.3	546
2000	46.0	3,070	94.4	311	61.1	158	16.0	59	17.3	494
2001	53.2	3,551	85.3	281	77.8	201	15.4	57	21.5	613
2002	58.2	3,885	105.3	347	104.1	269	21.4	79	21.4	611
2003	56.4	3,765	96.5	318	85.1	220	26.0	96	22.1	631

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 170. Trends in gonorrhea cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Akron Regional Advisory Group		Canton Regional Advisory Group		Cincinnati Regional Advisory Group		Cleveland Regional Advisory Group		Columbus Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total												
1999	162.4	18,404	144.0	998	136.1	554	232.0	3,148	322.5	4,514	318.3	3,378
2000	179.0	20,326	155.0	1,077	147.0	598	247.8	3,361	328.2	4,575	358.0	3,827
2001	186.1	21,123	147.2	1,023	144.7	589	263.6	3,574	340.8	4,751	344.3	3,681
2002	206.5	23,448	163.0	1,133	197.3	803	283.5	3,844	372.7	5,195	310.3	3,317
2003	199.3	22,625	148.6	1,033	179.9	732	280.8	3,808	346.9	4,836	271.5	2,902
Male												
1999	152.4	8,382	149.4	500	138.4	271	201.9	1,318	321.3	2,123	319.0	1,643
2000	171.3	9,444	155.8	523	132.2	259	214.5	1,400	356.9	2,350	337.0	1,750
2001	174.7	9,632	148.6	499	122.5	240	241.3	1,575	375.7	2,474	340.7	1,769
2002	190.1	10,480	152.5	512	210.4	412	258.5	1,687	404.4	2,663	299.5	1,555
2003	179.0	9,869	128.4	431	171.5	336	254.0	1,658	375.9	2,475	267.1	1,387
Female												
1999	168.6	9,837	137.0	491	132.1	279	257.3	1,812	315.6	2,332	313.4	1,712
2000	183.7	10,727	152.5	548	159.7	337	276.4	1,944	297.5	2,188	372.4	2,047
2001	193.0	11,275	145.0	521	165.3	349	282.1	1,984	306.3	2,253	341.5	1,877
2002	217.4	12,698	167.3	601	185.2	391	301.7	2,122	339.6	2,498	315.1	1,732
2003	213.3	12,457	155.6	559	186.7	394	301.4	2,120	317.1	2,332	272.3	1,497
13-19 Years of Age												
1999	526.6	6,057	506.0	348	445.4	180	803.5	1,141	1,202.0	1,565	907.5	935
2000	544.9	6,237	464.3	319	487.8	196	873.7	1,236	1,068.9	1,374	968.3	990
2001	555.5	6,358	414.8	285	537.6	216	889.3	1,258	1,129.6	1,452	879.3	899
2002	600.8	6,877	478.8	329	567.4	228	918.2	1,299	1,280.6	1,646	787.3	805
2003	607.7	6,956	518.1	356	512.7	206	962.8	1,362	1,191.1	1,531	760.9	778
20-29 Years of Age												
1999	559.8	8,258	496.0	448	622.0	289	770.1	1,439	1,101.0	1,888	859.2	1,597
2000	653.1	9,564	555.8	497	639.5	294	834.5	1,544	1,256.1	2,119	994.1	1,849
2001	690.9	10,118	548.0	490	641.7	295	877.7	1,624	1,346.8	2,272	959.6	1,785
2002	754.7	11,052	633.0	566	826.6	380	916.1	1,695	1,408.4	2,376	874.2	1,626
2003	724.0	10,603	533.4	477	791.8	364	892.3	1,651	1,317.2	2,222	765.6	1,424
30+ Years of Age												
1999	54.9	3,642	45.8	188	32.3	80	66.6	515	115.8	978	129.0	742
2000	62.1	4,143	59.8	247	41.0	102	69.7	541	120.9	1,020	153.2	890
2001	62.1	4,147	58.4	241	29.7	74	83.3	646	114.1	963	155.4	903
2002	71.8	4,790	52.3	216	75.2	187	98.0	760	132.2	1,115	141.8	824
2003	69.5	4,639	46.3	191	63.5	158	91.8	712	122.0	1,029	113.2	658

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 170. Trends in gonorrhea cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total										
1999	162.4	18,404	269.2	1,513	171.5	781	85.2	509	48.3	2,321
2000	179.0	20,326	337.5	1,887	209.4	953	104.6	622	56.2	2,711
2001	186.1	21,123	323.0	1,806	274.7	1,250	118.5	705	54.7	2,636
2002	206.5	23,448	381.5	2,133	360.6	1,641	107.8	641	58.9	2,840
2003	199.3	22,625	375.8	2,101	254.3	1,157	123.9	737	57.6	2,779
Male										
1999	152.4	8,382	273.7	738	137.1	300	75.5	218	41.3	977
2000	171.3	9,444	354.7	952	189.7	415	92.8	267	49.4	1,174
2001	174.7	9,632	311.9	837	220.8	483	99.1	285	47.9	1,139
2002	190.1	10,480	366.3	983	292.1	639	99.4	286	47.2	1,122
2003	179.0	9,869	341.7	917	200.7	439	104.6	301	45.2	1,074
Female										
1999	168.6	9,837	263.8	771	202.0	478	92.9	287	53.6	1,307
2000	183.7	10,727	317.2	922	221.3	523	115.3	354	61.9	1,515
2001	193.0	11,275	329.9	959	322.9	763	134.8	414	60.6	1,484
2002	217.4	12,698	391.8	1,139	420.2	993	114.0	350	68.5	1,678
2003	213.3	12,457	404.9	1,177	301.7	713	136.8	420	68.0	1,665
13-19 Years of Age										
1999	526.6	6,057	932.5	509	475.3	222	331.0	191	152.5	773
2000	544.9	6,237	1,049.4	565	615.1	283	404.4	231	163.5	828
2001	555.5	6,358	1,043.9	562	769.4	354	430.7	246	155.4	787
2002	600.8	6,877	1,222.2	658	969.3	446	381.7	218	140.2	710
2003	607.7	6,956	1,192.5	642	752.0	346	397.4	227	160.1	811
20-29 Years of Age										
1999	559.8	8,258	879.2	675	562.7	363	339.9	230	176.3	1,032
2000	653.1	9,564	1,150.3	870	728.8	467	421.5	282	226.0	1,317
2001	690.9	10,118	1,162.2	879	1,000.4	641	520.2	348	222.4	1,296
2002	754.7	11,052	1,409.5	1,066	1,276.6	818	393.1	263	234.0	1,364
2003	724.0	10,603	1,338.1	1,012	874.0	560	545.6	365	235.4	1,372
30+ Years of Age										
1999	54.9	3,642	88.5	292	71.4	184	18.7	69	15.8	446
2000	62.1	4,143	126.8	418	69.7	180	26.5	98	17.3	494
2001	62.1	4,147	100.7	332	90.6	234	27.1	100	16.9	483
2002	71.8	4,790	118.0	389	133.1	344	26.5	98	17.6	503
2003	69.5	4,639	127.4	420	92.5	239	35.4	131	18.8	537

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 171. Trends in early syphilis cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Akron Regional Advisory Group		Canton Regional Advisory Group		Cincinnati Regional Advisory Group		Cleveland Regional Advisory Group		Columbus Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total												
1999	2.2	250	1.9	13	*	1	0.6	8	6.1	85	7.4	78
2000	1.7	197	0.9	6	*	1	*	2	3.3	46	8.0	86
2001	1.6	186	*	4	*	1	0.4	6	2.7	38	9.2	98
2002	2.1	237	*	3	*	3	0.4	5	1.9	27	13.6	145
2003	2.6	296	0.7	5	*	4	*	3	2.5	35	15.1	161
Male												
1999	2.4	130	2.4	8	-	-	*	4	8.2	54	7.6	39
2000	2.0	110	*	3	*	1	*	1	3.3	22	10.2	53
2001	2.3	127	*	3	*	1	*	4	3.5	23	12.9	67
2002	3.2	174	*	3	*	2	*	4	2.3	15	22.9	119
2003	4.1	224	*	4	*	2	*	2	2.9	19	25.8	134
Female												
1999	2.1	120	1.4	5	*	1	*	4	4.2	31	7.1	39
2000	1.5	87	*	3	-	-	*	1	3.3	24	6.0	33
2001	1.0	59	*	1	-	-	*	2	2.0	15	5.6	31
2002	1.1	63	-	1	*	1	*	1	1.6	12	4.7	26
2003	1.2	72	*	1	*	2	*	1	2.2	16	4.9	27
13-19 Years of Age												
1999	1.2	14	-	-	-	-	*	2	*	2	7.8	8
2000	1.3	15	-	-	-	-	-	-	*	1	6.8	7
2001	1.0	11	-	-	-	-	-	-	3.9	5	*	4
2002	1.3	15	-	-	-	-	-	-	*	1	7.8	8
2003	1.7	19	-	-	-	-	-	-	*	1	10.8	11
20-29 Years of Age												
1999	5.8	85	*	2	-	-	*	4	19.8	34	14.0	26
2000	4.6	67	*	1	-	-	-	-	6.5	11	17.7	33
2001	4.0	59	-	-	-	-	*	2	4.1	7	17.7	33
2002	4.8	71	-	-	-	-	*	1	5.3	9	19.4	36
2003	6.3	92	*	2	*	1	-	-	5.9	10	22.6	42
30+ Years of Age												
1999	2.3	151	2.7	11	*	1	*	2	5.8	49	7.7	44
2000	1.7	114	1.2	5	*	1	*	2	4.0	34	7.9	46
2001	1.7	116	*	4	*	1	*	4	3.1	26	10.5	61
2002	2.3	151	*	3	*	3	*	4	2.0	17	17.4	101
2003	2.8	185	*	3	*	3	*	3	2.8	24	18.6	108

Note: Early syphilis cases include primary, secondary and early latent infections.
^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.
 Asterisk (*) indicates rates were not calculated for case counts <5.
 Dash (-) indicates no cases were reported for the given category.
 Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

Table 171. Trends in early syphilis cases by select demographic characteristics for HIV Prevention Regional Advisory Groups, 1999-2003

Demographic Characteristics	Ohio		Dayton Regional Advisory Group		Toledo Regional Advisory Group		Youngstown Regional Advisory Group		Rural Regional Advisory Group	
	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.	Rate ^a	No.
Total										
1999	2.2	250	1.1	6	2.6	12	*	3	0.9	43
2000	1.7	197	1.3	7	1.3	6	*	3	0.8	40
2001	1.6	186	1.1	6	*	1	1.5	9	0.5	23
2002	2.1	237	*	4	3.1	14	*	1	0.7	35
2003	2.6	296	*	4	2.4	11	0.8	5	1.4	67
Male										
1999	2.4	130	*	4	*	4	-	-	0.7	17
2000	2.0	110	2.2	6	*	4	*	1	0.8	19
2001	2.3	127	*	2	*	1	2.4	7	0.8	19
2002	3.2	174	*	3	3.2	7	-	-	0.9	21
2003	4.1	224	*	4	4.1	9	*	3	1.9	46
Female										
1999	2.1	120	*	2	3.4	8	*	3	1.1	26
2000	1.5	87	*	1	*	2	*	2	0.9	21
2001	1.0	59	*	4	-	-	*	2	*	4
2002	1.1	63	*	1	3.0	7	*	1	0.6	14
2003	1.2	72	-	-	*	2	*	2	0.9	21
13-19 Years of Age										
1999	1.2	14	-	-	-	-	-	-	*	2
2000	1.3	15	-	-	-	-	-	-	1.4	7
2001	1.0	11	-	-	-	-	*	1	*	1
2002	1.3	15	-	-	*	3	-	-	*	3
2003	1.7	19	-	-	*	1	-	-	1.0	5
20-29 Years of Age										
1999	5.8	85	*	1	*	1	*	1	2.6	15
2000	4.6	67	-	-	*	2	*	1	3.3	19
2001	4.0	59	*	2	*	1	7.5	5	1.5	9
2002	4.8	71	*	1	10.9	7	*	1	2.7	16
2003	6.3	92	*	1	*	4	-	-	5.5	32
30+ Years of Age										
1999	2.3	151	1.5	5	4.3	11	*	2	0.9	26
2000	1.7	114	2.1	7	*	4	*	2	0.5	13
2001	1.7	116	*	4	-	-	*	3	0.5	13
2002	2.3	151	*	3	-	-	*	-	0.6	16
2003	2.8	185	*	3	2.3	6	1.4	5	1.1	30

Note: Early syphilis cases include primary, secondary and early latent infections.

^aThe rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.

Asterisk (*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category.

Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.