

## **Section 4: Ryan White Title I and Title II Regional Summary Data**

---

This section presents cross-regional summary data for Ryan White Title I Cleveland Planning Region and the 11 Ryan White Title II Consortia. Data presented include census data, HIV/AIDS surveillance data, CTS data, STD data and service utilization data. More detailed HIV/AIDS data for each planning region is presented at the end of section 1, question 1: What is the scope of the HIV/AIDS epidemic in Ohio?

# Ryan White Title II Consortia Areas

Figure 57. Ryan White Title II Consortia Areas Map



**Table 172. Breakdown of Ryan White Title II Consortia and Cleveland Title I Planning Region**

**Breakdown of Ryan White Title II Consortia and Title I Planning Region**

<p><b>1 Cleveland</b> Ashtabula Lake Cuyahoga Lorain Geauga</p> <p><b>2 Columbus</b> Delaware Madison Fairfield Pickaway Franklin Union Licking</p> <p><b>3 Cincinnati</b> Adams Clinton Brown Hamilton Butler Highland Clermont Warren</p> <p><b>4 Dayton</b> Clark Miami Darke Montgomery Greene Preble</p> <p><b>5 Toledo</b> Defiance Ottawa Fulton Sandusky Henry Williams Lucas Wood</p> <p><b>6 Akron</b> Medina Portage Summit</p> <p><b>7 Youngstown</b> Columbiana Jefferson Mahoning Trumbull</p> <p><b>8 Canton</b> Carroll Stark Harrison Tuscarawas Holmes Wayne</p>	<p><b>9A Lima</b> Allen Mercer Auglaize Paulding Champaign Putnam Hancock Shelby Hardin Van Wert Logan</p> <p><b>9B Mansfield</b> Ashland Marion Crawford Morrow Erie Richland Huron Seneca Knox Wyandot</p> <p><b>9C Southeast</b> Athens Monroe Belmont Morgan Coshocton Muskingum Fayette Noble Gallia Perry Guernsey Pike Hocking Ross Jackson Scioto Lawrence Vinton Meigs Washington</p> <hr/> <p><b>Title I Planning Region</b> Ashtabula Cuyahoga Geauga Lake Lorain Medina</p>
--	---



**Table 173. 2000 Census data by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	5,512,262	49%	1,077,871	48%	1,003,429	48%	775,882	49%
Female	5,840,878	51%	1,173,000	52%	1,096,347	52%	805,184	51%
<b>Age</b>								
<13	2,071,345	18%	412,910	18%	383,213	18%	297,259	19%
13-19	1,144,610	10%	213,668	9%	198,328	9%	154,181	10%
20-24	728,928	6%	121,813	5%	114,768	5%	120,404	8%
25-29	735,582	6%	139,338	6%	131,084	6%	126,216	8%
30-39	1,668,083	15%	332,626	15%	308,238	15%	260,356	16%
40-49	1,756,376	15%	354,454	16%	328,805	16%	242,395	15%
50-64	1,740,459	15%	349,432	16%	324,623	15%	221,938	14%
65+	1,507,757	13%	326,630	15%	310,717	15%	158,317	10%
<b>Race/Ethnicity</b>								
White, not Hispanic	9,621,819	85%	1,715,282	76%	1,568,464	75%	1,291,412	82%
Black, not Hispanic	1,339,820	12%	422,276	19%	420,752	20%	216,307	14%
Hispanic	217,123	2%	74,862	3%	73,463	3%	28,424	2%
Asian/Pacific Islander	145,695	1%	33,592	1%	32,504	2%	39,997	3%
American Indian/Alaskan Native	28,683	<1%	4,859	<1%	4,593	<1%	4,926	<1%
<b>Race/Gender</b>								
White, not Hispanic Male	4,679,780	41%	827,930	37%	755,584	36%	633,348	40%
White, not Hispanic Female	4,942,039	44%	887,352	39%	812,880	39%	658,064	42%
Black, not Hispanic Male	635,016	6%	193,359	9%	192,597	9%	104,326	7%
Black, not Hispanic Female	704,804	6%	228,917	10%	228,155	11%	111,981	7%
Hispanic Male	112,265	1%	37,862	2%	37,174	2%	15,745	1%
Hispanic Female	104,858	1%	37,000	2%	36,289	2%	12,679	1%
Asian/Pacific Islander Male	70,971	1%	16,380	1%	15,877	1%	20,008	1%
Asian/Pacific Islander Female	74,724	1%	17,212	1%	16,627	1%	19,989	1%
American Indian/Alaskan Native Male	14,230	<1%	2,340	<1%	2,197	<1%	2,455	<1%
American Indian/Alaskan Native Female	14,453	<1%	2,519	<1%	2,396	<1%	2,471	<1%
<b>Total</b>	<b>11,353,140</b>	<b>100%</b>	<b>2,250,871</b>	<b>100%</b>	<b>2,099,776</b>	<b>100%</b>	<b>1,581,066</b>	<b>100%</b>

Source: Census 2000, U.S. Bureau of Census.

**Table 173. 2000 Census data by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Cincinnati Consortium 3		Dayton Consortium 4		Toledo Consortium 5	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	5,512,262	49%	806,881	48%	505,616	48%	401,777	48%
Female	5,840,878	51%	858,622	52%	540,588	52%	427,101	52%
<b>Age</b>								
<13	2,071,345	18%	315,467	19%	185,873	18%	152,509	18%
13-19	1,144,610	10%	172,203	10%	106,964	10%	88,947	11%
20-24	728,928	6%	111,048	7%	69,885	7%	59,046	7%
25-29	735,582	6%	110,652	7%	65,438	6%	54,406	7%
30-39	1,668,083	15%	255,389	15%	148,618	14%	115,273	14%
40-49	1,756,376	15%	258,768	16%	158,042	15%	126,903	15%
50-64	1,740,459	15%	241,778	15%	169,132	16%	123,385	15%
65+	1,507,757	13%	200,198	12%	142,252	14%	108,409	13%
<b>Race/Ethnicity</b>								
White, not Hispanic	9,621,819	85%	1,390,572	83%	877,738	84%	695,130	84%
Black, not Hispanic	1,339,820	12%	228,367	14%	139,978	13%	84,772	10%
Hispanic	217,123	2%	18,307	1%	11,967	1%	38,440	5%
Asian/Pacific Islander	145,695	1%	24,354	1%	13,560	1%	8,534	1%
American Indian/Alaskan Native	28,683	<1%	3,903	0%	2,961	<1%	2,002	<1%
<b>Race/Gender</b>								
White, not Hispanic Male	4,679,780	41%	676,712	41%	426,422	41%	337,470	41%
White, not Hispanic Female	4,942,039	44%	713,860	43%	451,316	43%	357,660	43%
Black, not Hispanic Male	635,016	6%	106,368	6%	65,400	6%	39,833	5%
Black, not Hispanic Female	704,804	6%	121,999	7%	74,578	7%	44,939	5%
Hispanic Male	112,265	1%	9,838	1%	6,125	1%	19,365	2%
Hispanic Female	104,858	1%	8,469	1%	5,842	1%	19,075	2%
Asian/Pacific Islander Male	70,971	1%	12,038	1%	6,246	1%	4,132	<1%
Asian/Pacific Islander Female	74,724	1%	12,316	1%	7,314	1%	4,402	1%
American Indian/Alaskan Native Male	14,230	<1%	1,925	0%	1,423	<1%	977	<1%
American Indian/Alaskan Native Female	14,453	<1%	1,978	0%	1,538	<1%	1,025	<1%
<b>Total</b>	<b>11,353,140</b>	<b>100%</b>	<b>1,665,503</b>	<b>100%</b>	<b>1,046,204</b>	<b>100%</b>	<b>828,878</b>	<b>100%</b>

Source: Census 2000, U.S. Bureau of Census.

**Table 173. 2000 Census data by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	5,512,262	49%	410,173	48%	322,916	48%	322,371	49%
Female	5,840,878	51%	435,882	52%	345,724	52%	341,840	51%
<b>Age</b>								
<13	2,071,345	18%	153,661	18%	112,252	17%	122,696	18%
13-19	1,144,610	10%	84,051	10%	63,991	10%	68,249	10%
20-24	728,928	6%	52,654	6%	36,855	6%	38,294	6%
25-29	735,582	6%	52,065	6%	38,179	6%	38,934	6%
30-39	1,668,083	15%	127,545	15%	88,576	13%	91,768	14%
40-49	1,756,376	15%	135,327	16%	105,690	16%	102,664	15%
50-64	1,740,459	15%	131,579	16%	111,335	17%	106,346	16%
65+	1,507,757	13%	109,173	13%	111,762	17%	95,260	14%
<b>Race/Ethnicity</b>								
White, not Hispanic	9,621,819	85%	745,557	88%	586,096	88%	621,040	94%
Black, not Hispanic	1,339,820	12%	80,603	10%	66,934	10%	32,567	5%
Hispanic	217,123	2%	7,273	1%	11,202	2%	5,488	1%
Asian/Pacific Islander	145,695	1%	10,755	1%	3,156	<1%	3,506	1%
American Indian/Alaskan Native	28,683	<1%	1,867	<1%	1,252	<1%	1,610	<1%
<b>Race/Gender</b>								
White, not Hispanic Male	4,679,780	41%	362,777	43%	282,171	42%	301,455	45%
White, not Hispanic Female	4,942,039	44%	382,780	45%	303,925	45%	319,585	48%
Black, not Hispanic Male	635,016	6%	37,455	4%	32,718	5%	15,648	2%
Black, not Hispanic Female	704,804	6%	43,148	5%	34,216	5%	16,919	3%
Hispanic Male	112,265	1%	3,669	<1%	5,911	1%	2,873	<1%
Hispanic Female	104,858	1%	3,604	<1%	5,291	1%	2,615	<1%
Asian/Pacific Islander Male	70,971	1%	5,306	1%	1,488	<1%	1,583	<1%
Asian/Pacific Islander Female	74,724	1%	5,449	1%	1,668	<1%	1,923	<1%
American Indian/Alaskan Native Male	14,230	<1%	966	<1%	628	<1%	812	<1%
American Indian/Alaskan Native Female	14,453	<1%	901	<1%	624	<1%	798	<1%
<b>Total</b>	<b>11,353,140</b>	<b>100%</b>	<b>846,055</b>	<b>100%</b>	<b>668,640</b>	<b>100%</b>	<b>664,211</b>	<b>100%</b>

Source: Census 2000, U.S. Bureau of Census.

**Table 173. 2000 Census data by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Lima Consortium 9A		Mansfield Consortium 9B		South East Consortium 9C	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	5,512,262	49%	254,863	49%	297,930	50%	410,424	49%
Female	5,840,878	51%	261,868	51%	303,385	50%	424,337	51%
<b>Age</b>								
<13	2,071,345	18%	98,263	19%	107,742	18%	142,410	17%
13-19	1,144,610	10%	56,434	11%	62,901	10%	88,361	11%
20-24	728,928	6%	31,468	6%	35,917	6%	58,589	7%
25-29	735,582	6%	31,076	6%	35,871	6%	51,661	6%
30-39	1,668,083	15%	72,221	14%	84,041	14%	116,058	14%
40-49	1,756,376	15%	78,627	15%	93,476	16%	125,679	15%
50-64	1,740,459	15%	78,183	15%	97,144	16%	135,016	16%
65+	1,507,757	13%	70,459	14%	84,223	14%	116,987	14%
<b>Race/Ethnicity</b>								
White, not Hispanic	9,621,819	85%	485,415	94%	560,649	93%	799,746	96%
Black, not Hispanic	1,339,820	12%	18,784	4%	27,370	5%	23,386	3%
Hispanic	217,123	2%	8,339	2%	9,264	2%	4,956	1%
Asian/Pacific Islander	145,695	1%	3,037	1%	2,738	<1%	3,554	<1%
American Indian/Alaskan Native	28,683	<1%	1,156	<1%	1,294	<1%	3,119	<1%
<b>Race/Gender</b>								
White, not Hispanic Male	4,679,780	41%	238,481	46%	275,219	46%	390,141	47%
White, not Hispanic Female	4,942,039	44%	246,934	48%	285,430	47%	409,605	49%
Black, not Hispanic Male	635,016	6%	10,084	2%	15,996	3%	14,591	2%
Black, not Hispanic Female	704,804	6%	8,700	2%	11,374	2%	8,795	1%
Hispanic Male	112,265	1%	4,279	1%	4,797	1%	2,489	<1%
Hispanic Female	104,858	1%	4,060	1%	4,467	1%	2,467	<1%
Asian/Pacific Islander Male	70,971	1%	1,431	<1%	1,231	<1%	1,631	<1%
Asian/Pacific Islander Female	74,724	1%	1,606	<1%	1,507	<1%	1,923	<1%
American Indian/Alaskan Native Male	14,230	<1%	588	<1%	687	<1%	1,572	<1%
American Indian/Alaskan Native Female	14,453	<1%	568	<1%	607	<1%	1,547	<1%
<b>Total</b>	<b>11,353,140</b>	<b>100%</b>	<b>516,731</b>	<b>100%</b>	<b>601,315</b>	<b>100%</b>	<b>834,761</b>	<b>100%</b>

Source: Census 2000, U.S. Bureau of Census.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Cleveland Title I Planning Region			Cleveland Consortium 1		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	259.7	2,799	77%	277.0	2,779	77%
Female	49.4	2,884	20%	71.3	836	23%	75.9	832	23%
Unknown	-	2	<1%	-	1	<1%	-	1	<1%
<b>Age</b>									
<13	4.9	102	1%	7.5	31	1%	8.1	31	1%
13-19	7.3	84	1%	13.6	29	1%	14.6	29	1%
20-24	46.4	338	2%	59.1	72	2%	62.7	72	2%
25-29	111.6	821	6%	115.5	161	4%	122.1	160	4%
30-39	282.3	4,709	33%	333.4	1,109	31%	357.5	1,102	31%
40-49	326.1	5,728	40%	426.6	1,512	42%	456.5	1,501	42%
50-64	141.5	2,463	17%	188.0	657	18%	201.2	653	18%
65+	15.4	232	2%	19.9	65	2%	20.6	64	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	77.1	1,322	36%	83.1	1,303	36%
Black, not Hispanic	450.1	6,031	42%	433.1	1,829	50%	433.5	1,824	50%
Hispanic	316.9	688	5%	487.6	365	10%	496.8	365	10%
Asian/Pacific Islander	37.1	54	<1%	38.7	13	<1%	40.0	13	<1%
American Indian/Alaska Native	108.1	31	<1%	226.4	11	<1%	239.5	11	<1%
Unknown	-	405	3%	-	96	3%	-	96	3%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	138.3	1,145	31%	149.4	1,129	31%
White, not Hispanic Female	19.9	985	7%	19.9	177	5%	21.4	174	5%
Black, not Hispanic Male	698.6	4,436	31%	686.8	1,328	37%	687.4	1,324	37%
Black, not Hispanic Female	226.2	1,594	11%	218.4	500	14%	218.7	499	14%
Other Male	279.5	552	4%	447.1	253	7%	457.9	253	7%
Other Female	113.9	221	2%	239.7	136	4%	245.9	136	4%
Unknown	-	406	3%	-	97	3%	-	97	3%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	1,542	56%	-	1,533	56%
Injection Drug Use (IDU)	-	909	8%	-	280	10%	-	280	10%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	162	6%	-	161	6%
Heterosexual Contact	-	421	4%	-	113	4%	-	111	4%
Blood Product	-	103	<1%	-	17	<1%	-	15	<1%
Other/Unknown	-	3,766	33%	-	661	24%	-	655	24%
Subtotal	-	11,509	100%	-	2,775	100%	-	2,755	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	150	19%	-	150	19%
Heterosexual Contact	-	1,038	37%	-	316	39%	-	313	39%
Blood Product	-	25	<1%	-	6	<1%	-	6	<1%
Other/Unknown	-	1,346	48%	-	333	41%	-	332	41%
Subtotal	-	2,797	100%	-	805	100%	-	801	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	42	76%	-	42	76%
Other/Unknown	-	37	22%	-	13	24%	-	13	24%
Subtotal	-	169	100%	-	55	100%	-	55	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>161.5</b>	<b>3,636</b>		<b>172.0</b>	<b>3,612</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Columbus Consortium 2			Cincinnati Consortium 3		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	298.1	2,313	83%	221.3	1,786	82%
Female	49.4	2,884	20%	60.0	483	17%	46.0	395	18%
Unknown	-	2	<1%	-	1	<1%	-	-	-
<b>Age</b>									
<13	4.9	102	1%	4.7	14	1%	4.1	13	1%
13-19	7.3	84	1%	7.8	12	<1%	4.1	7	<1%
20-24	46.4	338	2%	56.5	68	2%	54.9	61	3%
25-29	111.6	821	6%	126.0	159	6%	126.5	140	6%
30-39	282.3	4,709	33%	371.4	967	35%	268.6	686	31%
40-49	326.1	5,728	40%	446.0	1,081	39%	341.6	884	41%
50-64	141.5	2,463	17%	201.9	448	16%	145.2	351	16%
65+	15.4	232	2%	30.3	48	2%	19.5	39	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	130.0	1,679	60%	79.8	1,110	51%
Black, not Hispanic	450.1	6,031	42%	410.1	887	32%	424.8	970	44%
Hispanic	316.9	688	5%	288.5	82	3%	180.3	33	2%
Asian/Pacific Islander	37.1	54	<1%	35.0	14	0.01	41.1	10	<1%
American Indian/Alaska Native	108.1	31	<1%	182.7	9	<1%	*	4	<1%
Unknown	-	405	3%	-	126	5%	-	54	2%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	239.5	1,517	54%	144.5	978	45%
White, not Hispanic Female	19.9	985	7%	24.6	162	6%	18.5	132	6%
Black, not Hispanic Male	698.6	4,436	31%	590.5	616	22%	681.6	725	33%
Black, not Hispanic Female	226.2	1,594	11%	242.0	271	10%	200.8	245	11%
Other Male	279.5	552	4%	198.9	76	3%	163.9	39	2%
Other Female	113.9	221	2%	82.5	29	1%	35.1	8	<1%
Unknown	-	406	3%	-	126	5%	-	54	2%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	1,028	45%	-	944	53%
Injection Drug Use (IDU)	-	909	8%	-	94	4%	-	105	6%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	60	3%	-	82	5%
Heterosexual Contact	-	421	4%	-	53	2%	-	42	2%
Blood Product	-	103	<1%	-	15	<1%	-	15	<1%
Other/Unknown	-	3,766	33%	-	1,051	46%	-	585	33%
Subtotal	-	11,509	100%	-	2,301	100%	-	1,773	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	46	10%	-	42	11%
Heterosexual Contact	-	1,038	37%	-	166	35%	-	133	34%
Blood Product	-	25	<1%	-	5	1%	-	3	<1%
Other/Unknown	-	1,346	48%	-	255	54%	-	208	54%
Subtotal	-	2,797	100%	-	472	100%	-	386	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	18	78%	-	15	68%
Other/Unknown	-	37	22%	-	5	22%	-	7	32%
Subtotal	-	169	100%	-	23	100%	-	22	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>176.9</b>	<b>2,797</b>		<b>131.0</b>	<b>2,181</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Dayton Consortium 4			Toledo Consortium 5		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	206.5	1,044	80%	180.2	724	77%
Female	49.4	2,884	20%	48.7	263	20%	49.9	213	23%
Unknown	-	2	<1%	-	-	-	-	-	-
<b>Age</b>									
<13	4.9	102	1%	3.2	6	<1%	5.2	8	1%
13-19	7.3	84	1%	13.1	14	1%	5.6	5	1%
20-24	46.4	338	2%	58.7	41	3%	42.3	25	3%
25-29	111.6	821	6%	139.1	91	7%	134.2	73	8%
30-39	282.3	4,709	33%	269.8	401	31%	268.9	310	33%
40-49	326.1	5,728	40%	308.1	487	37%	280.5	356	38%
50-64	141.5	2,463	17%	147.8	250	19%	116.7	144	15%
65+	15.4	232	2%	12.0	17	1%	14.8	16	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	82.4	723	55%	76.2	530	57%
Black, not Hispanic	450.1	6,031	42%	390.8	547	42%	398.7	338	36%
Hispanic	316.9	688	5%	142.1	17	1%	132.7	51	5%
Asian/Pacific Islander	37.1	54	<1%	36.9	5	<1%	70.3	6	0.01
American Indian/Alaska Native	108.1	31	<1%	*	1	<1%	-	-	-
Unknown	-	405	3%	-	14	1%	-	12	1%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	145.2	619	47%	131.9	445	47%
White, not Hispanic Female	19.9	985	7%	23.0	104	8%	23.8	85	9%
Black, not Hispanic Male	698.6	4,436	31%	608.6	398	30%	574.9	229	24%
Black, not Hispanic Female	226.2	1,594	11%	199.8	149	11%	242.6	109	12%
Other Male	279.5	552	4%	123.2	17	1%	171.6	42	4%
Other Female	113.9	221	2%	40.8	6	<1%	61.2	15	2%
Unknown	-	406	3%	-	14	1%	-	12	1%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	644	62%	-	429	60%
Injection Drug Use (IDU)	-	909	8%	-	48	5%	-	51	7%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	60	6%	-	42	6%
Heterosexual Contact	-	421	4%	-	40	4%	-	38	5%
Blood Product	-	103	<1%	-	15	1%	-	10	1%
Other/Unknown	-	3,766	33%	-	231	22%	-	149	21%
Subtotal	-	11,509	100%	-	1,038	100%	-	719	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	32	13%	-	28	14%
Heterosexual Contact	-	1,038	37%	-	116	45%	-	90	44%
Blood Product	-	25	<1%	-	4	2%	-	1	<1%
Other/Unknown	-	1,346	48%	-	103	40%	-	87	42%
Subtotal	-	2,797	100%	-	255	100%	-	206	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	10	71%	-	11	92%
Other/Unknown	-	37	22%	-	4	29%	-	1	8%
Subtotal	-	169	100%	-	14	100%	-	12	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>124.9</b>	<b>1,307</b>		<b>113.0</b>	<b>937</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Akron Consortium 6			Youngstown Consortium 7		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	130.9	537	81%	117.4	379	70%
Female	49.4	2,884	20%	29.1	127	19%	47.7	165	30%
Unknown	-	2	<1%	-	-	-	-	-	-
<b>Age</b>									
<13	4.9	102	1%	*	4	1%	8.0	9	2%
13-19	7.3	84	1%	*	3	<1%	7.8	5	1%
20-24	46.4	338	2%	22.8	12	2%	16.3	6	1%
25-29	111.6	821	6%	78.7	41	6%	76.0	29	5%
30-39	282.3	4,709	33%	150.5	192	29%	189.7	168	31%
40-49	326.1	5,728	40%	192.1	260	39%	195.9	207	38%
50-64	141.5	2,463	17%	106.4	140	21%	97.0	108	20%
65+	15.4	232	2%	11.0	12	2%	10.7	12	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	52.3	390	59%	46.9	275	51%
Black, not Hispanic	450.1	6,031	42%	305.2	246	37%	304.8	204	38%
Hispanic	316.9	688	5%	165.0	12	2%	303.5	34	6%
Asian/Pacific Islander	37.1	54	<1%	*	4	0.01	-	-	-
American Indian/Alaska Native	108.1	31	<1%	*	1	<1%	*	1	<1%
Unknown	-	405	3%	-	11	2%	-	30	6%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	94.3	342	52%	75.1	212	39%
White, not Hispanic Female	19.9	985	7%	12.5	48	7%	20.7	63	12%
Black, not Hispanic Male	698.6	4,436	31%	456.5	171	26%	385.1	126	23%
Black, not Hispanic Female	226.2	1,594	11%	173.8	75	11%	228.0	78	14%
Other Male	279.5	552	4%	140.8	14	2%	249.2	20	4%
Other Female	113.9	221	2%	*	3	<1%	197.8	15	3%
Unknown	-	406	3%	-	11	2%	-	30	6%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	257	48%	-	154	41%
Injection Drug Use (IDU)	-	909	8%	-	29	5%	-	34	9%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	26	5%	-	23	6%
Heterosexual Contact	-	421	4%	-	12	2%	-	12	3%
Blood Product	-	103	<1%	-	3	<1%	-	7	2%
Other/Unknown	-	3,766	33%	-	206	39%	-	144	39%
Subtotal	-	11,509	100%	-	533	100%	-	374	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	13	10%	-	20	13%
Heterosexual Contact	-	1,038	37%	-	43	35%	-	42	27%
Blood Product	-	25	<1%	-	1	<1%	-	-	-
Other/Unknown	-	1,346	48%	-	67	54%	-	96	61%
Subtotal	-	2,797	100%	-	124	100%	-	158	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	7	100%	-	10	83%
Other/Unknown	-	37	22%	-	-	-	-	2	17%
Subtotal	-	169	100%	-	7	100%	-	12	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>78.5</b>	<b>664</b>		<b>81.4</b>	<b>544</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Canton Consortium 8			Lima Consortium 9A		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	81.3	262	79%	71.0	181	70%
Female	49.4	2,884	20%	20.8	71	21%	29.4	77	30%
Unknown	-	2	<1%	-	-	-	-	-	-
<b>Age</b>									
<13	4.9	102	1%	*	3	1%	*	2	1%
13-19	7.3	84	1%	-	-	-	*	2	1%
20-24	46.4	338	2%	*	4	1%	22.2	7	3%
25-29	111.6	821	6%	46.2	18	5%	45.1	14	5%
30-39	282.3	4,709	33%	127.5	117	35%	119.1	86	33%
40-49	326.1	5,728	40%	119.8	123	37%	124.6	98	38%
50-64	141.5	2,463	17%	61.1	65	20%	56.3	44	17%
65+	15.4	232	2%	*	3	1%	7.1	5	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	39.4	245	74%	40.2	195	76%
Black, not Hispanic	450.1	6,031	42%	224.2	73	22%	260.9	49	19%
Hispanic	316.9	688	5%	145.8	8	2%	107.9	9	3%
Asian/Pacific Islander	37.1	54	<1%	-	-	-	*	1	<1%
American Indian/Alaska Native	108.1	31	<1%	-	-	-	-	-	-
Unknown	-	405	3%	-	7	2%	-	4	2%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	67.3	203	61%	60.8	145	56%
White, not Hispanic Female	19.9	985	7%	13.1	42	13%	20.2	50	19%
Black, not Hispanic Male	698.6	4,436	31%	306.7	48	14%	238.0	24	9%
Black, not Hispanic Female	226.2	1,594	11%	147.8	25	8%	287.4	25	10%
Other Male	279.5	552	4%	132.9	7	2%	127.0	8	3%
Other Female	113.9	221	2%	*	1	<1%	*	2	1%
Unknown	-	406	3%	-	7	2%	-	4	2%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	134	51%	-	87	48%
Injection Drug Use (IDU)	-	909	8%	-	11	4%	-	10	6%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	10	4%	-	9	5%
Heterosexual Contact	-	421	4%	-	9	3%	-	10	6%
Blood Product	-	103	<1%	-	4	2%	-	7	4%
Other/Unknown	-	3,766	33%	-	94	36%	-	57	32%
Subtotal	-	11,509	100%	-	262	100%	-	180	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	3	4%	-	12	16%
Heterosexual Contact	-	1,038	37%	-	25	37%	-	29	39%
Blood Product	-	25	<1%	-	2	3%	-	-	-
Other/Unknown	-	1,346	48%	-	38	56%	-	34	45%
Subtotal	-	2,797	100%	-	68	100%	-	75	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	3	100%	-	3	100%
Other/Unknown	-	37	22%	-	-	-	-	-	-
Subtotal	-	169	100%	-	3	100%	-	3	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>50.1</b>	<b>333</b>		<b>49.9</b>	<b>258</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 174. Persons living with HIV/AIDS through Dec. 31, 2003, by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio			Mansfield Consortium 9B			Southeast Consortium 9C		
	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%	Rate <sup>a</sup>	No.	%
<b>Gender</b>									
Male	210.3	11,591	80%	73.8	220	81%	77.5	318	80%
Female	49.4	2,884	20%	17.5	53	19%	18.6	79	20%
Unknown	-	2	<1%	-	-	-	-	-	-
<b>Age</b>									
<13	4.9	102	1%	7.4	8	3%	*	4	1%
13-19	7.3	84	1%	*	3	1%	*	3	1%
20-24	46.4	338	2%	*	4	1%	18.8	11	3%
25-29	111.6	821	6%	50.2	18	7%	15.5	8	2%
30-39	282.3	4,709	33%	92.8	78	29%	111.2	129	32%
40-49	326.1	5,728	40%	117.7	110	40%	130.5	164	41%
50-64	141.5	2,463	17%	49.4	48	18%	52.6	71	18%
65+	15.4	232	2%	*	4	1%	6.0	7	2%
<b>Race/Ethnicity</b>									
White, not Hispanic	75.5	7,268	50%	34.8	195	71%	42.6	341	86%
Black, not Hispanic	450.1	6,031	42%	237.5	65	24%	153.9	36	9%
Hispanic	316.9	688	5%	*	3	1%	*	4	1%
Asian/Pacific Islander	37.1	54	<1%	-	-	-	-	-	-
American Indian/Alaska Native	108.1	31	<1%	*	1	<1%	*	2	0.01
Unknown	-	405	3%	-	9	3%	-	14	4%
<b>Race/Gender</b>									
White, not Hispanic Male	134.3	6,283	43%	60.0	165	60%	71.5	279	70%
White, not Hispanic Female	19.9	985	7%	10.5	30	11%	15.1	62	16%
Black, not Hispanic Male	698.6	4,436	31%	275.1	44	16%	164.5	24	6%
Black, not Hispanic Female	226.2	1,594	11%	184.6	21	8%	136.4	12	3%
Other Male	279.5	552	4%	*	3	1%	105.4	6	2%
Other Female	113.9	221	2%	*	1	<1%	-	-	-
Unknown	-	406	3%	-	9	3%	-	14	4%
<b>Transmission Category</b>									
<b>Male Adult or Adolescent</b>									
Male-to-Male Sexual Contact	-	5,731	50%	-	104	49%	-	153	49%
Injection Drug Use (IDU)	-	909	8%	-	12	6%	-	20	6%
Male-to-Male Sexual Contact and IDU	-	579	5%	-	15	7%	-	6	2%
Heterosexual Contact	-	421	4%	-	5	2%	-	17	5%
Blood Product	-	103	<1%	-	3	1%	-	6	2%
Other/Unknown	-	3,766	33%	-	75	35%	-	110	35%
Subtotal	-	11,509	100%	-	214	100%	-	312	100%
<b>Female Adult or Adolescent</b>									
Injection Drug Use	-	388	14%	-	3	6%	-	3	4%
Heterosexual Contact	-	1,038	37%	-	23	46%	-	30	39%
Blood Product	-	25	<1%	-	-	-	-	2	3%
Other/Unknown	-	1,346	48%	-	24	48%	-	41	54%
Subtotal	-	2,797	100%	-	50	100%	-	76	100%
<b>Child (&lt;13 years at diagnosis)</b>									
Perinatal	-	132	78%	-	8	89%	-	5	56%
Other/Unknown	-	37	22%	-	1	11%	-	4	44%
Subtotal	-	169	100%	-	9	100%	-	9	100%
<b>Total</b>	<b>127.5</b>	<b>14,477</b>		<b>45.4</b>	<b>273</b>		<b>47.6</b>	<b>397</b>	

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 175. Trends in number of persons living with HIV/AIDS by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	97.1	11,005	130.9	2,949	139.1	2,927	123.5	1,933	103.4	1,715	94.6	992
2000	103.6	11,758	139.1	3,131	148.1	3,110	133.1	2,105	108.3	1,803	101.2	1,059
2001	111.1	12,617	147.1	3,311	156.6	3,288	145.3	2,298	116.7	1,944	107.4	1,124
2002	119.0	13,506	152.9	3,442	162.8	3,418	160.1	2,532	122.5	2,041	116.3	1,217
2003	127.5	14,477	161.5	3,636	172.0	3,612	176.9	2,797	131.0	2,181	124.9	1,307
<b>Male</b>												
1999	162.1	8,918	214.1	2,308	227.8	2,289	208.9	1,603	178.3	1,432	160.4	813
2000	172.6	9,515	226.5	2,441	241.5	2,423	225.8	1,752	185.8	1,499	170.9	864
2001	184.4	10,165	239.0	2,576	254.7	2,556	244.8	1,899	198.4	1,601	179.0	905
2002	196.7	10,844	247.7	2,670	264.1	2,650	269.5	2,091	207.8	1,677	192.4	973
2003	210.3	11,591	259.7	2,799	277.0	2,779	298.1	2,313	221.3	1,786	206.5	1,044
<b>Female</b>												
1999	35.7	2,085	54.5	640	58.0	637	41.3	329	33.1	283	33.0	179
2000	38.4	2,241	58.7	689	62.6	686	43.7	352	35.4	304	36.1	195
2001	41.9	2,450	62.6	734	66.7	731	49.4	398	39.9	343	40.5	219
2002	45.5	2,660	65.7	771	70.0	767	54.6	440	42.4	364	45.1	244
2003	49.4	2,884	71.3	836	75.9	832	60.0	483	46.0	395	48.7	263
<b>13-19 Years of Age</b>												
1999	5.7	65	8.8	19	9.5	19	5.2	8	7.5	13	4.6	5
2000	5.5	63	9.8	21	10.6	21	6.5	10	5.8	10	5.6	6
2001	6.2	71	9.4	20	10.1	20	5.2	8	5.8	10	12.2	13
2002	6.6	75	10.3	22	11.1	22	8.4	13	5.2	9	11.2	12
2003	7.3	84	13.6	29	14.6	29	7.8	12	4.1	7	13.1	14
<b>20-29 Years of Age</b>												
1999	91.9	1,356	116.3	308	121.4	303	101.1	249	89.2	199	92.0	126
2000	84.3	1,235	106.8	279	112.3	276	96.9	239	82.5	183	84.2	114
2001	79.4	1,163	102.2	267	107.4	264	85.2	210	87.1	193	75.4	102
2002	78.5	1,149	91.1	238	96.0	236	88.4	218	86.6	192	93.1	126
2003	79.1	1,159	89.2	233	94.4	232	92.0	227	90.7	201	97.5	132
<b>30+ Years of Age</b>												
1999	142.7	9,473	190.4	2,588	202.4	2,571	190.8	1,662	157.0	1,489	137.9	851
2000	155.1	10,351	205.2	2,797	218.4	2,779	208.7	1,843	166.9	1,596	150.5	930
2001	168.9	11,272	219.3	2,990	233.4	2,970	234.0	2,066	180.7	1,728	161.8	1,000
2002	182.5	12,178	231.4	3,154	246.2	3,132	258.9	2,286	191.1	1,827	173.5	1,072
2003	196.8	13,132	245.2	3,343	260.9	3,320	288.1	2,544	205.0	1,960	186.9	1,155

<sup>a</sup>The rate is per 100,000 population using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category. Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 175. Trends in number of persons living with HIV/AIDS by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8		Lima Consortium 9A	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	97.1	11,005	82.8	687	60.6	510	58.8	395	39.1	259	37.4	193
2000	103.6	11,758	89.5	742	62.9	532	63.1	422	41.6	276	39.3	203
2001	111.1	12,617	96.5	800	70.3	595	68.9	461	43.1	286	42.6	220
2002	119.0	13,506	104.8	869	74.1	627	75.1	502	46.1	306	46.6	241
2003	127.5	14,477	113.0	937	78.5	664	81.4	544	50.1	333	49.9	258
<b>Male</b>												
1999	162.1	8,918	132.9	534	102.2	417	89.2	289	62.5	201	51.5	131
2000	172.6	9,515	141.9	570	106.1	435	96.0	310	66.4	214	54.5	139
2001	184.4	10,165	154.6	621	118.0	484	102.2	330	69.5	224	60.8	155
2002	196.7	10,844	167.8	674	123.9	508	109.0	352	74.4	240	67.1	171
2003	210.3	11,591	180.2	724	130.9	537	117.4	379	81.3	262	71.0	181
<b>Female</b>												
1999	35.7	2,085	35.8	153	21.4	93	30.5	106	17.0	58	23.7	62
2000	38.4	2,241	40.3	172	22.3	97	32.4	112	18.1	62	24.4	64
2001	41.9	2,450	41.9	179	25.5	111	37.9	131	18.1	62	24.8	65
2002	45.5	2,660	45.7	195	27.3	119	43.4	150	19.3	66	26.7	70
2003	49.4	2,884	49.9	213	29.1	127	47.7	165	20.8	71	29.4	77
<b>13-19 Years of Age</b>												
1999	5.7	65	7.8	7	*	1	*	4	*	1	*	2
2000	5.5	63	*	4	*	3	*	4	*	1	*	1
2001	6.2	71	*	4	*	2	9.4	6	-	-	*	1
2002	6.6	75	5.6	5	*	2	*	4	-	-	*	1
2003	7.3	84	5.6	5	*	3	7.8	5	-	-	*	2
<b>20-29 Years of Age</b>												
1999	91.9	1,356	103.3	118	59.6	63	50.1	38	48.9	38	47.6	30
2000	84.3	1,235	94.3	107	53.5	56	54.6	41	33.7	26	43.2	27
2001	79.4	1,163	89.0	101	55.4	58	61.3	46	28.5	22	36.8	23
2002	78.5	1,149	85.5	97	49.7	52	60.0	45	23.3	18	35.2	22
2003	79.1	1,159	86.4	98	50.6	53	46.6	35	28.5	22	33.6	21
<b>30+ Years of Age</b>												
1999	142.7	9,473	117.1	553	88.5	442	82.6	345	55.3	218	53.0	158
2000	155.1	10,351	131.2	622	93.1	469	88.7	370	62.1	246	57.4	172
2001	168.9	11,272	144.5	685	105.4	531	96.1	401	65.9	261	64.4	193
2002	182.5	12,178	159.9	758	112.8	568	106.4	444	72.0	285	72.1	216
2003	196.8	13,132	174.3	826	119.9	604	118.6	495	77.8	308	77.8	233

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not applicable because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 175. Trends in number of persons living with HIV/AIDS by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>						
1999	97.1	11,005	33.3	200	35.4	296
2000	103.6	11,758	35.4	213	38.5	321
2001	111.1	12,617	38.6	232	39.9	333
2002	119.0	13,506	42.4	255	44.9	375
2003	127.5	14,477	45.4	273	47.6	397
<b>Male</b>						
1999	162.1	8,918	54.4	162	57.8	237
2000	172.6	9,515	58.1	173	62.9	258
2001	184.4	10,165	63.4	189	65.5	269
2002	196.7	10,844	68.8	205	72.9	299
2003	210.3	11,591	73.8	220	77.5	318
<b>Female</b>						
1999	35.7	2,085	12.5	38	13.9	59
2000	38.4	2,241	13.2	40	14.8	63
2001	41.9	2,450	14.2	43	15.1	64
2002	45.5	2,660	16.5	50	17.9	76
2003	49.4	2,884	17.5	53	18.6	79
<b>13-19 Years of Age</b>						
1999	5.7	65	*	1	*	3
2000	5.5	63	*	1	*	2
2001	6.2	71	*	1	*	3
2002	6.6	75	*	2	*	2
2003	7.3	84	*	3	*	3
<b>20-29 Years of Age</b>						
1999	91.9	1,356	37.3	27	27.1	30
2000	84.3	1,235	43.2	31	21.8	24
2001	79.4	1,163	33.4	24	19.0	21
2002	78.5	1,149	32.0	23	20.9	23
2003	79.1	1,159	30.6	22	17.2	19
<b>30+ Years of Age</b>						
1999	142.7	9,473	45.9	164	52.4	258
2000	155.1	10,351	48.2	173	58.7	290
2001	168.9	11,272	55.4	199	61.6	304
2002	182.5	12,178	61.9	222	69.9	345
2003	196.8	13,132	66.9	240	75.1	371

<sup>a</sup>The rate is per 100,000 population using 2000 census data.  
 Asterisk (\*) indicates rates were not calculated for case counts <5.  
 Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.  
 Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.



**Table 176. Trends in reported cases of HIV infection by Ryan White Cleveland Title I Planning Region and Ryan White Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	8.9	1,004	9.5	213	10.0	211	11.8	184	9.5	158	9.5	100
2000	8.1	916	9.7	218	10.3	217	11.3	178	7.2	120	8.8	92
2001	9.1	1,033	10.3	231	10.9	228	13.7	217	10.1	169	7.6	80
2002	8.5	967	7.1	160	7.6	160	15.2	240	7.4	124	9.5	99
2003	8.8	1,001	9.0	203	9.7	203	17.3	274	8.3	139	8.5	89
<b>Male</b>												
1999	14.4	791	15.6	168	16.5	166	19.2	147	15.7	126	15.0	76
2000	13.3	731	14.8	160	15.8	159	20.0	155	11.4	92	14.2	72
2001	14.4	795	16.3	176	17.2	173	21.7	168	15.9	128	11.1	56
2002	13.5	746	10.9	117	11.7	117	25.4	197	12.8	103	13.8	70
2003	14.0	772	12.9	139	13.9	139	29.8	231	13.3	107	13.6	69
<b>Female</b>												
1999	3.6	212	3.8	45	4.1	45	4.5	36	3.7	32	4.4	24
2000	3.2	185	4.9	58	5.3	58	2.9	23	3.3	28	3.7	20
2001	4.1	238	4.7	55	5.0	55	6.1	49	4.8	41	4.4	24
2002	3.8	221	3.7	43	3.9	43	5.3	43	2.4	21	5.4	29
2003	3.9	229	5.5	64	5.8	64	5.3	43	3.7	32	3.7	20
<b>13-19 Years of Age</b>												
1999	2.3	27	3.2	7	3.5	7	*	2	4.6	8	*	2
2000	1.7	19	3.2	7	3.5	7	*	2	*	2	*	2
2001	2.5	29	*	3	*	3	*	4	2.9	5	8.4	9
2002	1.8	21	-	-	-	-	4.5	7	*	4	7.4	8
2003	1.8	21	3.2	7	3.5	7	*	1	*	4	*	3
<b>20-29 Years of Age</b>												
1999	20.6	236	22.9	49	23.7	47	25.9	40	18.6	32	24.3	26
2000	12.6	186	15.5	41	16.4	41	14.6	36	12.1	27	16.1	22
2001	14.4	212	22.7	60	23.6	59	11.8	29	16.1	36	11.0	15
2002	13.8	204	11.7	31	12.4	31	19.5	48	13.9	31	16.8	23
2003	14.6	215	15.9	42	16.8	42	25.2	62	14.3	32	13.9	19
<b>30+ Years of Age</b>												
1999	50.1	733	59.0	154	62.6	154	57.6	142	52.3	116	53.2	72
2000	10.6	704	12.2	166	13.0	165	16.1	140	9.6	91	11.0	68
2001	11.8	785	12.2	166	12.9	164	21.0	183	13.5	128	8.9	55
2002	11.1	735	9.3	127	10.0	127	20.9	182	9.4	89	11.0	68
2003	11.4	759	11.0	150	11.8	150	24.1	210	10.9	103	10.9	67

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 176. Trends in reported cases of HIV infection by Ryan White Cleveland Title I Planning Region and Ryan White Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8		Lima Consortium 9A	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	8.9	1,004	5.5	46	6.9	58	5.1	34	4.4	29	5.2	27
2000	8.1	916	8.0	66	4.5	38	4.5	30	2.7	18	2.3	12
2001	9.1	1,033	8.0	66	8.9	75	6.7	45	2.6	17	4.3	22
2002	8.5	967	8.3	69	5.0	42	6.4	43	2.9	19	4.1	21
2003	8.8	1,001	8.4	70	4.3	36	6.6	44	3.8	25	3.7	19
<b>Male</b>												
1999	14.4	791	6.7	27	11.3	46	9.3	30	5.6	18	7.5	19
2000	13.3	731	11.0	44	7.6	31	7.1	23	4.0	13	3.5	9
2001	14.4	795	13.7	55	14.1	58	7.7	25	4.3	14	7.8	20
2002	13.5	746	12.9	52	8.0	33	7.1	23	4.7	15	6.3	16
2003	14.0	772	12.4	50	6.8	28	8.7	28	6.2	20	4.7	12
<b>Female</b>												
1999	3.6	212	4.4	19	2.8	12	*	4	3.2	11	3.1	8
2000	3.2	185	5.2	22	1.6	7	2.0	7	1.5	5	*	3
2001	4.1	238	2.6	11	3.9	17	5.8	20	*	3	*	2
2002	3.8	221	4.0	17	2.1	9	5.8	20	*	4	1.9	5
2003	3.9	229	4.7	20	1.8	8	4.6	16	1.5	5	2.7	7
<b>13-19 Years of Age</b>												
1999	2.3	27	-	-	*	1	-	-	*	1	*	2
2000	1.7	19	*	1	*	1	*	1	-	-	*	1
2001	2.5	29	*	1	-	-	*	2	*	1	-	-
2002	1.8	21	-	-	-	-	-	-	-	-	-	-
2003	1.8	21	-	-	*	1	*	1	-	-	*	1
<b>20-29 Years of Age</b>												
1999	20.6	236	19.1	17	15.5	13	9.4	6	13.2	9	12.4	7
2000	12.6	186	12.3	14	5.7	6	7.9	6	*	1	*	2
2001	14.4	212	11.4	13	16.1	17	17.1	13	*	2	*	2
2002	13.8	204	14.0	16	6.6	7	11.9	9	7.7	6	*	3
2003	14.6	215	15.8	18	7.6	8	7.9	6	6.4	5	*	4
<b>30+ Years of Age</b>												
1999	50.1	733	23.8	27	42.0	44	37.3	28	23.3	18	28.8	18
2000	10.6	704	10.8	51	6.0	30	5.5	23	4.1	16	3.0	9
2001	11.8	785	10.6	50	11.6	58	6.9	29	3.6	14	6.7	20
2002	11.1	735	11.2	53	6.6	33	8.1	34	3.3	13	6.0	18
2003	11.4	759	11.0	52	5.4	27	8.9	37	5.1	20	4.7	14

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.

**Table 176. Trends in reported cases of HIV infection by Ryan White Cleveland Title I Planning Region and Ryan White Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>						
1999	8.9	1,004	3.5	21	4.1	34
2000	8.1	916	2.8	17	3.5	29
2001	9.1	1,033	3.2	19	1.8	15
2002	8.5	967	3.5	21	5.2	43
2003	8.8	1,001	2.8	17	3.0	25
<b>Male</b>						
1999	14.4	791	5.4	16	6.6	27
2000	13.3	731	5.0	15	6.3	26
2001	14.4	795	5.4	16	2.4	10
2002	13.5	746	5.0	15	7.6	31
2003	14.0	772	4.7	14	5.4	22
<b>Female</b>						
1999	3.6	212	1.6	5	1.6	7
2000	3.2	185	*	2	*	3
2001	4.1	238	*	3	1.2	5
2002	3.8	221	2.0	6	2.8	12
2003	3.9	229	*	3	*	3
<b>13-19 Years of Age</b>						
1999	2.3	27	*	1	*	1
2000	1.7	19	*	1	*	1
2001	2.5	29	*	1	*	1
2002	1.8	21	-	-	-	-
2003	1.8	21	*	1	*	1
<b>20-29 Years of Age</b>						
1999	20.6	236	*	2	*	4
2000	12.6	186	*	4	*	2
2001	14.4	212	*	4	*	2
2002	13.8	204	8.3	6	*	4
2003	14.6	215	*	1	*	3
<b>30+ Years of Age</b>						
1999	50.1	733	25.1	18	26.3	29
2000	10.6	704	3.4	12	5.3	26
2001	11.8	785	3.9	14	2.4	12
2002	11.1	735	4.2	15	7.9	39
2003	11.4	759	4.2	15	4.3	21

Note: HIV diagnoses reflect all cases of HIV infection diagnosed for the first time, including cases that are diagnosed with HIV infection, not AIDS; cases that are diagnosed with HIV and later progressed to AIDS; and cases concurrently diagnosed with HIV and AIDS.

<sup>a</sup>The rate is per 100,000 population using 2000 census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category or rates are not calculated because census data are not applicable to the respective category.

Source: Ohio Department of Health HIV/AIDS Surveillance Program. Data reported through Dec. 31, 2004.



**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio				Cleveland Title I Planning Region				Cleveland Consortium 1			
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>												
Male	23,550	54%	254	82%	5,740	54%	59	79%	5,651	54%	59	79%
Female	20,067	46%	57	18%	4,836	46%	16	21%	4,743	46%	16	21%
<b>Age</b>												
<13	35	<1%	1	<1%	9	<1%	-	-	9	<1%	-	-
13-19	5,349	12%	12	4%	933	9%	5	7%	918	9%	5	7%
20-24	11,321	26%	49	16%	2,116	20%	10	13%	2,068	20%	10	13%
25-29	6,850	16%	40	13%	1,454	14%	8	11%	1,432	14%	8	11%
30-39	9,745	22%	118	38%	2,661	25%	29	39%	2,612	25%	29	39%
40-49	7,173	16%	74	24%	2,290	22%	19	25%	2,259	22%	19	25%
50-64	2,842	7%	17	5%	974	9%	4	5%	958	9%	4	5%
65+	302	1%	-	-	139	1%	-	-	138	1%	-	-
<b>Race/Ethnicity</b>												
White, not Hispanic	22,018	50%	141	45%	3,535	33%	27	36%	3,366	32%	27	36%
Black, not Hispanic	18,300	42%	145	47%	5,939	56%	39	52%	5,932	57%	39	52%
Hispanic	1,990	5%	8	3%	835	8%	4	5%	830	8%	4	5%
Asian/Pacific Islander	422	1%	3	1%	74	1%	-	-	74	1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	30	<1%	-	-	29	<1%	-	-
Other	686	2%	12	4%	151	1%	4	5%	151	1%	4	5%
Unknown	49	<1%	1	<1%	12	<1%	1	1%	12	<1%	1	1%
<b>Race/Gender</b>												
White, not Hispanic Male	12,111	28%	130	42%	2,026	19%	25	33%	1,942	19%	25	33%
White, not Hispanic Female	9,907	23%	11	4%	1,509	14%	2	3%	1,424	14%	2	3%
Black, not Hispanic Male	9,563	22%	101	32%	3,100	29%	25	33%	3,098	30%	25	33%
Black, not Hispanic Female	8,737	20%	44	14%	2,839	27%	14	19%	2,834	27%	14	19%
Hispanic Male	1,168	3%	4	1%	436	4%	4	5%	434	4%	4	5%
Hispanic Female	822	2%	-	-	399	4%	-	-	396	4%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	46	<1%	-	-	46	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	28	<1%	-	-	28	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	21	<1%	-	-	20	<1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	9	<1%	-	-	9	<1%	-	-
Other Male	374	1%	10	3%	102	1%	4	5%	102	1%	4	5%
Other Female	322	1%	2	1%	49	<1%	-	-	49	<1%	-	-
Unknown Male	32	<1%	1	<1%	9	<1%	1	1%	9	<1%	1	1%
Unknown Female	17	<1%	-	-	3	<1%	-	-	3	<1%	-	-
<b>Exposure Category</b>												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	70	1%	2	3%	70	1%	2	3%
Male/Male Sex	4,770	11%	180	58%	974	9%	38	51%	952	9%	38	51%
Heterosexual IDU	3,237	7%	9	3%	905	9%	3	4%	897	9%	3	4%
Sex Partner At Risk	6,384	15%	35	11%	847	8%	7	9%	790	8%	7	9%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	1,162	11%	3	4%	1,151	11%	3	4%
Sex for Drugs/Money	613	1%	1	<1%	187	2%	-	-	187	2%	-	-
Sex Using Non-Injection Drugs	6,020	14%	8	3%	1,378	13%	4	5%	1,358	13%	4	5%
Hemophilia/Blood Product Recipient	110	<1%	-	-	11	<1%	-	-	10	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	50	<1%	1	1%	48	<1%	1	1%
Health Care Exposure	190	<1%	-	-	29	<1%	-	-	27	<1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	733	7%	-	-	729	7%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	4,071	38%	16	21%	4,016	39%	16	21%
Other	495	1%	2	1%	159	2%	1	1%	159	2%	1	1%
<b>Testing</b>												
Anonymous	17,602	40%	167	54%	5,476	52%	51	68%	5,384	52%	51	68%
Confidential	25,998	60%	144	46%	5,099	48%	24	32%	5,009	48%	24	32%
Unknown	17	<1%	-	-	1	<1%	-	-	1	<1%	-	-
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>10,576</b>	<b>100%</b>	<b>75</b>	<b>100%</b>	<b>10,394</b>	<b>100%</b>	<b>75</b>	<b>100%</b>

Source: HIV Counseling and Testing System, 2003.

**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio				Columbus Consortium 2				Cincinnati Consortium 3			
	Total Tests		Positive Tests		Total Tests		Positive Tests		Total Tests		Positive Tests	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>												
Male	23,550	54%	254	82%	6,370	57%	92	82%	3,752	57%	41	98%
Female	20,067	46%	57	18%	4,877	43%	20	18%	2,857	43%	1	2%
<b>Age</b>												
<13	35	<1%	1	<1%	4	<1%	-	-	5	<1%	1	2%
13-19	5,349	12%	12	4%	1,330	12%	2	2%	712	11%	1	2%
20-24	11,321	26%	49	16%	3,365	30%	24	21%	1,697	26%	5	12%
25-29	6,850	16%	40	13%	2,077	18%	18	16%	1,102	17%	3	7%
30-39	9,745	22%	118	38%	2,475	22%	40	36%	1,533	23%	16	38%
40-49	7,173	16%	74	24%	1,387	12%	25	22%	1,176	18%	12	29%
50-64	2,842	7%	17	5%	571	5%	3	3%	361	5%	4	10%
65+	302	1%	-	-	38	<1%	-	-	23	<1%	-	-
<b>Race/Ethnicity</b>												
White, not Hispanic	22,018	50%	141	45%	5,929	53%	49	44%	3,087	47%	21	50%
Black, not Hispanic	18,300	42%	145	47%	4,369	39%	51	46%	3,227	49%	18	43%
Hispanic	1,900	5%	8	3%	475	4%	2	2%	150	2%	1	2%
Asian/Pacific Islander	142	1%	3	1%	194	2%	3	3%	47	1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	39	<1%	-	-	16	<1%	1	2%
Other	696	2%	12	4%	222	2%	7	6%	70	1%	1	2%
Unknown	49	<1%	1	<1%	19	<1%	-	-	12	<1%	-	-
<b>Race/Gender</b>												
White, not Hispanic Male	12,111	28%	130	42%	3,476	31%	49	44%	1,755	27%	21	50%
White, not Hispanic Female	9,907	23%	11	4%	2,453	22%	-	-	1,332	20%	-	-
Black, not Hispanic Male	9,563	22%	101	32%	2,325	21%	33	29%	1,827	28%	17	40%
Black, not Hispanic Female	8,737	20%	44	14%	2,044	18%	18	16%	1,400	21%	1	2%
Hispanic Male	1,168	3%	8	3%	321	3%	2	2%	98	1%	1	2%
Hispanic Female	822	2%	-	-	154	1%	-	-	52	1%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	109	1%	3	3%	25	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	85	1%	-	-	22	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	15	<1%	-	-	6	<1%	1	2%
American Indian/Alaska Native Female	72	<1%	-	-	24	<1%	-	-	10	<1%	-	-
Other Male	374	1%	10	3%	114	1%	5	4%	34	1%	1	2%
Other Female	322	1%	2	1%	108	1%	2	2%	36	1%	-	-
Unknown Male	32	<1%	1	<1%	10	<1%	-	-	7	<1%	-	-
Unknown Female	17	<1%	-	-	9	<1%	-	-	5	<1%	-	-
<b>Exposure Category</b>												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	50	<1%	2	2%	62	1%	1	2%
Male/Male Sex	4,770	11%	180	58%	1,677	15%	70	63%	608	9%	30	71%
Heterosexual IDU	3,237	7%	9	3%	323	3%	3	3%	1,090	16%	2	5%
Sex Partner At Risk	6,384	15%	35	11%	1,161	10%	9	8%	420	6%	2	5%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	1	<1%	1	2%
STD Diagnosis	6,033	14%	16	5%	1,947	17%	6	5%	1,046	16%	2	5%
Sex for Drugs/Money	613	1%	1	<1%	112	1%	1	1%	176	3%	-	-
Sex Using Non-Injection Drugs	6,020	14%	8	3%	1,904	17%	1	1%	638	10%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	26	<1%	-	-	18	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	53	<1%	-	-	56	1%	-	-
Health Care Exposure	190	<1%	-	-	38	<1%	-	-	16	<1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	88	1%	1	1%	269	4%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	3,741	33%	18	16%	2,126	32%	6	14%
Other	495	1%	2	1%	127	1%	1	1%	83	1%	-	-
<b>Testing</b>												
Anonymous	17,602	40%	167	54%	4,325	38%	54	48%	1,523	23%	26	62%
Confidential	25,998	60%	144	46%	6,920	62%	58	52%	5,081	77%	16	38%
Unknown	17	<1%	-	-	2	<1%	-	-	5	<1%	-	-
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>11,247</b>	<b>100%</b>	<b>112</b>	<b>100%</b>	<b>6,609</b>	<b>100%</b>	<b>42</b>	<b>100%</b>

Source : HIV Counseling and Testing System, 2003.

**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio				Dayton				Toledo			
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>												
Male	23,550	54%	254	82%	2,128	49%	16	73%	1,676	51%	14	70%
Female	20,067	46%	57	18%	2,208	51%	6	27%	1,608	49%	6	30%
<b>Age</b>												
<13	35	<1%	1	<1%	5	<1%	-	-	5	<1%	-	-
13-19	5,349	12%	12	4%	770	18%	2	9%	512	16%	3	15%
20-24	11,321	26%	49	16%	1,086	25%	1	5%	929	28%	3	15%
25-29	6,850	16%	40	13%	618	14%	4	18%	501	15%	3	15%
30-39	9,745	22%	118	38%	835	19%	8	36%	675	21%	7	35%
40-49	7,173	16%	74	24%	707	16%	5	23%	460	14%	6	30%
50-64	2,842	7%	17	5%	273	6%	2	9%	190	6%	1	5%
65+	302	1%	-	-	42	1%	-	-	12	<1%	-	-
<b>Race/Ethnicity</b>												
White, not Hispanic	22,018	50%	141	45%	2,133	49%	8	36%	1,906	58%	14	70%
Black, not Hispanic	18,300	42%	145	47%	2,037	47%	14	64%	952	29%	6	30%
Hispanic	1,990	5%	8	3%	71	2%	-	-	320	10%	-	-
Asian/Pacific Islander	422	1%	3	1%	23	1%	-	-	23	1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	6	<1%	-	-	6	<1%	-	-
Other	696	2%	12	4%	65	2%	-	-	75	2%	-	-
Unknown	49	<1%	1	<1%	1	<1%	-	-	2	<1%	-	-
<b>Race/Gender</b>												
White, not Hispanic Male	12,111	28%	130	42%	1,080	25%	7	32%	943	29%	10	50%
White, not Hispanic Female	9,907	23%	11	4%	1,053	24%	1	5%	963	29%	4	20%
Black, not Hispanic Male	9,563	22%	101	32%	953	22%	9	41%	468	14%	4	20%
Black, not Hispanic Female	8,737	20%	44	14%	1,084	25%	5	23%	486	15%	2	10%
Hispanic Male	1,168	3%	8	3%	46	1%	-	-	213	6%	-	-
Hispanic Female	822	2%	-	-	25	1%	-	-	107	3%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	11	<1%	-	-	9	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	12	<1%	-	-	14	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	3	<1%	-	-	3	<1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	3	<1%	-	-	3	<1%	-	-
Other Male	374	1%	10	3%	34	1%	-	-	40	1%	-	-
Other Female	322	1%	2	1%	31	1%	-	-	35	1%	-	-
Unknown Male	32	<1%	1	<1%	1	<1%	-	-	2	<1%	-	-
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-
<b>Exposure Category</b>												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	34	1%	1	5%	17	1%	-	-
Male/Male Sex	4,770	11%	180	58%	326	8%	13	59%	356	11%	9	45%
Heterosexual IDU	3,237	7%	9	3%	311	7%	1	5%	211	6%	-	-
Sex Partner At Risk	6,384	15%	35	11%	1,611	37%	4	18%	755	23%	7	35%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	454	10%	1	5%	432	13%	2	10%
Sex for Drugs/Money	613	1%	1	<1%	23	1%	-	-	58	2%	-	-
Sex Using Non-Injection Drugs	6,020	14%	8	3%	443	10%	-	-	554	17%	2	10%
Hemophilic/Blood Product Recipient	110	<1%	-	-	9	<1%	-	-	13	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	17	1%	-	-	40	1%	-	-
Health Care Exposure	190	<1%	4	1%	16	<1%	-	-	30	1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	334	8%	2	9%	213	6%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	712	16%	-	-	577	18%	-	-
Other	495	1%	2	1%	26	1%	-	-	28	1%	-	-
<b>Testing</b>												
Anonymous	17,602	40%	167	54%	850	20%	6	27%	2,018	61%	11	55%
Confidential	25,998	60%	144	46%	3,486	80%	16	73%	1,257	38%	9	45%
Unknown	17	<1%	-	-	-	-	-	-	9	<1%	-	-
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>4,336</b>	<b>100%</b>	<b>22</b>	<b>100%</b>	<b>3,284</b>	<b>100%</b>	<b>20</b>	<b>100%</b>

Source: HIV Counseling and Testing System, 2003.

**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio				Akron Consortium 6				Youngstown Consortium 7			
	Total Tests		Positive Tests		Total Tests		Positive Tests		Total Tests		Positive Tests	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>												
Male	23,550	54%	254	82%	1,472	51%	14	78%	347	61%	4	67%
Female	20,067	46%	57	18%	1,391	49%	4	22%	218	39%	2	33%
<b>Age</b>												
<13	35	<1%	1	<1%	1	<1%	-	-	4	1%	-	-
13-19	5,349	12%	12	4%	287	10%	4	-	71	13%	1	-
20-24	11,321	26%	49	16%	784	27%	4	22%	146	26%	1	17%
25-29	6,850	16%	40	13%	457	16%	3	17%	93	16%	1	17%
30-39	9,745	22%	118	38%	641	22%	5	28%	132	23%	3	50%
40-49	7,173	16%	74	24%	458	16%	5	28%	87	15%	1	-
50-64	2,842	7%	17	5%	208	7%	1	6%	30	5%	1	17%
65+	302	1%	-	-	17	1%	-	-	2	<1%	-	-
<b>Race/Ethnicity</b>												
White, not Hispanic	22,018	50%	141	45%	1,731	60%	8	44%	356	63%	3	50%
Black, not Hispanic	18,300	42%	145	47%	985	34%	10	56%	182	32%	3	50%
Hispanic	1,990	5%	8	3%	61	2%	-	-	16	3%	-	-
Asian/Pacific Islander	422	1%	3	1%	33	1%	-	-	2	<1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	12	<1%	-	-	1	<1%	-	-
Other	696	2%	12	4%	39	1%	-	-	8	1%	-	-
Unknown	49	<1%	1	<1%	2	<1%	-	-	-	-	-	-
<b>Race/Gender</b>												
White, not Hispanic Male	12,111	28%	130	42%	929	32%	7	39%	222	39%	1	17%
White, not Hispanic Female	9,907	23%	11	4%	802	28%	1	6%	134	24%	2	33%
Black, not Hispanic Male	9,563	22%	101	32%	475	17%	7	38%	112	20%	3	50%
Black, not Hispanic Female	8,737	20%	44	14%	510	18%	3	17%	70	12%	-	-
Hispanic Male	1,168	3%	8	3%	17	1%	-	-	7	1%	-	-
Hispanic Female	822	2%	-	-	44	2%	-	-	9	2%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	21	1%	-	-	-	-	-	-
Asian/Pacific Islander Female	190	<1%	-	-	12	<1%	-	-	2	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	6	<1%	-	-	-	-	-	-
American Indian/Alaska Native Female	72	<1%	-	-	6	<1%	-	-	1	<1%	-	-
Other Male	374	1%	10	3%	22	1%	-	-	6	1%	-	-
Other Female	322	1%	2	1%	17	1%	-	-	2	<1%	-	-
Unknown Male	32	<1%	1	<1%	2	<1%	-	-	-	-	-	-
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-
<b>Exposure Category</b>												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	10	<1%	1	6%	1	<1%	-	-
Male/Male Sex	4,770	11%	180	58%	355	12%	9	50%	83	15%	3	50%
Heterosexual IDU	3,237	7%	9	3%	165	6%	1	6%	19	3%	-	-
Sex Partner At Risk	6,384	15%	35	11%	451	16%	1	6%	169	30%	2	33%
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	2	<1%	-	-
STD Diagnosis	6,033	14%	16	5%	502	18%	1	6%	53	9%	-	-
Sex for Drugs/Money	613	1%	1	<1%	29	1%	-	-	1	<1%	-	-
Sex Using Non-injection Drugs	6,020	14%	8	3%	496	17%	1	6%	77	14%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	10	<1%	-	-	4	1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	34	1%	-	-	3	1%	-	-
Health Care Exposure	190	<1%	-	-	28	1%	-	-	8	1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	95	3%	-	-	22	4%	1	17%
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	670	23%	4	22%	121	21%	-	-
Other	495	1%	2	1%	18	1%	-	-	2	<1%	-	-
<b>Testing</b>												
Anonymous	17,602	40%	167	54%	1,450	51%	12	67%	381	67%	3	50%
Confidential	25,998	60%	144	46%	1,413	49%	6	33%	184	33%	3	50%
Unknown	17	<1%	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>2,863</b>	<b>100%</b>	<b>18</b>	<b>100%</b>	<b>565</b>	<b>100%</b>	<b>6</b>	<b>100%</b>

Source : HIV Counseling and Testing System, 2003.

**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio						Canton Consortium 8						Lima Consortium 9A						
	Total Tests		Positive Tests		Percent Positive		Total Tests		Positive Tests		Percent Positive		Total Tests		Positive Tests		Percent Positive		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
<b>Gender</b>																			
Male	23,550	54%	254	82%	1%	46%	531	46%	5	100%	1%	49%	457	49%	3	75%	1%	1%	
Female	20,067	46%	57	18%	<1%	54%	612	54%	-	-	-	51%	469	51%	1	25%	<1%	<1%	
<b>Age</b>																			
<13	35	<1%	1	<1%	3%	<1%	1	<1%	-	-	-	-	-	-	-	-	-	-	-
13-19	5,349	12%	12	4%	<1%	15%	174	15%	-	-	-	17%	157	17%	1	25%	1%	1%	
20-24	11,321	26%	49	16%	<1%	28%	323	28%	1	20%	<1%	31%	283	31%	-	-	-	-	
25-29	6,850	16%	40	13%	1%	15%	167	15%	-	-	-	13%	119	13%	-	-	-	-	
30-39	9,745	22%	118	38%	1%	22%	235	21%	3	60%	1%	20%	185	20%	3	75%	2%	2%	
40-49	7,173	16%	74	24%	1%	13%	145	13%	1	20%	1%	14%	127	14%	-	-	-	-	
50-64	2,842	7%	17	5%	1%	8%	92	8%	-	-	-	5%	45	5%	-	-	-	-	
65+	302	1%	-	-	-	1%	6	1%	-	-	-	1%	10	1%	-	-	-	-	
<b>Race/Ethnicity</b>																			
White, not Hispanic	22,018	50%	141	45%	1%	80%	915	80%	5	100%	1%	76%	703	76%	3	75%	<1%	<1%	
Black, not Hispanic	18,300	42%	145	47%	1%	15%	176	15%	-	-	-	21%	196	21%	-	-	-	-	
Hispanic	1,990	5%	8	3%	<1%	1%	16	1%	-	-	-	1%	12	1%	1	25%	8%	8%	
Asian/Pacific Islander	422	1%	3	1%	1%	1%	7	1%	-	-	-	<1%	3	<1%	-	-	-	-	
American Indian/Alaska Native	142	<1%	1	<1%	1%	<1%	4	<1%	-	-	-	<1%	3	<1%	-	-	-	-	
Other	696	2%	12	4%	2%	2%	25	2%	-	-	-	1%	9	1%	-	-	-	-	
Unknown	49	<1%	1	<1%	2%	<1%	-	<1%	-	-	-	-	-	-	-	-	-	-	
<b>Race/Gender</b>																			
White, not Hispanic Male	12,111	28%	130	42%	1%	39%	444	39%	5	100%	1%	38%	352	38%	2	50%	1%	1%	
White, not Hispanic Female	9,907	23%	11	4%	<1%	41%	471	41%	-	-	-	38%	351	38%	1	25%	<1%	<1%	
Black, not Hispanic Male	9,663	22%	101	32%	1%	6%	71	6%	-	-	-	10%	94	10%	-	-	-	-	
Black, not Hispanic Female	8,737	20%	44	14%	1%	9%	105	9%	-	-	-	11%	102	11%	-	-	-	-	
Hispanic Male	1,168	3%	8	3%	1%	1%	6	1%	-	-	-	1%	7	1%	1	25%	14%	14%	
Hispanic Female	822	2%	-	-	-	-	10	1%	-	-	-	1%	5	1%	-	-	-	-	
Asian/Pacific Islander Male	232	1%	3	1%	1%	<1%	2	<1%	-	-	-	<1%	2	<1%	-	-	-	-	
Asian/Pacific Islander Female	190	<1%	-	-	-	<1%	5	<1%	-	-	-	<1%	1	<1%	-	-	-	-	
American Indian/Alaska Native Male	70	<1%	1	<1%	1%	<1%	1	<1%	-	-	-	<1%	1	<1%	-	-	-	-	
American Indian/Alaska Native Female	72	<1%	-	-	-	<1%	3	<1%	-	-	-	<1%	2	<1%	-	-	-	-	
Other Male	374	1%	10	3%	3%	2%	7	2%	-	-	-	1%	1	1%	-	-	-	-	
Other Female	322	1%	2	1%	1%	2%	18	2%	-	-	-	1%	8	1%	-	-	-	-	
Unknown Male	32	<1%	1	<1%	3%	<1%	-	<1%	-	-	-	-	-	-	-	-	-	-	
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Exposure Category</b>																			
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	3%	<1%	5	<1%	1	20%	20%	<1%	1	<1%	-	-	-	-	
Male/Male Sex	4,770	11%	180	58%	4%	13%	146	13%	2	40%	1%	9%	86	9%	2	50%	2%	2%	
Heterosexual IDU	3,237	7%	9	3%	<1%	4%	45	4%	1	20%	2%	2%	22	2%	-	-	-	-	
Sex Partner At Risk	6,384	15%	35	11%	1%	13%	144	13%	1	20%	1%	13%	122	13%	1	25%	1%	1%	
Child of Women with HIV/AIDS	3	<1%	1	<1%	33%	<1%	-	<1%	-	-	-	-	-	-	-	-	-	-	
STD Diagnosis	6,033	14%	16	5%	<1%	21%	240	21%	-	-	-	4%	40	4%	1	25%	3%	3%	
Sex for Drugs/Money	613	1%	1	<1%	<1%	1%	11	1%	-	-	-	1%	7	1%	-	-	-	-	
Sex Using Non-Injection Drugs	6,020	14%	8	3%	<1%	19%	222	19%	-	-	-	6%	55	6%	-	-	-	-	
Hemophilia/Blood Product Recipient	110	<1%	-	-	-	-	8	1%	-	-	-	-	-	-	-	-	-	-	
Victim of Sexual Assault	325	1%	1	<1%	<1%	1%	16	1%	-	-	-	<1%	2	<1%	-	-	-	-	
Health Care Exposure	190	<1%	4	1%	<1%	4%	3	<1%	-	-	-	1%	7	1%	-	-	-	-	
No Acknowledged Risk	1,890	4%	4	1%	<1%	4%	43	4%	-	-	-	2%	20	2%	-	-	-	-	
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	<1%	22%	253	22%	-	-	-	58%	541	58%	-	-	-	-	
Other	495	1%	2	1%	<1%	1%	7	1%	-	-	-	2%	23	2%	-	-	-	-	
<b>Testing</b>																			
Anonymous	17,602	40%	167	54%	1%	34%	385	34%	-	-	-	61%	569	61%	1	25%	<1%	<1%	
Confidential	25,998	60%	144	46%	1%	66%	758	66%	5	100%	1%	39%	357	39%	3	75%	1%	1%	
Unknown	17	<1%	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>1%</b>	<b>100%</b>	<b>1,143</b>	<b>100%</b>	<b>5</b>	<b>100%</b>	<b>&lt;1%</b>	<b>100%</b>	<b>926</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>&lt;1%</b>	<b>&lt;1%</b>	

Source: HIV Counseling and Testing System, 2003.

**Table 177. CTS 2003 data by demographic characteristics and by Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio				Mansfield Consortium 9B				Southeast Consortium 9C			
	Total Tests		Positive Tests		Total Tests		Positive Tests		Total Tests		Positive Tests	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>												
Male	23,550	54%	254	82%	589	50%	4	100%	577	54%	2	67%
Female	20,067	46%	57	18%	593	50%	-	-	491	46%	1	33%
<b>Age</b>												
<13	35	<1%	1	<1%	1	<1%	-	-	-	-	-	-
13-19	5,349	12%	12	4%	209	18%	1	25%	199	19%	-	-
20-24	11,321	26%	49	16%	365	31%	-	-	275	26%	-	-
25-29	6,850	16%	40	13%	142	12%	-	-	142	13%	-	-
30-39	9,745	22%	118	38%	212	18%	-	-	210	20%	2	67%
40-49	7,173	16%	74	24%	190	16%	2	50%	177	17%	-	-
50-64	2,842	7%	17	5%	57	5%	1	25%	57	5%	1	33%
65+	302	1%	-	-	6	1%	-	-	8	1%	-	-
<b>Race/Ethnicity</b>												
White, not Hispanic	22,018	50%	141	45%	949	80%	2	50%	943	88%	1	33%
Black, not Hispanic	18,300	42%	145	47%	168	14%	2	50%	76	7%	2	67%
Hispanic	1,990	5%	8	3%	27	2%	-	-	12	1%	-	-
Asian/Pacific Islander	422	1%	3	1%	8	1%	-	-	8	1%	-	-
American Indian/Alaska Native	142	<1%	1	<1%	10	1%	-	-	16	1%	-	-
Other	696	2%	12	4%	20	2%	-	-	12	1%	-	-
Unknown	49	<1%	1	<1%	-	-	-	-	1	<1%	-	-
<b>Race/Gender</b>												
White, not Hispanic Male	12,111	28%	130	42%	461	39%	2	50%	507	47%	1	33%
White, not Hispanic Female	9,907	23%	11	4%	488	41%	-	-	436	41%	-	-
Black, not Hispanic Male	9,563	22%	101	32%	94	8%	2	50%	48	4%	1	33%
Black, not Hispanic Female	8,737	20%	44	14%	74	6%	-	-	28	3%	1	33%
Hispanic Male	1,168	3%	8	3%	15	1%	-	-	4	<1%	-	-
Hispanic Female	822	2%	-	-	12	1%	-	-	8	1%	-	-
Asian/Pacific Islander Male	232	1%	3	1%	3	<1%	-	-	4	<1%	-	-
Asian/Pacific Islander Female	190	<1%	-	-	5	<1%	-	-	4	<1%	-	-
American Indian/Alaska Native Male	70	<1%	1	<1%	8	1%	-	-	7	1%	-	-
American Indian/Alaska Native Female	72	<1%	-	-	2	<1%	-	-	9	1%	-	-
Other Male	374	1%	10	3%	8	1%	-	-	6	1%	-	-
Other Female	322	1%	2	1%	12	1%	-	-	6	1%	-	-
Unknown Male	32	<1%	1	<1%	-	-	-	-	1	<1%	-	-
Unknown Female	17	<1%	-	-	-	-	-	-	-	-	-	-
<b>Exposure Category</b>												
Male/Male Sex & Injection Drug Use (IDU)	260	1%	9	3%	4	<1%	-	-	6	1%	1	33%
Male/Male Sex	4,770	11%	180	58%	104	9%	3	75%	77	7%	1	33%
Heterosexual IDU	3,237	7%	9	3%	57	5%	-	-	97	9%	-	-
Sex Partner At Risk	6,384	15%	35	11%	362	31%	1	25%	399	37%	-	-
Child of Women with HIV/AIDS	3	<1%	1	<1%	-	-	-	-	-	-	-	-
STD Diagnosis	6,033	14%	16	5%	96	8%	-	-	72	7%	-	-
Sex for Drugs/Money	613	1%	1	<1%	3	<1%	-	-	6	1%	-	-
Sex Using Non-injection Drugs	6,020	14%	8	3%	93	8%	-	-	180	17%	-	-
Hemophilia/Blood Product Recipient	110	<1%	-	-	7	1%	-	-	5	<1%	-	-
Victim of Sexual Assault	325	1%	1	<1%	25	2%	-	-	11	1%	-	-
Health Care Exposure	190	1%	4	1%	64	5%	-	-	11	1%	-	-
No Acknowledged Risk	1,890	4%	4	1%	64	5%	-	-	13	1%	-	-
Heterosexual Contact-No Other Risk	13,287	30%	45	14%	343	29%	-	-	187	18%	1	33%
Other	495	1%	2	1%	18	2%	-	-	4	<1%	-	-
<b>Testing</b>												
Anonymous	17,602	40%	167	54%	432	37%	3	75%	285	27%	-	-
Confidential	25,998	60%	144	46%	750	63%	1	25%	783	73%	3	100%
Unknown	17	<1%	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	<b>43,617</b>	<b>100%</b>	<b>311</b>	<b>100%</b>	<b>1,182</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>1,068</b>	<b>100%</b>	<b>3</b>	<b>100%</b>

Source: HIV Counseling and Testing System, 2003.

**Table 178. CTS trends by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio				Cleveland Title I Planning Region				Cleveland Consortium 1				Columbus Consortium 2				
	Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive		Total Tests		Percent Positive		
	No.	Tests	No.	Tests	No.	Tests	No.	Tests	No.	Tests	No.	Tests	No.	Tests	No.	Tests	
<b>Total</b>																	
1999	42,241	243	1%	9,682	81	1%	9,515	80	1%	8,517	50	1%	8,517	50	1%	8,517	50
2000	40,883	268	1%	9,668	89	1%	9,453	87	1%	8,585	61	1%	8,585	61	1%	8,585	61
2001	42,021	298	1%	10,314	88	1%	10,110	88	1%	9,007	62	1%	9,007	62	1%	9,007	62
2002	39,414	293	1%	8,737	72	1%	8,556	72	1%	10,138	76	1%	10,138	76	1%	10,138	76
2003	43,617	311	1%	10,576	75	1%	10,394	75	1%	11,247	112	1%	11,247	112	1%	11,247	112
<b>Male</b>																	
1999	22,306	199	1%	5,258	62	1%	5,183	61	1%	4,491	46	1%	4,491	46	1%	4,491	46
2000	21,907	219	1%	5,283	69	1%	5,170	67	1%	4,773	55	1%	4,773	55	1%	4,773	55
2001	22,336	235	1%	5,628	70	1%	5,530	70	1%	4,948	54	1%	4,948	54	1%	4,948	54
2002	21,308	236	1%	4,857	53	1%	4,766	53	1%	5,565	63	1%	5,565	63	1%	5,565	63
2003	23,550	254	1%	5,740	59	1%	5,651	59	1%	6,370	92	1%	6,370	92	1%	6,370	92
<b>Female</b>																	
1999	19,935	44	<1%	4,424	19	<1%	4,332	19	<1%	4,026	4	<1%	4,026	4	<1%	4,026	4
2000	18,976	49	<1%	4,385	20	<1%	4,283	20	<1%	3,812	6	<1%	3,812	6	<1%	3,812	6
2001	19,685	63	<1%	4,686	18	<1%	4,580	18	<1%	4,059	8	<1%	4,059	8	<1%	4,059	8
2002	18,106	57	<1%	3,880	19	<1%	3,790	19	<1%	4,573	13	<1%	4,573	13	<1%	4,573	13
2003	20,067	57	<1%	4,836	16	<1%	4,743	16	<1%	4,877	20	<1%	4,877	20	<1%	4,877	20
<b>13-19 Years of Age</b>																	
1999	6,346	9	<1%	1,179	3	<1%	1,157	3	<1%	1,196	-	<1%	1,196	-	<1%	1,196	-
2000	5,768	6	<1%	1,155	2	<1%	1,121	2	<1%	1,094	2	<1%	1,094	2	<1%	1,094	2
2001	5,783	10	<1%	1,110	3	<1%	1,070	3	<1%	1,106	-	<1%	1,106	-	<1%	1,106	-
2002	5,224	9	<1%	872	1	<1%	848	1	<1%	1,337	4	<1%	1,337	4	<1%	1,337	4
2003	5,349	12	<1%	933	5	<1%	918	5	<1%	1,330	2	<1%	1,330	2	<1%	1,330	2
<b>20-29 Years of Age</b>																	
1999	16,775	64	<1%	3,291	19	<1%	3,222	18	<1%	3,956	17	<1%	3,956	17	<1%	3,956	17
2000	16,387	82	1%	3,328	25	1%	3,265	25	1%	4,050	17	<1%	4,050	17	<1%	4,050	17
2001	17,154	95	1%	3,482	23	1%	3,405	23	1%	4,492	18	<1%	4,492	18	<1%	4,492	18
2002	16,455	112	1%	3,011	23	1%	2,918	23	1%	5,007	38	1%	5,007	38	1%	5,007	38
2003	18,171	89	<1%	3,570	18	<1%	3,500	18	<1%	5,442	42	1%	5,442	42	1%	5,442	42
<b>30+ Years of Age</b>																	
1999	19,081	170	1%	5,201	59	1%	5,126	59	1%	3,363	33	1%	3,363	33	1%	3,363	33
2000	18,705	180	1%	5,176	62	1%	5,059	60	1%	3,439	42	1%	3,439	42	1%	3,439	42
2001	19,044	193	1%	5,714	62	1%	5,627	62	1%	3,395	44	1%	3,395	44	1%	3,395	44
2002	17,704	172	1%	4,849	48	1%	4,785	48	1%	3,789	34	1%	3,789	34	1%	3,789	34
2003	20,062	209	1%	6,064	52	1%	5,967	52	1%	4,471	68	2%	4,471	68	2%	4,471	68

Source: HIV Counseling and Testing System, 2003.

**Table 178. CTS trends by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio			Cincinnati Consortium 3			Dayton Consortium 4			Toledo Consortium 5		
	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive
	No.	No.		No.	No.		No.	No.		No.	No.	
<b>Total</b>												
1999	42,241	243	1%	8,748	38	<1%	4,248	18	<1%	3,569	19	1%
2000	40,883	268	1%	8,568	40	<1%	4,092	26	1%	2,991	15	1%
2001	42,021	298	1%	7,778	46	1%	4,317	35	1%	3,501	20	1%
2002	39,414	293	1%	6,945	53	1%	3,887	31	1%	2,916	22	1%
2003	43,617	311	1%	6,609	42	1%	4,336	22	1%	3,284	20	1%
<b>Male</b>												
1999	22,306	199	1%	4,868	35	1%	2,221	13	1%	1,758	16	1%
2000	21,907	219	1%	4,756	32	1%	2,131	23	1%	1,503	12	1%
2001	22,336	235	1%	4,384	34	1%	2,147	26	1%	1,797	13	1%
2002	21,308	236	1%	3,943	48	1%	1,964	25	1%	1,548	18	1%
2003	23,550	254	1%	3,752	41	1%	2,128	16	1%	1,676	14	1%
<b>Female</b>												
1999	19,935	44	<1%	3,880	3	<1%	2,027	5	<1%	1,811	3	<1%
2000	18,976	49	<1%	3,812	8	<1%	1,961	3	<1%	1,488	3	<1%
2001	19,685	63	<1%	3,394	12	<1%	2,170	9	<1%	1,704	7	<1%
2002	18,106	57	<1%	3,002	5	<1%	1,923	6	<1%	1,368	4	<1%
2003	20,067	57	<1%	2,857	1	<1%	2,208	6	<1%	1,608	6	<1%
<b>13-19 Years of Age</b>												
1999	6,346	9	<1%	1,258	1	<1%	716	-	-	732	2	<1%
2000	5,768	6	<1%	1,288	-	-	618	-	-	552	-	-
2001	5,783	10	<1%	1,137	3	<1%	732	-	-	563	-	-
2002	5,224	9	<1%	831	-	-	628	4	1%	548	-	-
2003	5,349	12	<1%	712	1	<1%	770	2	<1%	512	-	-
<b>20-29 Years of Age</b>												
1999	16,775	64	<1%	3,747	9	<1%	1,498	5	<1%	1,414	2	<1%
2000	16,387	82	1%	3,635	9	<1%	1,435	11	1%	1,128	4	<1%
2001	17,154	95	1%	3,377	17	1%	1,509	9	1%	1,412	12	1%
2002	16,455	112	1%	2,916	17	1%	1,509	11	1%	1,161	7	1%
2003	18,171	89	<1%	2,799	8	<1%	1,704	5	<1%	1,430	6	<1%
<b>30+ Years of Age</b>												
1999	19,091	170	1%	3,741	28	1%	2,029	13	1%	1,441	15	1%
2000	18,705	180	1%	3,641	31	1%	2,038	15	1%	1,308	11	1%
2001	19,044	193	1%	3,257	26	1%	2,074	26	1%	1,521	8	1%
2002	17,704	172	1%	3,197	36	1%	1,741	16	1%	1,201	15	1%
2003	20,062	209	1%	3,093	32	1%	1,857	15	1%	1,337	14	1%

Source: HIV Counseling and Testing System, 2003.

**Table 178. CTS trends by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio			Akron Consortium 6			Youngstown Consortium 7			Canton Consortium 8		
	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive	Total Tests No.	Positive Tests No.	Percent Positive
<b>Total</b>												
1999	42,241	243	1%	2,556	17	1%	583	3	1%	1,448	8	1%
2000	40,883	268	1%	2,673	15	1%	512	3	1%	1,256	6	<1%
2001	42,021	298	1%	2,622	23	1%	561	13	2%	1,164	1	<1%
2002	39,414	293	1%	2,728	15	1%	477	4	1%	1,043	3	<1%
2003	43,617	311	1%	2,863	18	1%	565	6	1%	1,143	5	<1%
<b>Male</b>												
1999	22,306	199	1%	1,439	14	1%	320	2	1%	676	5	1%
2000	21,907	219	1%	1,457	11	1%	304	3	1%	596	4	1%
2001	22,336	235	1%	1,353	19	1%	318	10	3%	561	1	<1%
2002	21,308	236	1%	1,419	14	1%	291	3	1%	532	3	1%
2003	23,550	254	1%	1,472	14	1%	347	4	1%	531	5	1%
<b>Female</b>												
1999	19,935	44	<1%	1,117	3	<1%	263	1	<1%	772	3	<1%
2000	18,976	49	<1%	1,216	4	<1%	208	-	-	660	2	<1%
2001	19,685	63	<1%	1,269	4	<1%	243	3	1%	603	-	-
2002	18,106	57	<1%	1,309	1	<1%	186	1	1%	511	-	-
2003	20,067	57	<1%	1,391	4	<1%	218	2	1%	612	-	-
<b>13-19 Years of Age</b>												
1999	6,346	9	<1%	276	1	<1%	77	-	-	298	-	-
2000	5,768	6	<1%	292	-	-	89	1	1%	228	-	-
2001	5,783	10	<1%	296	1	<1%	94	3	3%	201	-	-
2002	5,224	9	<1%	299	-	-	64	-	-	184	-	-
2003	5,349	12	<1%	297	-	-	71	-	-	174	-	-
<b>20-29 Years of Age</b>												
1999	16,775	64	<1%	1,015	5	<1%	220	-	-	593	5	1%
2000	16,387	82	1%	1,036	6	1%	196	1	1%	517	3	1%
2001	17,154	95	1%	1,066	7	1%	231	4	2%	467	1	<1%
2002	16,455	112	1%	1,180	5	<1%	230	1	<1%	429	-	-
2003	18,171	89	<1%	1,241	7	1%	239	2	1%	490	1	<1%
<b>30+ Years of Age</b>												
1999	19,091	170	1%	1,264	11	1%	286	3	1%	557	3	1%
2000	18,705	180	1%	1,345	9	1%	227	1	<1%	510	3	1%
2001	19,044	193	1%	1,260	15	1%	236	6	3%	496	-	-
2002	17,704	172	1%	1,249	10	1%	183	3	2%	403	3	1%
2003	20,062	209	1%	1,324	11	1%	251	4	2%	478	4	1%

Source: HIV Counseling and Testing System, 2003.

**Table 178. CTS trends by demographic characteristics for Ohio and for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio			Lima Consortium 9A			Mansfield Consortium 9B			Southeast Consortium 9C			
	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive	Total Tests	Positive Tests	Percent Positive	
	No.	No.		No.	No.		No.	No.		No.	No.		
<b>Total</b>													
1999	42,241	243	1%	974	1	<1%	1,053	-	-	1,003	9	1%	
2000	40,883	268	1%	818	4	<1%	1,138	8	1%	797	3	<1%	
2001	42,021	298	1%	927	7	1%	1,206	3	<1%	828	-	-	
2002	39,414	293	1%	865	5	1%	1,096	6	1%	763	6	1%	
2003	43,617	311	1%	926	4	<1%	1,182	4	<1%	1,068	3	<1%	
<b>Male</b>													
1999	22,306	199	1%	437	-	-	471	-	-	415	7	2%	
2000	21,907	219	1%	397	2	1%	485	7	1%	335	3	1%	
2001	22,336	235	1%	421	5	1%	525	3	1%	352	-	-	
2002	21,308	236	1%	422	5	1%	498	2	<1%	360	2	1%	
2003	23,550	254	1%	457	3	1%	589	4	1%	577	2	<1%	
<b>Female</b>													
1999	19,935	44	<1%	537	1	<1%	582	-	-	588	2	<1%	
2000	18,976	49	<1%	421	2	<1%	653	1	<1%	462	-	-	
2001	19,685	63	<1%	506	2	<1%	681	-	-	476	-	-	
2002	18,106	57	<1%	443	-	-	598	4	1%	403	4	1%	
2003	20,067	57	<1%	469	1	<1%	593	-	-	491	1	<1%	
<b>13-19 Years of Age</b>													
1999	6,346	9	<1%	179	-	-	228	-	-	229	2	1%	
2000	5,768	6	<1%	122	1	1%	217	-	-	147	-	-	
2001	5,783	10	<1%	192	-	-	249	-	-	143	-	-	
2002	5,224	9	<1%	167	-	-	213	-	-	105	-	-	
2003	5,349	12	<1%	157	1	1%	209	1	<1%	199	-	-	
<b>20-29 Years of Age</b>													
1999	16,775	64	<1%	404	1	<1%	383	-	-	323	2	1%	
2000	16,387	82	1%	333	1	<1%	508	5	1%	284	-	-	
2001	17,154	95	1%	367	2	1%	476	2	<1%	352	-	-	
2002	16,455	112	1%	339	3	1%	461	5	1%	305	2	1%	
2003	18,171	89	<1%	402	-	-	507	-	-	417	-	-	
<b>30+ Years of Age</b>													
1999	19,091	170	1%	391	-	-	442	-	-	451	5	1%	
2000	18,705	180	1%	361	2	1%	412	3	1%	365	3	1%	
2001	19,044	193	1%	366	5	1%	479	1	<1%	333	-	-	
2002	17,704	172	1%	356	2	1%	420	1	<1%	353	4	1%	
2003	20,062	209	1%	367	3	1%	465	3	1%	452	3	1%	

Source: HIV Counseling and Testing System, 2003.

**Table 179. Chlamydia cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	148.1	8,163	176.0	1,897	186.5	1,871	145.5	1,129	143.1	1,155
Female	572.4	33,434	570.8	6,695	598.7	6,564	547.9	4,412	565.6	4,856
Unknown	-	757	-	62	-	59	-	58	-	63
<b>Age</b>										
<13	4.0	82	3.6	15	3.9	15	5.0	15	4.1	13
13-19	1,481.6	16,959	1,731.7	3,700	1,843.9	3,657	1,367.2	2,108	1,606.8	2,767
20-24	2,095.7	15,276	2,404.5	2,929	2,488.5	2,856	1,731.7	2,085	1,833.4	2,036
25-29	723.0	5,318	765.0	1,066	792.6	1,039	574.4	725	635.3	703
30-39	176.8	2,950	198.1	659	209.6	646	165.9	432	130.4	333
40-49	35.8	628	39.8	141	41.7	137	35.1	85	24.0	62
50-64	8.5	148	7.4	26	8.0	26	10.4	23	4.1	10
65+	2.6	39	2.8	9	2.9	9	*	3	*	4
Unknown	-	954	-	109	-	109	-	123	-	146
<b>Race/Ethnicity</b>										
White, not Hispanic	99.3	9,559	74.6	1,280	75.4	1,182	101.4	1,309	103.4	1,438
Black, not Hispanic	1,014.6	13,594	894.2	3,776	894.4	3,763	887.6	1,920	1,206.0	2,754
Hispanic	304.9	662	368.7	276	374.3	275	362.4	103	322.3	59
Asian/Pacific Islander	81.0	118	71.4	24	70.8	23	45.0	18	119.1	29
American Indian/Alaska Native	94.1	27	*	4	*	4	-	-	*	4
Other	-	717	-	112	-	110	-	51	-	153
Unknown	-	17,677	-	3,182	-	3,137	-	2,198	-	1,637
<b>Race/Gender</b>										
White, not Hispanic Male	28.7	1,343	20.8	172	20.9	158	37.4	237	30.7	208
White, not Hispanic Female	164.9	8,151	124.1	1,101	125.2	1,018	160.5	1,056	171.0	1,221
Black, not Hispanic Male	576.8	3,663	584.9	1,131	584.1	1,125	473.5	494	636.5	677
Black, not Hispanic Female	1,403.4	9,891	1,152.8	2,639	1,153.6	2,632	1,266.3	1,418	1,694.3	2,067
Hispanic Male	163.0	183	147.9	56	148.0	55	279.5	44	193.1	19
Hispanic Female	454.9	477	591.9	219	603.5	219	465.3	59	472.3	40
Asian/Pacific Islander Male	19.7	14	*	2	*	2	*	3	*	2
Asian/Pacific Islander Female	136.5	102	122.0	21	120.3	20	75.0	15	219.2	27
American Indian/Alaska Native Male	*	3	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	166.1	24	*	4	*	4	-	-	*	4
Other	-	717	-	112	-	110	-	51	-	153
Unknown	-	17,786	-	3,197	-	3,151	-	2,222	-	1,656
<b>Total</b>	<b>373.1</b>	<b>42,354</b>	<b>384.5</b>	<b>8,654</b>	<b>404.5</b>	<b>8,494</b>	<b>354.1</b>	<b>5,599</b>	<b>364.7</b>	<b>6,074</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.

**Table 179. Chlamydia cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia**

Demographic Characteristics	Ohio		Dayton Consortium 4		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	148.1	8,163	176.2	891	141.9	570	101.2	415	71.8	232
Female	572.4	33,434	597.7	3,231	564.3	2,410	354.7	1,546	342.8	1,185
Unknown	-	757	-	38	-	23	-	75	-	26
<b>Age</b>										
<13	4.0	82	4.3	8	3.9	6	*	3	*	2
13-19	1,481.6	16,959	1,527.6	1,634	1,296.3	1,153	975.6	820	879.8	563
20-24	2,095.7	15,276	2,172.1	1,518	1,969.7	1,163	1,420.6	748	1,511.3	557
25-29	723.0	5,318	809.9	530	691.1	376	501.3	261	495.0	189
30-39	176.8	2,950	198.5	295	174.4	201	102.7	131	92.6	82
40-49	35.8	628	44.3	70	42.6	54	27.3	37	18.9	20
50-64	8.5	148	10.6	18	6.5	8	8.4	11	*	4
65+	2.6	39	*	4	-	-	4.6	5	-	-
Unknown	-	954	-	83	-	42	-	20	-	26
<b>Race/Ethnicity</b>										
White, not Hispanic	99.3	9,559	87.6	769	112.5	782	78.5	585	57.8	339
Black, not Hispanic	1,014.6	13,594	955.9	1,338	1,105.3	937	816.3	658	591.6	396
Hispanic	304.9	662	217.3	26	260.1	100	96.2	7	98.2	11
Asian/Pacific Islander	81.0	118	103.2	14	82.0	7	74.4	8	-	-
American Indian/Alaska Native	94.1	27	*	4	*	1	267.8	5	-	-
Other	-	717	-	75	-	122	-	30	-	14
Unknown	-	17,677	-	1,934	-	1,054	-	743	-	683
<b>Race/Gender</b>										
White, not Hispanic Male	28.7	1,343	32.8	140	31.1	105	27.3	99	13.1	37
White, not Hispanic Female	164.9	8,151	138.5	625	188.4	674	125.9	482	99.0	301
Black, not Hispanic Male	576.8	3,663	645.3	422	615.1	245	534.0	200	357.6	117
Black, not Hispanic Female	1,403.4	9,891	1,225.6	914	1,539.9	692	1,056.8	456	809.6	277
Hispanic Male	163.0	183	212.2	13	160.1	31	*	3	*	3
Hispanic Female	454.9	477	205.4	12	361.7	69	*	4	151.2	8
Asian/Pacific Islander Male	19.7	14	-	-	*	3	*	1	-	-
Asian/Pacific Islander Female	136.5	102	177.7	13	*	4	128.5	7	-	-
American Indian/Alaska Native Male	*	3	-	-	-	-	*	1	-	-
American Indian/Alaska Native Female	166.1	24	*	4	*	1	*	4	-	-
Other	-	717	-	75	-	122	-	30	-	14
Unknown	-	17,786	-	1,942	-	1,057	-	749	-	686
<b>Total</b>	<b>373.1</b>	<b>42,354</b>	<b>397.6</b>	<b>4,160</b>	<b>362.3</b>	<b>3,003</b>	<b>240.6</b>	<b>2,036</b>	<b>215.8</b>	<b>1,443</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.

**Table 179. Chlamydia cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and for Title II Consortia**

Demographic Characteristics	Ohio		Canton Consortium 8		Lima Consortium 9A		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	148.1	8,163	48.4	156	70.2	179	55.7	166	64.1	263
Female	572.4	33,434	361.3	1,235	299.8	785	344.1	1,044	352.5	1,496
Unknown	-	757	-	10	-	17	-	23	-	25
<b>Age</b>										
<13	4.0	82	6.5	8	*	1	*	2	3.5	5
13-19	1,481.6	16,959	848.4	579	717.7	405	804.4	506	749.2	662
20-24	2,095.7	15,276	1,386.6	531	1,125.0	354	1,297.4	466	1,223.8	717
25-29	723.0	5,318	493.1	192	386.2	120	393.1	141	439.4	227
30-39	176.8	2,950	77.4	71	94.2	68	79.7	67	93.1	108
40-49	35.8	628	9.7	10	11.4	9	13.9	13	16.7	21
50-64	8.5	148	*	1	-	-	*	3	4.4	6
65+	2.6	39	-	-	*	2	*	1	-	-
Unknown	-	954	-	9	-	22	-	34	-	38
<b>Race/Ethnicity</b>										
White, not Hispanic	99.3	9,559	115.8	719	92.3	448	96.3	540	122.4	979
Black, not Hispanic	1,014.6	13,594	1,188.3	387	931.6	175	949.9	260	560.2	131
Hispanic	304.9	662	236.9	13	239.8	20	302.2	28	201.8	10
Asian/Pacific Islander	81.0	118	-	-	*	1	*	4	*	4
American Indian/Alaska Native	94.1	27	-	3	*	2	*	2	*	3
Other	-	717	-	36	-	9	-	28	-	72
Unknown	-	17,677	-	243	-	327	-	371	-	585
<b>Race/Gender</b>										
White, not Hispanic Male	28.7	1,343	16.9	51	31.0	74	19.6	54	33.6	131
White, not Hispanic Female	164.9	8,151	207.8	664	150.2	371	169.2	483	205.3	841
Black, not Hispanic Male	576.8	3,663	485.7	76	446.3	45	375.1	60	233.0	34
Black, not Hispanic Female	1,403.4	9,891	1,826.3	309	1,436.8	125	1,749.6	199	1,102.9	97
Hispanic Male	163.0	183	458.9	1	163.6	7	*	1	*	4
Hispanic Female	454.9	477	458.9	12	320.2	13	604.4	27	243.2	6
Asian/Pacific Islander Male	19.7	14	-	-	-	-	-	-	-	1
Asian/Pacific Islander Female	136.5	102	-	-	*	1	*	4	*	3
American Indian/Alaska Native Male	*	3	*	1	-	-	-	-	*	1
American Indian/Alaska Native Female	166.1	24	*	2	*	1	*	2	*	2
Other	-	717	-	36	-	9	-	28	-	72
Unknown	-	17,786	-	249	-	335	-	375	-	592
<b>Total</b>	<b>373.1</b>	<b>42,354</b>	<b>210.9</b>	<b>1,401</b>	<b>189.8</b>	<b>981</b>	<b>205.1</b>	<b>1,233</b>	<b>213.7</b>	<b>1,784</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.



**Table 180. Gonorrhea cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	179.0	9,869	245.3	2,644	262.2	2,631	187.4	1,454	209.8	1,693
Female	213.3	12,457	223.6	2,623	238.0	2,609	200.9	1,618	254.7	2,187
Unknown	-	299	-	40	-	40	-	18	-	30
<b>Age</b>										
<13	2.4	50	1.9	8	2.1	8	1.7	5	3.2	10
13-19	607.7	6,956	781.1	1,669	840.5	1,667	535.7	826	808.3	1,392
20-24	979.4	7,139	1,362.7	1,660	1,440.3	1,653	812.3	978	1,023.9	1,137
25-29	470.9	3,464	561.9	783	593.5	778	426.3	538	504.3	568
30-39	182.0	3,036	204.1	679	218.7	674	195.9	510	192.6	492
40-49	66.0	1,159	85.2	302	90.3	297	55.3	134	73.0	189
50-64	21.5	375	34.6	121	36.7	119	23.4	52	17.8	43
65+	4.6	69	7.3	24	7.4	23	4.4	7	5.5	11
Unknown	-	377	-	61	-	61	-	40	-	78
<b>Race/Ethnicity</b>										
White, not Hispanic	32.8	3,153	22.4	385	23.3	366	39.3	507	39.2	545
Black, not Hispanic	803.9	10,771	647.2	2,733	649.3	2,732	747.1	1,616	1,086.0	2,480
Hispanic	106.4	231	110.9	83	111.6	82	147.8	42	98.3	18
Asian/Pacific Islander	32.3	47	*	3	*	3	27.5	11	65.7	16
American Indian/Alaska Native	48.8	14	*	2	*	2	-	-	*	1
Other	-	276	-	40	-	40	-	23	-	56
Unknown	-	8,133	-	2,061	-	2,055	-	891	-	794
<b>Race/Gender</b>										
White, not Hispanic Male	22.4	1,047	18.4	152	18.9	143	34.9	221	22.6	153
White, not Hispanic Female	42.4	2,097	26.3	233	27.4	223	43.5	286	54.6	390
Black, not Hispanic Male	856.0	5,436	761.3	1,472	764.3	1,472	802.3	837	1,168.6	1,243
Black, not Hispanic Female	752.5	5,304	548.7	1,256	550.1	1,255	692.1	775	1,009.0	1,231
Hispanic Male	107.8	121	105.6	40	104.9	39	177.8	28	122.0	12
Hispanic Female	101.1	106	113.5	42	115.7	42	102.5	13	70.8	6
Asian/Pacific Islander Male	21.1	15	*	2	*	2	*	4	41.5	5
Asian/Pacific Islander Female	42.8	32	*	1	*	1	35.0	7	89.3	11
American Indian/Alaska Native Male	35.1	5	*	1	*	1	-	-	*	-
American Indian/Alaska Native Female	62.3	9	*	1	*	1	-	-	*	1
Other	-	276	-	40	-	40	-	23	-	56
Unknown	-	8,177	-	2,067	-	2,061	-	896	-	802
<b>Total</b>	<b>199.3</b>	<b>22,625</b>	<b>235.8</b>	<b>5,307</b>	<b>251.5</b>	<b>5,280</b>	<b>195.4</b>	<b>3,090</b>	<b>234.8</b>	<b>3,910</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 180. Gonorrhea cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Dayton Consortium 4		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	179.0	9,869	216.4	1,094	121.0	486	108.2	444	104.4	337
Female	213.3	12,457	272.3	1,472	187.1	799	131.5	573	136.8	473
Unknown	-	299	-	14	-	6	-	43	-	16
<b>Age</b>										
<13	2.4	50	5.4	10	3.9	6	*	1	*	2
13-19	607.7	6,956	744.2	796	437.3	389	425.9	358	403.2	258
20-24	979.4	7,139	1,242.0	868	701.1	414	638.1	336	762.4	281
25-29	470.9	3,464	618.9	405	391.5	213	293.9	153	322.2	123
30-39	182.0	3,036	220.7	328	156.2	180	100.4	128	96.0	85
40-49	66.0	1,159	72.8	115	52.8	67	41.4	56	45.4	48
50-64	21.5	375	16.0	27	13.0	16	9.9	13	11.7	13
65+	4.6	69	3.5	5	-	-	6.4	7	*	3
Unknown	-	377	-	26	-	6	-	8	-	13
<b>Race/Ethnicity</b>										
White, not Hispanic	32.8	3,153	33.3	292	31.1	216	28.6	213	28.2	165
Black, not Hispanic	803.9	10,771	882.3	1,235	654.7	555	627.8	506	485.6	325
Hispanic	106.4	231	75.2	9	80.6	31	110.0	8	71.4	8
Asian/Pacific Islander	32.3	47	*	3	-	-	*	1	*	1
American Indian/Alaska Native	48.8	14	*	2	-	-	*	4	-	-
Other	-	276	-	39	-	31	-	7	-	8
Unknown	-	8,133	-	1,000	-	458	-	321	-	319
<b>Race/Gender</b>										
White, not Hispanic Male	22.4	1,047	20.4	87	16.3	55	19.6	71	19.1	54
White, not Hispanic Female	42.4	2,097	45.4	205	45.0	161	37.1	142	36.2	110
Black, not Hispanic Male	856.0	5,436	937.3	613	662.8	264	680.8	255	519.6	170
Black, not Hispanic Female	752.5	5,304	831.3	620	647.5	291	579.4	250	444.2	152
Hispanic Male	107.8	121	98.0	6	56.8	11	163.5	6	*	4
Hispanic Female	101.1	106	*	3	99.6	19	*	2	*	4
Asian/Pacific Islander Male	21.1	15	-	-	-	-	*	1	*	1
Asian/Pacific Islander Female	42.8	32	*	3	-	-	*	-	-	-
American Indian/Alaska Native Male	35.1	5	*	1	-	-	*	1	-	-
American Indian/Alaska Native Female	62.3	9	*	1	-	-	*	3	-	-
Other	-	276	-	39	-	31	-	7	-	8
Unknown	-	8,177	-	1,002	-	459	-	322	-	323
<b>Total</b>	<b>199.3</b>	<b>22,625</b>	<b>246.6</b>	<b>2,580</b>	<b>155.8</b>	<b>1,291</b>	<b>125.3</b>	<b>1,060</b>	<b>123.5</b>	<b>826</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 180. Gonorrhea cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Canton Consortium 8		Lima Consortium 9A		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	179.0	9,869	113.8	367	79.3	202	46.3	138	41.9	172
Female	213.3	12,457	127.5	436	97.4	255	68.9	209	58.0	246
Unknown	-	299	*	2	-	6	-	8	-	7
<b>Age</b>										
<13	2.4	50	*	1	*	3	-	-	-	-
13-19	607.7	6,956	325.3	222	244.5	138	162.2	102	125.6	111
20-24	979.4	7,139	728.6	279	454.4	143	378.7	136	254.3	149
25-29	470.9	3,464	323.6	126	251.0	78	119.9	43	112.3	58
30-39	182.0	3,036	128.6	118	105.2	76	38.1	32	49.1	57
40-49	66.0	1,159	34.1	35	19.1	15	22.5	21	23.1	29
50-64	21.5	375	17.9	19	9.0	7	7.2	7	9.6	13
65+	4.6	69	*	2	-	-	*	1	*	1
Unknown	-	377	*	3	*	3	-	13	-	7
<b>Race/Ethnicity</b>										
White, not Hispanic	32.8	3,153	44.0	273	29.7	144	21.2	119	24.9	199
Black, not Hispanic	803.9	10,771	1,237.4	403	968.9	182	460.4	126	243.7	57
Hispanic	106.4	231	164.0	9	119.9	10	64.8	6	-	1
Asian/Pacific Islander	32.3	47	*	4	-	-	*	1	-	-
American Indian/Alaska Native	48.8	14	*	3	-	-	*	1	-	-
Other	-	276	-	29	-	8	-	7	-	22
Unknown	-	8,133	-	84	-	119	-	95	-	146
<b>Race/Gender</b>										
White, not Hispanic Male	22.4	1,047	34.5	104	18.9	45	10.9	30	16.7	65
White, not Hispanic Female	42.4	2,097	52.9	169	39.3	97	31.2	89	32.2	132
Black, not Hispanic Male	856.0	5,436	1,354.8	212	1,100.8	111	425.1	68	212.5	31
Black, not Hispanic Female	752.5	5,304	1,117.1	189	781.6	68	509.9	58	295.6	26
Hispanic Male	107.8	121	*	4	*	2	*	3	-	-
Hispanic Female	101.1	106	191.2	5	197.0	8	*	2	*	1
Asian/Pacific Islander Male	21.1	15	*	2	-	-	-	-	-	-
Asian/Pacific Islander Female	42.8	32	*	2	-	-	*	1	-	-
American Indian/Alaska Native Male	35.1	5	*	2	-	-	-	-	-	-
American Indian/Alaska Native Female	62.3	9	*	1	-	-	*	1	-	-
Other	-	276	-	29	-	8	-	7	-	22
Unknown	-	8,177	-	86	-	124	-	96	-	148
<b>Total</b>	<b>199.3</b>	<b>22,625</b>	<b>121.2</b>	<b>805</b>	<b>89.6</b>	<b>463</b>	<b>59.0</b>	<b>355</b>	<b>50.9</b>	<b>425</b>

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data. Asterisk (\*) indicates rates were not calculated for case counts <5. Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category. Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health, Data as of May 2005.



**Table 181. Syphilis cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	4.1	224	2.5	27	2.3	23	18.3	142	*	2
Female	1.2	72	1.9	22	2.0	22	3.4	27	*	1
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Age</b>										
<13	-	-	-	-	-	-	-	-	-	-
13-19	1.7	19	*	2	*	2	7.8	12	-	-
20-24	6.4	47	8.2	10	7.8	9	14.1	17	-	-
25-29	6.1	45	*	3	*	3	21.4	27	-	-
30-39	6.1	101	4.8	16	4.9	15	24.6	64	*	2
40-49	3.9	69	3.7	13	3.3	11	19.0	46	*	1
50-64	0.7	12	*	3	*	3	*	2	-	-
65+	*	3	*	2	*	2	*	1	-	-
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>										
White, not Hispanic	1.6	156	1.1	19	1.0	15	7.7	100	*	2
Black, not Hispanic	8.8	118	7.1	30	7.1	30	24.0	52	*	1
Hispanic	4.6	10	-	-	-	-	31.7	9	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	*	4	-	-
Unknown	-	6	-	-	-	-	*	4	-	-
<b>Race/Gender</b>										
White, not Hispanic Male	2.8	131	1.3	11	0.9	7	14.7	93	*	2
White, not Hispanic Female	0.5	25	0.9	8	1.0	8	1.1	7	-	-
Black, not Hispanic Male	11.7	74	8.3	16	8.3	16	31.6	33	-	-
Black, not Hispanic Female	6.2	44	6.1	14	6.1	14	17.0	19	*	1
Hispanic Male	8.0	9	-	-	-	-	50.8	8	-	-
Hispanic Female	*	1	-	-	-	-	*	1	-	-
Asian/Pacific Islander Male	-	-	-	-	-	-	-	-	-	-
Asian/Pacific Islander Female	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Male	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	*	4	-	-
Unknown	-	6	-	-	-	-	*	4	-	-
<b>Total</b>	<b>2.6</b>	<b>296</b>	<b>2.2</b>	<b>49</b>	<b>2.1</b>	<b>45</b>	<b>10.7</b>	<b>169</b>	<b>*</b>	<b>3</b>

Note: Early syphilis cases include primary, secondary and early latent infections.  
<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.  
Asterisk (\*) indicates rates were not calculated for case counts <5.  
Dash (-) indicates rates are not applicable to the respective category or that no cases were reported for the given category.  
Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 181. Syphilis cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Dayton Consortium 4		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	4.1	224	1.2	6	3.0	12	2.0	8	3.4	11
Female	1.2	72	-	-	-	2	-	1	2.9	10
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Age</b>										
<13	-	-	-	-	-	-	-	-	-	-
13-19	1.7	19	-	-	-	1	-	-	-	1
20-24	6.4	47	-	1	-	3	-	2	27.1	10
25-29	6.1	45	-	1	-	2	-	1	-	4
30-39	6.1	101	-	2	5.2	6	-	2	-	4
40-49	3.9	69	-	1	-	1	-	3	-	2
50-64	0.7	12	-	1	-	1	-	1	-	-
65+	-	3	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>										
White, not Hispanic	1.6	156	0.6	5	1.0	7	0.8	6	1.2	7
Black, not Hispanic	8.8	118	-	1	7.1	6	-	3	17.9	12
Hispanic	4.6	10	-	-	-	1	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	1
Unknown	-	6	-	-	-	-	-	-	-	1
<b>Race/Gender</b>										
White, not Hispanic Male	2.8	131	1.2	5	2.1	7	1.7	6	-	2
White, not Hispanic Female	0.5	25	-	-	-	-	-	-	1.6	5
Black, not Hispanic Male	11.7	74	-	1	-	4	-	2	27.5	9
Black, not Hispanic Female	6.2	44	-	-	-	2	-	1	-	3
Hispanic Male	8.0	9	-	-	-	1	-	-	-	-
Hispanic Female	-	1	-	-	-	-	-	-	-	-
Asian/Pacific Islander Male	-	-	-	-	-	-	-	-	-	-
Asian/Pacific Islander Female	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Male	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	-	1
Unknown	-	6	-	-	-	-	-	-	-	1
<b>Total</b>	<b>2.6</b>	<b>296</b>	<b>0.6</b>	<b>6</b>	<b>1.7</b>	<b>14</b>	<b>1.1</b>	<b>9</b>	<b>3.1</b>	<b>21</b>

Note: Early syphilis cases include primary, secondary and early latent infections.  
<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.  
 Asterisk (\*) indicates rates were not calculated for case counts <5.  
 Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.  
 Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.

**Table 181. Syphilis cases diagnosed in 2003 by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia**

Demographic Characteristics	Ohio		Canton Consortium 8		Lima Consortium 9A		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Gender</b>										
Male	4.1	224	*	4	2.4	6	2.0	6	*	3
Female	1.2	72	*	2	*	2	*	4	*	1
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Age</b>										
<13	-	-	-	-	-	-	-	-	-	-
13-19	1.7	19	*	1	-	-	*	1	-	-
20-24	6.4	47	-	-	-	-	*	3	*	2
25-29	6.1	45	*	1	*	1	*	4	*	1
30-39	6.1	101	*	2	*	2	*	2	-	-
40-49	3.9	69	-	-	*	3	-	-	*	1
50-64	0.7	12	*	2	*	2	-	-	-	-
65+	-	3	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-
<b>Race/Ethnicity</b>										
White, not Hispanic	1.6	156	0.8	5	*	3	*	4	*	2
Black, not Hispanic	8.8	118	-	-	26.6	5	21.9	6	*	1
Hispanic	4.6	10	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	*	1
Unknown	-	6	*	1	-	-	-	-	-	-
<b>Race/Gender</b>										
White, not Hispanic Male	2.8	131	*	3	*	3	*	2	*	1
White, not Hispanic Female	0.5	25	*	2	-	-	*	2	*	1
Black, not Hispanic Male	11.7	74	-	-	*	3	*	4	*	1
Black, not Hispanic Female	6.2	44	-	-	*	2	*	2	-	-
Hispanic Male	8.0	9	-	-	-	-	-	-	-	-
Hispanic Female	-	1	-	-	-	-	-	-	-	-
Asian/Pacific Islander Male	-	-	-	-	-	-	-	-	-	-
Asian/Pacific Islander Female	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Male	-	-	-	-	-	-	-	-	-	-
American Indian/Alaska Native Female	-	-	-	-	-	-	-	-	-	-
Other	-	6	-	-	-	-	-	-	*	1
Unknown	-	6	*	1	-	-	-	-	-	-
<b>Total</b>	<b>2.6</b>	<b>296</b>	<b>0.9</b>	<b>6</b>	<b>1.5</b>	<b>8</b>	<b>1.7</b>	<b>10</b>	<b>*</b>	<b>4</b>

Note: Early syphilis cases include primary, secondary and early latent infections.  
<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using 2000 census data.  
 Asterisk (\*) indicates rates were not calculated for case counts <5.  
 Dash (-) indicates rates are not calculated because census data are not applicable to the respective category or that no cases were reported for the given category.  
 Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.



**Table 182. Trends in chlamydia cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	265.1	30,052	291.5	6,567	309.1	6,502	332.2	5,198	299.0	4,960	312.0	3,273
2000	286.8	32,561	293.4	6,605	311.2	6,534	369.2	5,837	341.5	5,687	345.0	3,609
2001	327.9	37,223	336.4	7,572	356.5	7,485	391.6	6,191	360.0	5,995	353.0	3,693
2002	368.9	41,878	364.9	8,213	386.4	8,114	404.8	6,400	365.5	6,087	368.5	3,855
2003	373.1	42,354	384.5	8,654	404.5	8,494	354.1	5,599	364.7	6,074	397.6	4,160
<b>Male</b>												
1999	104.0	5,723	103.5	1,116	110.5	1,110	168.0	1,289	88.6	712	156.5	793
2000	112.6	6,208	123.1	1,327	130.9	1,313	184.8	1,434	114.3	922	149.3	755
2001	137.6	7,585	162.4	1,750	173.2	1,738	227.4	1,764	131.1	1,058	159.8	808
2002	153.1	8,442	166.8	1,798	177.8	1,784	234.1	1,816	129.5	1,045	180.4	912
2003	148.1	8,163	176.0	1,897	186.5	1,871	145.5	1,129	143.1	1,155	176.2	891
<b>Female</b>												
1999	410.0	23,922	456.3	5,359	482.4	5,301	479.4	3,823	491.7	4,208	453.4	2,458
2000	446.6	26,083	445.7	5,228	471.7	5,171	539.6	4,345	551.5	4,735	523.5	2,830
2001	499.0	29,144	492.5	5,777	520.1	5,702	538.1	4,333	571.3	4,905	530.0	2,865
2002	561.3	32,785	541.3	6,350	571.6	6,267	559.3	4,503	580.5	4,984	540.0	2,919
2003	572.4	33,434	570.8	6,695	598.7	6,564	547.9	4,412	565.6	4,856	597.7	3,231
<b>13-19 Years of Age</b>												
1999	1,113.5	12,808	1,314.9	2,837	1,400.9	2,808	1,212.1	1,872	1,342.4	2,314	1,342.2	1,446
2000	1,168.6	13,376	1,306.2	2,791	1,397.7	2,772	1,345.2	2,074	1,481.4	2,551	1,354.7	1,449
2001	1,264.6	14,475	1,435.9	3,068	1,530.3	3,035	1,265.4	1,951	1,491.3	2,568	1,315.4	1,407
2002	1,452.7	16,628	1,651.2	3,528	1,762.7	3,496	1,343.2	2,071	1,555.7	2,679	1,410.8	1,509
2003	1,481.6	16,959	1,731.7	3,700	1,843.9	3,657	1,367.2	2,108	1,606.8	2,767	1,527.6	1,634
<b>20-29 Years of Age</b>												
1999	917.4	13,534	1,084.4	2,872	1,141.8	2,849	1,016.2	2,502	988.8	2,206	1,066.6	1,460
2000	1,045.7	15,315	1,125.4	2,939	1,177.5	2,895	1,176.3	2,901	1,181.8	2,620	1,279.2	1,731
2001	1,233.7	18,067	1,358.2	3,547	1,424.8	3,503	1,293.5	3,190	1,282.8	2,844	1,392.2	1,884
2002	1,334.3	19,541	1,425.6	3,723	1,490.7	3,665	1,297.1	3,199	1,261.6	2,797	1,367.8	1,851
2003	1,406.2	20,594	1,529.8	3,995	1,584.3	3,895	1,139.4	2,810	1,235.5	2,739	1,513.4	2,048
<b>30+ Years of Age</b>												
1999	41.0	2,724	52.4	712	55.3	703	67.0	584	33.6	319	44.9	277
2000	46.0	3,070	56.1	765	59.5	757	75.9	670	42.4	405	56.8	351
2001	53.2	3,551	62.1	847	65.9	838	97.1	857	48.1	460	53.6	331
2002	58.2	3,885	58.2	793	61.9	787	100.1	884	45.0	430	64.9	401
2003	56.4	3,765	61.3	835	64.3	818	61.5	543	42.8	409	62.6	387

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 182. Trends in chlamydia cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8		Lima Consortium 9A	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	265.1	30,052	228.9	1,898	149.7	1,261	145.8	980	198.6	1,317	176.3	910
2000	286.8	32,561	283.6	2,351	174.8	1,479	150.5	1,006	196.2	1,303	155.4	803
2001	327.9	37,223	355.4	2,946	192.1	1,625	170.2	1,138	191.8	1,274	193.5	1,000
2002	368.9	41,878	417.2	3,458	228.5	1,933	218.2	1,459	244.7	1,625	201.8	1,043
2003	373.1	42,354	362.3	3,003	240.6	2,036	215.8	1,443	210.9	1,401	189.8	981
<b>Male</b>												
1999	104.0	5,723	90.1	362	55.9	228	45.7	148	92.3	297	63.2	161
2000	112.6	6,208	101.5	408	72.4	297	54.5	176	42.5	137	51.4	131
2001	137.6	7,585	135.9	546	77.3	317	61.3	198	46.8	151	62.0	158
2002	153.1	8,442	164.5	661	92.6	380	73.1	236	61.7	199	69.8	178
2003	148.1	8,163	141.9	570	101.2	415	71.8	232	48.4	156	70.2	179
<b>Female</b>												
1999	410.0	23,922	355.3	1,519	235.2	1,021	235.2	818	290.2	991	284.1	743
2000	446.6	26,083	450.9	1,926	269.3	1,174	238.3	824	336.4	1,150	255.5	669
2001	499.0	29,144	557.7	2,382	298.9	1,303	270.2	934	326.8	1,117	317.7	832
2002	561.3	32,785	648.3	2,769	343.9	1,499	348.0	1,203	413.4	1,413	323.8	848
2003	572.4	33,434	564.3	2,410	354.7	1,546	342.8	1,185	361.3	1,235	299.8	785
<b>13-19 Years of Age</b>												
1999	1,113.5	12,808	898.2	805	705.2	593	693.0	449	816.1	559	723.8	409
2000	1,168.6	13,376	1,054.6	938	724.6	609	620.4	397	860.1	587	579.4	327
2001	1,264.6	14,475	1,292.9	1,150	782.9	658	756.4	484	823.5	562	751.3	424
2002	1,452.7	16,628	1,478.4	1,315	955.4	803	967.3	619	1,044.7	713	668.0	377
2003	1,481.6	16,959	1,296.3	1,153	975.6	820	879.8	563	848.4	579	717.7	405
<b>20-29 Years of Age</b>												
1999	917.4	13,534	775.5	886	515.0	544	550.7	418	734.7	571	658.7	415
2000	1,045.7	15,315	1,030.4	1,169	658.9	690	693.0	520	771.7	596	636.4	398
2001	1,233.7	18,067	1,299.2	1,474	755.4	791	771.7	579	800.2	618	713.1	446
2002	1,334.3	19,541	1,493.1	1,694	907.2	950	791.6	594	964.7	745	762.7	477
2003	1,406.2	20,594	1,356.5	1,539	963.5	1,009	994.2	746	936.2	723	757.9	474
<b>30+ Years of Age</b>												
1999	41.0	2,724	32.8	155	17.8	89	17.0	71	28.9	114	22.5	67
2000	46.0	3,070	39.7	188	32.2	70	16.8	66	16.7	66	20.7	62
2001	53.2	3,551	51.1	242	28.2	142	13.9	58	19.4	77	27.4	82
2002	58.2	3,885	70.0	332	28.4	143	20.1	84	22.5	89	23.4	70
2003	56.4	3,765	55.5	263	36.5	184	25.4	106	20.7	82	26.4	79

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.  
Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 182. Trends in chlamydia cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>						
1999	265.1	30,052	136.9	823	141.8	1,184
2000	286.8	32,561	183.4	1,103	168.1	1,403
2001	327.9	37,223	204.7	1,231	185.9	1,552
2002	368.9	41,878	223.5	1,344	223.1	1,862
2003	373.1	42,354	205.1	1,233	213.7	1,784
<b>Male</b>						
1999	104.0	5,723	42.3	126	49.5	203
2000	112.6	6,208	54.7	163	50.7	208
2001	137.6	7,585	57.1	170	60.2	247
2002	153.1	8,442	71.8	214	64.6	265
2003	148.1	8,163	55.7	166	64.1	263
<b>Female</b>						
1999	410.0	23,922	226.0	686	227.9	968
2000	446.6	26,083	305.2	926	279.7	1,187
2001	499.0	29,144	342.5	1,039	305.4	1,296
2002	561.3	32,785	363.2	1,102	371.2	1,575
2003	572.4	33,434	344.1	1,044	352.5	1,496
<b>13-19 Years of Age</b>						
1999	1,113.5	12,808	576.4	363	581.2	516
2000	1,168.6	13,376	815.6	513	671.1	593
2001	1,264.6	14,475	845.8	532	696.0	615
2002	1,452.7	16,628	866.4	545	788.8	697
2003	1,481.6	16,959	804.4	506	749.2	662
<b>20-29 Years of Age</b>						
1999	917.4	13,534	517.8	375	497.4	550
2000	1,045.7	15,315	668.6	480	617.7	681
2001	1,233.7	18,067	770.3	553	693.9	765
2002	1,334.3	19,541	803.8	577	772.8	852
2003	1,406.2	20,594	845.5	607	856.2	944
<b>30+ Years of Age</b>						
1999	41.0	2,724	18.5	66	16.9	83
2000	46.0	3,070	21.2	76	18.6	92
2001	53.2	3,551	23.4	84	20.9	103
2002	58.2	3,885	25.4	91	19.8	98
2003	56.4	3,765	23.4	84	27.3	135

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.



**Table 183. Trends in gonorrhea cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	162.4	18,404	228.7	5,153	243.8	5,128	226.9	3,550	193.8	3,215	182.5	1,914
2000	179.0	20,326	231.4	5,209	246.9	5,184	257.2	4,067	204.8	3,411	208.9	2,186
2001	186.1	21,123	231.1	5,202	247.4	5,194	249.6	3,947	219.8	3,661	212.9	2,227
2002	206.5	23,448	254.2	5,721	271.3	5,696	223.9	3,540	235.1	3,916	249.6	2,611
2003	199.3	22,625	235.8	5,307	251.5	5,280	195.4	3,090	234.8	3,910	246.6	2,580
<b>Male</b>												
1999	152.4	8,382	223.2	2,407	239.0	2,401	223.4	1,714	166.5	1,337	181.9	922
2000	171.3	9,444	244.8	2,639	261.4	2,623	238.6	1,851	175.9	1,419	214.2	1,083
2001	174.7	9,632	248.7	2,681	267.0	2,679	243.3	1,888	199.2	1,607	204.1	1,032
2002	190.1	10,480	267.0	2,878	285.5	2,865	210.2	1,631	213.2	1,720	235.8	1,192
2003	179.0	9,869	245.3	2,644	262.2	2,631	187.4	1,454	209.8	1,693	216.4	1,094
<b>Female</b>												
1999	168.6	9,837	228.5	2,684	242.5	2,665	225.8	1,801	217.2	1,859	181.9	986
2000	183.7	10,727	215.3	2,525	229.5	2,516	271.2	2,184	230.0	1,975	201.6	1,090
2001	193.0	11,275	212.7	2,495	227.0	2,489	251.4	2,024	237.5	2,039	218.8	1,183
2002	217.4	12,698	239.0	2,804	254.8	2,793	233.1	1,877	251.6	2,160	259.2	1,401
2003	213.3	12,457	223.6	2,623	238.0	2,609	200.9	1,618	254.7	2,187	272.3	1,472
<b>13-19 Years of Age</b>												
1999	526.6	6,057	814.8	1,758	872.6	1,749	635.8	982	678.2	1,169	612.6	660
2000	544.9	6,237	720.7	1,540	774.5	1,536	683.0	1,053	728.8	1,255	620.8	664
2001	555.5	6,358	737.6	1,576	793.6	1,574	627.2	967	747.4	1,287	641.3	686
2002	600.8	6,877	835.4	1,785	897.5	1,780	555.2	856	764.2	1,316	743.2	795
2003	607.7	6,956	781.1	1,669	840.5	1,667	535.7	826	808.3	1,392	744.2	796
<b>20-29 Years of Age</b>												
1999	559.8	8,258	823.1	2,180	868.9	2,168	673.0	1,657	655.3	1,462	620.2	849
2000	653.1	9,564	937.8	2,449	989.2	2,432	796.8	1,965	706.4	1,566	753.8	1,020
2001	690.9	10,118	959.6	2,506	1,018.1	2,503	776.1	1,914	748.3	1,659	817.3	1,106
2002	754.7	11,052	1,009.4	2,636	1,068.1	2,626	700.7	1,728	779.0	1,727	958.4	1,297
2003	724.0	10,603	935.5	2,443	988.8	2,431	614.7	1,516	764.5	1,695	940.7	1,273
<b>30+ Years of Age</b>												
1999	54.9	3,642	82.5	1,121	88.0	1,118	91.0	793	55.8	529	58.5	361
2000	62.1	4,143	83.8	1,142	89.4	1,138	106.7	942	57.4	549	74.1	458
2001	62.1	4,147	77.2	1,052	82.5	1,050	109.6	968	69.9	668	62.6	387
2002	71.8	4,790	88.7	1,209	94.5	1,203	98.6	871	81.4	778	74.8	462
2003	69.5	4,639	82.6	1,126	87.5	1,113	79.6	703	76.9	735	76.9	475

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 183. Trends in gonorrhea cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8		Lima Consortium 9A	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	162.4	18,404	101.8	844	121.5	1,023	86.2	579	91.7	608	51.9	268
2000	179.0	20,326	130.8	1,084	130.3	1,102	103.3	691	100.0	664	53.8	278
2001	186.1	21,123	164.7	1,365	121.9	1,031	113.4	758	104.0	691	43.5	225
2002	206.5	23,448	217.0	1,799	136.9	1,158	115.8	774	134.7	895	74.5	385
2003	199.3	22,625	155.8	1,291	125.3	1,060	123.5	826	121.2	805	89.6	463
<b>Male</b>												
1999	152.4	8,382	80.4	323	124.0	506	79.0	256	89.2	287	46.0	117
2000	171.3	9,444	116.7	469	131.4	539	90.1	291	86.5	279	49.8	127
2001	174.7	9,632	131.9	530	122.1	501	96.3	311	85.3	275	39.2	100
2002	190.1	10,480	172.7	694	128.0	525	106.8	345	139.6	450	64.7	165
2003	179.0	9,869	121.0	486	108.2	444	104.4	337	113.8	367	79.3	202
<b>Female</b>												
1999	168.6	9,837	121.2	518	117.5	510	91.4	318	91.7	313	57.0	149
2000	183.7	10,727	140.5	600	127.8	557	115.1	398	110.3	377	57.7	151
2001	193.0	11,275	194.6	831	120.9	527	127.6	441	120.8	413	47.4	124
2002	217.4	12,698	256.4	1,095	140.4	612	122.4	423	129.9	444	80.6	211
2003	213.3	12,457	187.1	799	131.5	573	136.8	473	127.5	436	97.4	255
<b>13-19 Years of Age</b>												
1999	526.6	6,057	276.7	248	424.5	357	341.1	221	293.5	201	173.4	98
2000	544.9	6,237	375.5	334	384.3	323	384.4	246	320.9	219	147.1	83
2001	555.5	6,358	422.7	376	341.5	287	404.7	259	354.6	242	145.3	82
2002	600.8	6,877	543.0	483	397.4	334	392.2	251	361.9	247	170.1	96
2003	607.7	6,956	437.3	389	425.9	358	403.2	258	325.3	222	244.5	138
<b>20-29 Years of Age</b>												
1999	559.8	8,258	342.2	391	435.5	460	333.3	253	393.7	306	190.5	120
2000	653.1	9,564	461.0	523	490.8	514	431.8	324	419.5	324	220.6	138
2001	690.9	10,118	630.2	715	470.8	493	497.1	373	449.3	347	145.5	91
2002	754.7	11,052	795.0	902	550.0	576	429.1	322	551.6	426	292.6	183
2003	724.0	10,603	552.7	627	467.0	489	538.4	404	524.4	405	353.4	221
<b>30+ Years of Age</b>												
1999	54.9	3,642	40.2	190	38.3	191	20.1	84	21.3	84	15.4	46
2000	62.1	4,143	42.2	200	49.8	251	26.1	109	26.5	105	18.0	54
2001	62.1	4,147	52.7	250	48.3	243	27.6	115	23.5	93	14.7	44
2002	71.8	4,790	78.5	372	44.1	222	33.1	138	51.3	203	24.7	74
2003	69.5	4,639	55.5	263	40.5	204	35.7	149	43.9	174	32.7	98

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention, Ohio Department of Health. Data as of May 2005.

**Table 183. Trends in gonorrhea cases by demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>						
1999	162.4	18,404	52.6	316	32.5	271
2000	179.0	20,326	82.0	493	54.0	451
2001	186.1	21,123	87.0	523	47.1	393
2002	206.5	23,448	63.0	379	47.2	394
2003	199.3	22,625	59.0	355	50.9	425
<b>Male</b>						
1999	152.4	8,382	40.6	121	25.3	104
2000	171.3	9,444	70.5	210	48.5	199
2001	174.7	9,632	70.5	210	40.9	168
2002	190.1	10,480	46.0	137	32.9	135
2003	179.0	9,869	46.3	138	41.9	172
<b>Female</b>						
1999	168.6	9,837	61.9	188	38.1	162
2000	183.7	10,727	91.6	278	59.4	252
2001	193.0	11,275	102.5	311	52.3	222
2002	217.4	12,698	77.5	235	59.6	253
2003	213.3	12,457	68.9	209	58.0	246
<b>13-19 Years of Age</b>						
1999	526.6	6,057	158.8	100	89.0	79
2000	544.9	6,237	275.0	173	153.9	136
2001	555.5	6,358	318.0	200	112.0	99
2002	600.8	6,877	160.6	101	90.5	80
2003	607.7	6,956	162.2	102	125.6	111
<b>20-29 Years of Age</b>						
1999	559.8	8,258	222.3	161	121.2	134
2000	653.1	9,564	327.4	235	179.6	198
2001	690.9	10,118	334.3	240	171.4	189
2002	754.7	11,052	250.7	180	169.6	187
2003	724.0	10,603	249.3	179	187.8	207
<b>30+ Years of Age</b>						
1999	54.9	3,642	13.2	47	10.4	51
2000	62.1	4,143	20.9	75	22.1	109
2001	62.1	4,147	21.2	76	16.6	82
2002	71.8	4,790	12.0	43	14.2	70
2003	69.5	4,639	17.0	61	20.3	100

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data. Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.



**Table 184. Trends in early syphilis cases by select demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Cleveland Title I Planning Region		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	2.2	250	4.0	90	4.2	89	5.1	80	0.5	9	2.1	22
2000	1.7	197	2.1	47	2.2	47	5.6	89	*	2	1.5	16
2001	1.6	186	1.9	43	2.0	43	6.6	104	0.4	6	0.7	7
2002	2.1	237	1.4	32	1.5	32	9.6	152	0.4	6	0.5	5
2003	2.6	296	2.2	49	2.1	45	10.7	169	*	3	0.6	6
<b>Male</b>												
1999	2.4	130	5.3	57	5.7	57	5.3	41	*	4	2.0	10
2000	2.0	110	2.0	22	2.2	22	7.1	55	*	1	2.0	10
2001	2.3	127	2.6	28	2.8	28	9.4	73	*	4	*	3
2002	3.2	174	1.6	17	1.7	17	16.0	124	0.6	5	*	3
2003	4.1	224	2.5	27	2.3	23	18.3	142	*	2	1.2	6
<b>Female</b>												
1999	2.1	120	2.8	33	2.9	32	4.9	39	0.6	5	2.2	12
2000	1.5	87	2.1	25	2.3	25	4.2	34	*	1	1.1	6
2001	1.0	59	1.3	15	1.4	15	3.9	31	*	2	*	4
2002	1.1	63	1.3	15	1.4	15	3.5	28	*	1	*	2
2003	1.2	72	1.9	22	2.0	22	3.4	27	*	1	-	-
<b>13-19 Years of Age</b>												
1999	1.2	14	*	2	*	2	5.2	8	*	2	*	1
2000	1.3	15	*	1	*	1	4.5	7	-	-	*	1
2001	1.0	11	2.3	5	2.5	5	*	4	-	-	-	-
2002	1.3	15	*	1	*	1	5.2	8	-	-	-	-
2003	1.7	19	*	2	*	2	7.8	12	-	-	-	-
<b>20-29 Years of Age</b>												
1999	5.8	85	12.8	34	13.6	34	11.0	27	*	4	5.8	8
2000	4.6	67	4.6	12	4.9	12	13.4	33	-	-	4.4	6
2001	4.0	59	3.1	8	3.3	8	13.4	33	*	2	*	2
2002	4.8	71	5.4	14	5.7	14	15.0	37	*	1	*	1
2003	6.3	92	5.0	13	4.9	12	17.8	44	-	-	*	2
<b>30+ Years of Age</b>												
1999	2.3	151	4.0	54	4.2	53	5.2	45	*	3	2.1	13
2000	1.7	114	2.5	34	2.7	34	5.5	49	*	2	1.5	9
2001	1.7	116	2.2	30	2.4	30	7.6	67	*	4	0.8	5
2002	2.3	151	1.2	17	1.3	17	12.1	107	0.5	5	*	4
2003	2.8	185	2.5	34	2.4	31	12.8	113	*	3	*	4

Note: Early syphilis cases include primary, secondary and early latent infections.  
<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.  
 Asterisk (\*) indicates rates were not calculated for case counts <5.  
 Dash (-) indicates no cases were reported for the given category.  
 Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 184. Trends in early syphilis cases by select demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8		Lima Consortium 9A	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>												
1999	2.2	250	1.4	12	1.7	14	*	4	*	3	-	-
2000	1.7	197	0.8	7	0.7	6	*	3	*	1	*	2
2001	1.6	186	*	1	*	*	1.6	11	*	1	*	4
2002	2.1	237	1.8	15	*	3	*	1	*	3	*	1
2003	2.6	296	1.7	14	1.1	9	3.1	21	0.9	6	1.5	8
<b>Male</b>												
1999	2.4	130	*	4	2.0	8	-	-	*	1	-	-
2000	2.0	110	*	4	*	3	*	1	*	1	*	2
2001	2.3	127	*	1	*	3	2.5	8	*	1	*	2
2002	3.2	174	1.7	7	*	3	-	-	*	2	*	1
2003	4.1	224	3.0	12	2.0	8	3.4	11	*	4	2.4	6
<b>Female</b>												
1999	2.1	120	1.9	8	1.4	6	*	4	*	2	-	-
2000	1.5	87	*	3	*	3	*	2	-	-	-	-
2001	1.0	59	-	-	*	1	3	3	-	-	*	2
2002	1.1	63	1.9	8	-	-	*	1	*	1	-	-
2003	1.2	72	*	2	*	1	2.9	10	*	2	*	2
<b>13-19 Years of Age</b>												
1999	1.2	14	-	-	-	-	-	-	-	-	-	-
2000	1.3	15	-	-	-	-	-	-	-	-	-	-
2001	1.0	11	-	-	-	-	*	1	-	-	*	1
2002	1.3	15	*	3	-	-	-	-	-	-	-	-
2003	1.7	19	*	1	-	-	*	1	*	1	-	-
<b>20-29 Years of Age</b>												
1999	5.8	85	*	1	*	2	*	1	-	-	-	-
2000	4.6	67	*	3	*	1	*	1	-	-	-	-
2001	4.0	59	*	1	-	-	9.3	7	-	-	*	3
2002	4.8	71	7.1	8	-	-	*	1	-	-	-	-
2003	6.3	92	4.4	5	*	3	18.7	14	*	1	*	1
<b>30+ Years of Age</b>												
1999	2.3	151	2.3	11	2.4	12	*	3	*	3	-	-
2000	1.7	114	*	4	1.0	5	*	2	*	1	*	2
2001	1.7	116	-	-	*	4	*	3	*	1	-	-
2002	2.3	151	*	4	*	3	-	-	*	3	*	1
2003	2.8	185	1.7	8	1.2	6	1.4	6	*	4	2.3	7

Note: Early syphilis cases include primary, secondary and early latent infections.

<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.

Asterisk (\*) indicates rates were not calculated for case counts <5.

Dash (-) indicates no cases were reported for the given category.

Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.

**Table 184. Trends in early syphilis cases by select demographic characteristics for Ryan White Cleveland Title I Planning Region and Title II Consortia, 1999-2003**

Demographic Characteristics	Ohio		Mansfield Consortium 9B		Southeast Consortium 9C	
	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.	Rate <sup>a</sup>	No.
<b>Total</b>						
1999	2.2	250	1.5	9	0.8	7
2000	1.7	197	3.3	20	*	4
2001	1.6	186	0.8	5	-	-
2002	2.1	237	2.7	16	*	3
2003	2.6	296	1.7	10	*	4
<b>Male</b>						
1999	2.4	130	*	3	*	2
2000	2.0	110	3.4	10	*	1
2001	2.3	127	*	4	-	-
2002	3.2	174	3.0	9	*	3
2003	4.1	224	2.0	6	*	3
<b>Female</b>						
1999	2.1	120	2.0	6	1.2	5
2000	1.5	87	3.3	10	*	3
2001	1.0	59	*	1	-	-
2002	1.1	63	2.3	7	-	-
2003	1.2	72	*	4	*	1
<b>13-19 Years of Age</b>						
1999	1.2	14	-	-	*	1
2000	1.3	15	9.5	6	-	-
2001	1.0	11	-	-	-	-
2002	1.3	15	*	3	-	-
2003	1.7	19	*	1	-	-
<b>20-29 Years of Age</b>						
1999	5.8	85	*	4	*	3
2000	4.6	67	12.5	9	*	2
2001	4.0	59	*	3	-	-
2002	4.8	71	11.1	8	*	1
2003	6.3	92	9.8	7	*	3
<b>30+ Years of Age</b>						
1999	2.3	151	1.4	5	*	3
2000	1.7	114	*	4	*	2
2001	1.7	116	*	2	-	-
2002	2.3	151	1.4	5	*	2
2003	2.8	185	*	2	*	1

Note: Early syphilis cases include primary, secondary and early latent infections.  
<sup>a</sup>The rate is the number of persons living with HIV/AIDS per 100,000 population calculated using census data.  
 Asterisk (\*) indicates rates were not calculated for case counts <5.  
 Dash (-) indicates no cases were reported for the given category.  
 Source: STD Surveillance, HIV/STD Prevention. Ohio Department of Health. Data as of May 2005.



**Table 185. Ryan White Title II clients receiving Emergency Financial Assistance and Home Health services by demographic characteristics and consortia, 2002**

	Ohio*		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	2,507	73%	822	72%	350	76%	353	75%	235	76%
Female	889	26%	310	27%	113	24%	117	25%	73	24%
Transgender	10	<1%	6	1%	0	0%	1	<1%	0	0%
Unknown/Unreported	43	1%	0	0%	0	0%	1	<1%	0	0%
<b>Age</b>										
<2	15	<1%	1	<1%	0	0%	0	0%	0	0%
2-12	29	1%	13	1%	0	0%	1	<1%	0	0%
13-19	24	1%	11	1%	2	<1%	1	<1%	4	1%
20-24	84	2%	26	2%	12	3%	12	3%	9	3%
25-29	204	6%	52	5%	26	6%	28	6%	26	8%
30-49	2,615	76%	864	76%	379	82%	363	77%	225	73%
50-64	426	12%	164	14%	43	9%	63	13%	43	14%
65+	15	<1%	7	1%	1	<1%	4	1%	1	<1%
Unknown	37	1%	0	0%	0	0%	0	0%	0	0%
<b>Race/Ethnicity</b>										
White	1,548	45%	354	31%	236	51%	193	41%	162	53%
Black	1,616	47%	636	56%	204	44%	265	56%	142	46%
Hispanic/Latino	197	6%	130	11%	16	3%	6	1%	4	1%
Native American	9	<1%	4	<1%	1	<1%	1	<1%	0	0%
Asian/Pacific Islander	10	<1%	2	<1%	1	<1%	3	1%	0	0%
Other	0	0%	0	0%	0	0%	0	0%	0	0%
Unknown	69	2%	12	1%	5	1%	4	1%	0	0%
<b>Total</b>	<b>3,449</b>	<b>100%</b>	<b>1,138</b>	<b>100%</b>	<b>463</b>	<b>100%</b>	<b>472</b>	<b>100%</b>	<b>308</b>	<b>100%</b>

\* Ohio demographic data include 43 clients without consortia information.

**Table 185. Ryan White Title II clients receiving Emergency Financial Assistance and Home Health services by demographic characteristics and consortia, 2002**

	Ohio*		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	2,507	73%	219	68%	187	76%	86	61%	63	76%
Female	889	26%	102	31%	58	24%	51	36%	18	22%
Transgender	10	<1%	1	<1%	0	0%	1	1%	0	0%
Unknown/Unreported	43	1%	2	1%	0	0%	2	1%	2	2%
<b>Age</b>										
<2	15	<1%	12	4%	0	0%	0	0%	0	0%
2-12	29	1%	7	2%	3	1%	4	3%	0	0%
13-19	24	1%	3	1%	1	<1%	2	1%	0	0%
20-24	84	2%	14	4%	6	2%	0	0%	1	1%
25-29	204	6%	36	11%	17	7%	9	6%	2	2%
30-49	2,615	76%	228	70%	185	76%	103	74%	71	86%
50-64	426	12%	21	6%	32	13%	22	16%	9	11%
65+	15	<1%	1	<1%	1	<1%	0	0%	0	0%
Unknown	37	1%	2	1%	0	0%	0	0%	0	0%
<b>Race/Ethnicity</b>										
White	1,548	45%	161	50%	120	49%	73	52%	55	66%
Black	1,616	47%	137	42%	122	50%	49	35%	22	27%
Hispanic/Latino	197	6%	17	5%	3	1%	14	10%	2	2%
Native American	9	<1%	3	1%	0	0%	0	0%	0	0%
Asian/Pacific Islander	10	<1%	2	1%	0	0%	0	0%	1	1%
Other	0	0%	0	0%	0	0%	0	0%	0	0%
Unknown	69	2%	4	1%	0	0%	4	3%	3	4%
<b>Total</b>	<b>3,449</b>	<b>100%</b>	<b>324</b>	<b>100%</b>	<b>245</b>	<b>100%</b>	<b>140</b>	<b>100%</b>	<b>83</b>	<b>100%</b>

\* Ohio demographic data include 43 clients without consortia information.

**Table 185. Ryan White Title II clients receiving Emergency Financial Assistance and Home Health services by demographic characteristics and consortia, 2002**

	Ohio*		Lima Consortium 9A		Mansfield Consortium 9B		Southeast Consortium 9C	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	2,507	73%	30	71%	60	78%	94	82%
Female	889	26%	12	29%	16	21%	18	16%
Transgender	10	<1%	0	0%	0	0%	1	1%
Unknown/Unreported	43	1%	0	0%	1	1%	1	1%
<b>Age</b>								
<2	15	<1%	2	5%	0	0%	0	0%
2-12	29	1%	0	0%	1	1%	0	0%
13-19	24	1%	0	0%	0	0%	0	0%
20-24	84	2%	0	0%	3	4%	1	1%
25-29	204	6%	5	12%	1	1%	2	2%
30-49	2,615	76%	30	71%	58	75%	100	88%
50-64	426	12%	5	12%	14	18%	10	9%
65+	15	<1%	0	0%	0	0%	0	0%
Unknown	37	1%	0	0%	0	0%	1	1%
<b>Race/Ethnicity</b>								
White	1,548	45%	34	81%	55	71%	102	89%
Black	1,616	47%	5	12%	22	29%	9	8%
Hispanic/Latino	197	6%	2	5%	0	0%	1	1%
Native American	9	<1%	0	0%	0	0%	1	1%
Asian/Pacific Islander	10	<1%	0	0%	0	0%	0	0%
Other	0	0%	0	0%	0	0%	0	0%
Unknown	69	2%	1	2%	0	0%	1	1%
<b>Total</b>	<b>3,449</b>	<b>100%</b>	<b>42</b>	<b>100%</b>	<b>77</b>	<b>100%</b>	<b>114</b>	<b>100%</b>

\* Ohio demographic data include 43 clients without consortia information.



**Table 186. Ryan White Title II clients receiving only Case Management services by demographic characteristics and consortia, 2002**

	Ohio		Cleveland Consortium 1		Columbus Consortium 2		Cincinnati Consortium 3		Dayton Consortium 4	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	1,236	81%	162	77%	432	83%	226	86%	81	82%
Female	275	18%	43	20%	86	16%	37	14%	18	18%
Transgender	5	<1%	3	1%	1	<1%	0	0%	0	0%
Unknown/Unreported	18	1%	2	1%	4	1%	1	<1%	0	0%
<b>Age</b>										
<2	7	<1%	0	0%	1	<1%	0	0%	1	1%
2-12	18	1%	3	1%	6	1%	3	1%	1	1%
13-19	12	1%	2	1%	5	1%	2	1%	0	0%
20-24	49	3%	8	4%	10	2%	12	5%	8	8%
25-29	120	8%	16	8%	37	7%	25	9%	6	6%
30-49	1,115	73%	152	72%	389	74%	192	73%	67	68%
50-64	197	13%	23	11%	72	14%	29	11%	15	15%
65+	15	1%	6	3%	3	1%	1	<1%	0	0%
Unknown	1	<1%	0	0%	0	0%	0	0%	1	1%
<b>Race/Ethnicity</b>										
White	946	62%	96	46%	355	68%	151	57%	53	54%
Black	508	33%	102	49%	143	27%	103	39%	41	41%
Hispanic/Latino	40	3%	10	5%	12	2%	7	3%	1	1%
Native American	4	<1%	0	0%	3	1%	1	<1%	0	0%
Asian/Pacific Islander	8	1%	0	0%	1	<1%	1	<1%	2	2%
Other	0	0%	0	0%	0	0%	0	0%	0	0%
Unknown	28	2%	2	1%	9	2%	1	<1%	2	2%
<b>Total</b>	<b>1,534</b>	<b>100%</b>	<b>210</b>	<b>100%</b>	<b>523</b>	<b>100%</b>	<b>264</b>	<b>100%</b>	<b>99</b>	<b>100%</b>

\* Ohio demographic data include 1 client without consortia information.

**Table 186. Ryan White Title II clients receiving only Case Management services by demographic characteristics and consortia, 2002**

	Ohio		Toledo Consortium 5		Akron Consortium 6		Youngstown Consortium 7		Canton Consortium 8	
	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>										
Male	1,236	81%	131	77%	68	86%	33	72%	35	66%
Female	275	18%	35	20%	11	14%	10	22%	15	28%
Transgender	5	<1%	0	0%	0	0%	1	2%	0	0%
Unknown/Unreported	18	1%	5	3%	0	0%	2	4%	3	6%
<b>Age</b>										
<2	7	<1%	5	3%	0	0%	0	0%	0	0%
2-12	18	1%	3	2%	0	0%	0	0%	0	0%
13-19	12	1%	3	2%	0	0%	0	0%	0	0%
20-24	49	3%	4	2%	3	4%	0	0%	2	4%
25-29	120	8%	19	11%	9	11%	1	2%	3	6%
30-49	1,115	73%	122	71%	51	65%	37	80%	39	74%
50-64	197	13%	14	8%	14	18%	7	15%	9	17%
65+	15	1%	1	1%	2	3%	1	2%	0	0%
Unknown	1	<1%	0	0%	0	0%	0	0%	0	0%
<b>Race/Ethnicity</b>										
White	946	62%	98	57%	53	67%	30	65%	36	68%
Black	508	33%	60	35%	24	30%	12	26%	11	21%
Hispanic/Latino	40	3%	5	3%	1	1%	2	4%	1	2%
Native American	4	<1%	0	0%	0	0%	0	0%	0	0%
Asian/Pacific Islander	8	1%	2	1%	0	0%	0	0%	1	2%
Other	0	0%	0	0%	0	0%	0	0%	0	0%
Unknown	28	2%	6	4%	1	1%	2	4%	4	8%
<b>Total</b>	<b>1,534</b>	<b>100%</b>	<b>171</b>	<b>100%</b>	<b>79</b>	<b>100%</b>	<b>46</b>	<b>100%</b>	<b>53</b>	<b>100%</b>

\* Ohio demographic data include 1 client without consortia information.

**Table 186. Ryan White Title II clients receiving only Case Management services by demographic characteristics and consortia, 2002**

	Ohio		Lima Consortium 9A		Mansfield Consortium 9B		Southeast Consortium 9C	
	No.	%	No.	%	No.	%	No.	%
<b>Gender</b>								
Male	1,236	81%	15	71%	22	79%	30	77%
Female	275	18%	6	29%	6	21%	8	21%
Transgender	5	<1%	0	0%	0	0%	0	0%
Unknown/Unreported	18	1%	0	0%	0	0%	1	3%
<b>Age</b>								
<2	7	<1%	0	0%	0	0%	0	0%
2-12	18	1%	0	0%	1	4%	1	3%
13-19	12	1%	0	0%	0	0%	0	0%
20-24	49	3%	0	0%	0	0%	2	5%
25-29	120	8%	0	0%	2	7%	2	5%
30-49	1,115	73%	19	90%	18	64%	28	72%
50-64	197	13%	2	10%	6	21%	6	15%
65+	15	1%	0	0%	1	4%	0	0%
Unknown	1	<1%	0	0%	0	0%	0	0%
<b>Race/Ethnicity</b>								
White	946	62%	15	71%	22	79%	36	92%
Black	508	33%	5	24%	5	18%	2	5%
Hispanic/Latino	40	3%	0	0%	1	4%	0	0%
Native American	4	<1%	0	0%	0	0%	0	0%
Asian/Pacific Islander	8	1%	1	5%	0	0%	0	0%
Other	0	0%	0	0%	0	0%	0	0%
Unknown	28	2%	0	0%	0	0%	1	3%
<b>Total</b>	<b>1,534</b>	<b>100%</b>	<b>21</b>	<b>100%</b>	<b>28</b>	<b>100%</b>	<b>39</b>	<b>100%</b>

\* Ohio demographic data include 1 client without consortia information.

